

Бесплатный звонок 8 800 700 3209 mail@bogart.ru www.bogart.ru

> ОРГАНИЗАЦИЯ РАБОЧЕГО ПРОСТРАНСТВА ОСНАЩЕНИЕ ОБЩЕСТВЕННЫХ ЗДАНИЙ

The catalogue for school solutions

V/S



# **Basic catalogue**

To design inspiring spaces for learning – that has always been the vital challenge that VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG has set itself. As one of Europe's leading manufacturers of school furniture and a full-range supplier with a wide portfolio, this is exactly what we offer our customers: comprehensive, stimulating furnishing, spatial and media solutions for educational establishments. In addition, we offer an extensive range of services such as planning, project support and customer service.

Our products stand out for their quality, functionality and durability. As has been proved by comparisons worldwide. The issue of sustainability is extremely important for us. And so too, of course, is safety. And you will find information about both these topics in this catalogue.

We hope you enjoy browsing through it, discovering new ideas and planning your space! If you need answers to any questions, advice or project support, our qualified customer support staff will be delighted to assist you personally.

Good to know4
FloorFriends15Students' chairs25Students' chairs (multi-year classroom groups).47Teachers' chairs.57Students' desks.65Teachers' desks.93Media rail systems.103Boards.113Multipurpose chairs, office swivel chairs.127Upholstery elements.161Multipurpose tables.171School office.197Serie 2000 (partition walls).207SPACE (storage space).211Shift+ (storage space).223Serie 600 (mobile storage space).227Serie 800-Mobil (mobile storage space).235Serie 800 (cabinet walls).241
List of materials





# Furniture supplier and fitter for the knowledge society since 1898

VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG is one of the most expert and dynamic full-range suppliers of school equipment in Europe – with a wide range permitting comprehensive equipment concepts for schools, public authorities, offices and conference spaces.

This family-owned company has been developing, manufacturing and marketing furniture and media equipment for the knowledge society for over 120 years. Its head office and sole production site is located in Tauberbischofsheim in Baden-Württemberg, Germany.

It is from here that VS controls the entire logistics chain. This includes consulting and planning by its own specialists as well as delivery, assembly and project support from customer support and service staff. In this way, it is able to develop high-performance, economically attractive end-to-end solutions for its customers. Whereas in the past, the task was to translate reforming educational ideas into room concepts, the focus nowadays is on modern pedagogic and educational requirements: To design schools as a learning and living space for students and teachers; to provide space for variable learning settings; to create possibilities for differentiated and individual, collaborative and personal, teacher-centered and self-driven learning.

Solutions for digital learning landscapes also play an important role. "VS - Das Systemhaus" is the VS Vereinigte Spezialmöbelfabriken centre of expertise for technical allround solutions covering every aspect of digital media. As a specialist in the integration of digital media in school and teaching environments, "VS - Das Systemhaus" can supply everything required: interactive displays and boards, peripheral equipment, support systems, safe and secure connection solutions and simple device management. The technical solutions are integrated in the corresponding room and furnishing concepts.





# Reliable, sustainable, responsible

As a large, family-owned SME, VS stands for a reliable, responsible and independent business approach. The company has adopted a long-term strategy geared towards sustainability. This has given it its successful competitive position.

### Continuity at the company site

VS develops and manufactures its products directly at its headquarters in Tauberbischofsheim and continuously invests in modern production facilities and highly efficient processes. This results in the creation of economically attractive furniture with convincing functionality.

### Data and facts

- VS was founded in1898 as Vereinigte Schulbankfabriken. One of the milestones in the company's history was the development of the wooden skid chair in 1950.
- VS is a family-owned company with 1,500 employees. The Managing Director is Philipp Müller.
- VS has always supported contemporary pedagogic initiatives. VS is developing comprehensive room concepts for educational establishments in the company of the Federal association for posture and movement promotion (Bundesarbeitsgemeinschaft für Haltungs- und Bewegungsförderung e.V) and the consulting firm LernLandSchaft.

#### Quality and environmental standards

- Quality management system as per DIN EN ISO 9001.
- Environmental management system as per DIN EN ISO 14001.
- Energy management system as per DIN EN ISO 50001.
- Various quality and environmental certificates awarded to VS products by external test institutes, for example Cradle to Cradle Certified, European Level, GS label for tested safety, the label "TÜV Rheinland certified: Emission-tested. Pollutant-tested", AGR Healthy Back Campaign quality label (Aktion gesunder Rücken e.V.), Greenguard certificate.

#### Training and vocational education

- Training through seven occupational courses and six work/study courses in the industrial, technical and commercial sectors.
- An in-house technical training center.
- Cooperations with schools and universities.
- Awarded the Dualis label by IHK Heilbronn-Franken as a company with superb training opportunities.
- Gold partner of the Baden-Wuerttemberg Cooperative State University, Mosbach.





# EPI: our new Environmental Product Information


How sustainable are our products? What environmental impact do they have in their various life cycle stages, in terms of materials, transport, manufacturing and recycling? Our new environmental product information, the UPI, provides information about this. Among other things, it explains how high the proportion of recycled material is in our products and how low the  $CO_2$  emissions are in their production. In addition, it shows further environmental impacts in a detailed life cycle assessment. In addition to product-specific environmental statements and data, the UPI also contains general statements from VS on the subject of sustainability.

The data basis comes from the so-called GaBi database. Its data sets provide the basis for a standardised life cycle assessment calculation. In addition, the GaBi database is constantly updated and adapted to the latest technologies and economic changes. This means that the LCA results of the new UPI from VS are one-to-one comparable with the EPDs, the Environmental Product Declarations, or other sustainability data sheets.

In addition, a UPI contains statements about the  $CO_2$  footprint and the cradle-to-gate balance. This is the life cycle assessment of the life cycle stages from the purchase of materials to the delivery of materials to the production of the furniture. This is how our EPI is structured:

- The first page contains a general product description as well as information on the materials used and recycled content. The product life cycle and the carbon footprint are also presented here.
- The life cycle assessment table on the second page includes the global warming potential as well as other environmental impacts - such as soil acidification or ozone layer depletion potential - and a cradle-to-gate balance, i.e. the summary of life cycle stages A1-A3. This also includes information on transport and impacts during use, as well as information on the disposal and recycling phase.
- On the last page of the UPI, we show how we are committed to sustainability.

All in all, the EPI gives us and our customers a comprehensive view of the environmental product characteristics.



# The VS spare parts service: Sustainability in practice

Our products are designed for maximum durability and many years of use. Even long after you have invested in our furniture, you will still receive spare parts - whether chair glides, locks or keys and much more. This saves all our resources and your wallet.

Reordering is very easy. On our website you will find spare parts lists for the most common school products as PDF files for downloading:

- Order form master keys and spare parts
- Spare parts lists blackboards and interactive media
- Spare parts lists for lockers
- Spare parts lists chairs
- Spare parts lists tables
- Organisation accessories for containers

With the help of diagrams and detailed illustrations, the required parts can be easily identified here and ordered immediately. If the part you need is not included or you are not sure what you need, simply call our spare parts team. Or send a photo by e-mail:

In addition, the spare parts service offers you tips and advice on the proper care, cleaning and disinfection of our products – from furniture surfaces to seat shells, fabric and imitation leather to displays. These PDFs are also available for download on the Spare Parts Service page.





# SPACE: Storage space to go

Modern teaching thrives on changing work scenarios in different rooms throughout the day. Ideally, the work materials should also be available in a flexible manner – sometimes in one room, sometimes in another. To leave, to exchange, to take back. This is possible with Space, our storage space to go.

SPACE is available in two versions: as a stationary wallmounted module SpaceStation-G and as a mobile module with castors SpaceWalk-G. The system is based on the Gratnell® system. The system is based on the Gratnell boxes. In the stationary module, the boxes are stored in a central location, prepared with teaching materials: for example, with everything needed for a specific task. Or with utensils for handicrafts and crafts. Or the equipment for experiments. The different colours of the boxes and the labelling on the front provide an overview.

### The principle

From SpaceStation-G, the required boxes are repacked into the mobile module SpaceWalk-G and rolled to the classroom. Here, the pupils take the boxes and bring them to their workplaces.

This is where it pays off that SPACE is coordinated with our other furniture systems: the Gratnell boxes can be pushed under the corresponding pupil desks. They can be stored in the Shift+ Landscape and Serie 800 storage units. And they fit under the Shift+ Up pedestal.

When the students have finished their task, they put the boxes back into SpaceWalk-G. This makes keeping order easy. Afterwards, SpaceWalk-G remains in the classroom until the next assignment or is pushed into the next room. The teacher can also take the module together with the boxes into the teachers' room to correct the work results.







Whether in frontal teaching or for individual and group work, whether in the classroom, in the compartment or in science rooms: work utensils can be easily transferred from one piece of furniture to the next in the Gratnellsboxes. Even entire class sets can be moved from the central storage areas to the respective place of use with the help of the mobile units.

### **Construction and equipment**

Since SPACE is subject to a lot of stress, the modules have to be robust and – in the case of SpaceWalk-G – still easy to move. High load-bearing capacity, simple operation and an appealing design were therefore decisive for us in the design.

The frame of the SPACE modules is made of powder-coated rectangular steel tubing at our factory in Tauberbischof-sheim. Top shelves, side panels and doors are made of pow-der-coated sheet steel. The door is only available with a lock and can be opened 180°. The guide rails for the Gratnell boxes have pull-out stops.

SpaceWalk-G is equipped with four lockable double swivel castors. There are models that can be used on one, both sides or alternately. SpaceStation-G has plastic glides; this module is always attached to the wall. If several SpaceStation-G are placed next to each other, they should be linked with row connectors.

SpaceStation-G can hold 18 flat or 8 high boxes per row, with or without lids. SpaceWalk-G can hold a maximum of 9 flat or 4 tall boxes per row, also with or without lids. Each box can be loaded with a maximum of 5 kilograms.

SPACE is available in various designs: with or without side panels, with or without doors, plain or in different colours for each component.



VS-International | Basic catalogue



# Tano: one table, many placement options

The unusual shape of the tabletop is the hallmark of our new Tano student's table: an asymmetrical student's table where one corner has a slightly blunter design. Thanks to this shape, Tano is particularly versatile and very easy to combine: In no time at all, the fully-fledged individual workstation becomes a table for partner or small group work or for the large group.

Tano is available in the fixed size categories from 2 to 7, as well as in size 0 and 30 centimetres for learning close to the floor and table height 74 centimetres for office use or fivefold height-adjustable. All models are available in two widths. The stackable table is thus suitable for flexible learning and working from primary school to grade 13 and in the staff room.

A Gratnell box can be inserted under the tabletop. A folder hook can be attached to the side of the table.

To make Tano easier to move, it is also available with two lockable castors. It is available in various materials and colours. All in all, a flexible multifunctional table for any size of room.







# New learning space concepts, many ways to learn

The school day is becoming ever more dynamic and varied. It is moving away from continuous teacher-centred teaching, the time spent at school is increasing and full-day schools offering optional extra-curricular activities are becoming ever more popular. All this demands new types of space concepts.

Mobile furniture such as the Shift+ range and the elements in the FloorFriends concept support this need for versatile learning and working landscapes. Further modules are now being added: the ShiftUp stage element and the Leaf tent element. These provide an uncomplicated way of designing varied teaching scenarios that respond particularly well to children's needs.

Both of these elements can be erected and dismantled quickly and easily and can be stored away to save space after use. As a result, the space can be designed to meet the current needs at any time. These elements are intuitive to use. Even children under the age of 12 years are able to use them to create learning spaces on their own initiative. ShiftUp is a simple stage unit that can be combined in many different configurations and can also be used as a low table or table-bench combination. The dimensions have been designed for use with the FloorFriends floor mats and the Shift+ Landscape shelf and cabinet elements. The basic shapes available are triangular and rectangular. The top can be turned over without the need for any tools so that either the walking or writing surface is facing upwards. In the school environment, ShiftUp is suitable for use in classrooms just as much as it is in shared spaces such as the canteen, main hall or library.

The Leaf tent element opens up a completely new dimension for learning spaces. Children love nooks and crannies and sheltered places to retreat into. With Leaf, such spaces can be created in moments. In this way, it is possible to create tunnels, group tents or individual refuges where children will find exactly the learning conditions that they need for concentrated individual work or quiet discussions. One space becomes many spaces, groups can be split up and variety and individuality are encouraged.





# Stakki, a new, iconic chair

Three legs, triangular basic shape, minimized design, manufactured from a single part. The Stakki chair stands out at first sight. It is visually and functionally unique – an iconic chair. It is also sustainable thanks to the low raw-material input and the recyclable material used.

Stakki is manufactured as a monoblock unit using multicomponent injection moulding coupled with an internal gas pressure process. This gives it volume and stability at a weight of only 3.8 kilograms.

Users can sit on Stakki equally well and ergonomically in any way they want: front-on, side-on or astride. The triangular basic shape also helps save space. The chairs can be accommodated like the pieces of a cake under a round table. The dual-component glide elements ensure stability and are also very gentle on the floor. Their stepped shape and the concave leg profile permit intuitive stacking of the chairs. Ten units can be stacked almost vertically on top of one another.

Stakki has been comprehensively tested and is certified as being safe. The tests conducted by the TÜV certification authority certify that it is suitable and approved for indoor and outdoor use. Stakki was designed by Martin Ballendat. The designer and his studio have already worked for numerous international companies and brands. He designs furniture for residential, office and other non-residential uses. He has always been fascinated by the question of chairs.

In the case of Stakki, he has provided an extreme example of the designer's art. He wanted to reduce the chair to the absolute minimum: As little as conceivably possible to provide the greatest possible functionality. And he has succeeded. Thanks to the "high design quality", Stakki received a Red Dot in the categories Innovative Product and Furniture Design at the Red Dot Award 2020.







# Hokki, Hokki+ Height-adjustable active stool

Hokki is the solution for dynamic sitting. Thanks to its rounded base, it can move in all directions and consequently permits permanent changes of posture without difficulty. Not only is this fun, it also aids motor capabilities.

The Hokki is now also available as the height-adjustable Hokki+ variant. The two models have a height adjustment range of 38 to 50 or 50 to 68 centimetres. This makes it possible to cover all school requirements.


Just like the fixed-height Hokkis, both models of the Hokki+ possess the quality label awarded by the Healthy Back Campaign (Aktion Gesunder Rücken e.V.) and have been tested and recommended by the Bundesverband deutscher Rückenschulen e.V. (German federal back training association) and the forum Gesunder Rücken – besser leben e.V. (Healthy back for a better life). The Hokki+ is extremely stable but also so light that even children and young people are able to carry it. The adjustment mechanism with its gas spring is immediately accessible and can be activated from anywhere under the seating surface.

The basic body of the Hokki and Hokki+ is made from recyclable polypropylene. This makes this active stool extremely scratch-resistant. Even the toughest everyday conditions pose practically no threat.









# Level-LuPo and Level-VF Healthy sitting for all ages

Ergonomics plays a major role at school. That is why DIN EN 1729 defines the dimensions required of school furniture so that children and young people of all sizes can work at it productively and healthily.

Conventionally equipped classes contain chairs and tables of different sizes in one and the same room. The size of the chair is determined by the distance between the floor and the seating surface and the size of the seat shell. The table height is harmonized with this.

In **multi-year learning environments**, there is only one common table height. It is the chairs that ensure ergonomic seating. In this case, the chair size is defined by the distance from the foot support to the seating surface, the distance from the seating surface to the table top and the size of the seat shell.

The frames of the Level–LuPo and Level–VF chairs have drill holes at four different fixed heights. These make it possible to adjust the height of the foot support in accordance with the specified standard sizes as well as for further seating heights.

Two Level models have been developed for the **table height** of 71 centimetres: with seat shell S for the standard chair sizes 2 and 3, and with seat shell M for standard size 4. For the **table height of 76 centimetres**, there are three models: with seat shell S for the standard sizes 2 and 3, with seat shell M for the standard sizes 4 and 5, and with seat shell L – in this case without foot support – for standard size 6.

In multi-year learning environments, Gratnells boxes, lattice-type book storage or chair suspensions restrict the freedom of the legs and should therefore not be used.



Detailed information on the Level and the other chairs in the series can be found in the "Level" catalogue.



**FloorFriends** 





### PRODUCT INFORMATION Welcome\_TY\_EN - 29.11.2021 - www.vs-furniture.com

## Welcome Cloakroom system for kindergartens and primary schools with the "slippers in class" principle

System consisting of an optionally combinable wall panel with clothes hooks, a shoe cabinet and a wall cabinet. Wall panel made from 19-mm-thick melamine resin-coated chipboard with four black double hooks offset from one another. The hooks, which have been certified by the TÜV product testing authority are rounded and equipped with a curved top part to prevent injury. The gap to the wall required for installation is covered with a sealing lip. The wall panels are available in two heights, making them suitable for kindergartens and primary schools and each panel can be used by a maximum of eight children.

Shoe cabinet consisting of a body made from melamine resin-coated chipboard with a central partition and two fixed, glued panels. The four shoe compartments for eight pairs of shoes can optionally be equipped with a black plastic base for putting shoes on. A tough HPL cover panel can be mounted on the top panel. The shoe cabinet, which possesses a set-back 8-mm base, is positioned in front of the wall panel and is screwed to it.

**Wall cabinet** consisting of a body which is subdivided into four compartments and made from melamine resin-coated chipboard. The wall cabinet is fixed directly to the wall above the wall panel.

The following material groups are available to choose from: Body made of chipboard: L6; Wall panel: L3.

		888	8 8 8		XXXX		
Welcome		40030	40031	40032	40033	40034	40035
	w∙h∙d	100.121,5.9	100.159.9	100.40,4.35	100.30.25	100.35,5.1,3	47,1.4,4.31,9
	FH	3	4				
		Cloakroom	panel	Shoe cabinet	Wall-mounted cabinet	Cover panel	Shoe compartment tray





PRODUCT INFORMATION Shift-p-Up\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Shift+ Up Table-bench platform for presentations and floor-level learning.

Multipurpose unit which can be used as a platform, table or bench. Stage-like landscapes of a maximum of two levels can be created from the rectangular and triangular elements. Centre distances matching the storage room units and mats of the Shift+ series.

Frame made from circular steel tubing with all-round rectangular tube edge. The legs are equipped with conical stacking and glide elements and can be securely stacked on top of one another up to a height of two using a spring buffer. Elements located next to one another (max 20 sqm) must be linked together using a flexible rotary connector. Optionally with guide for plastic Gratnells boxes.

Tops made from plywood. One side with anti-slip screen-printed structure for standing on and the other with a smooth surface for use as a table or for writing. The top can also be turned without the need for any tools. The sides can be closed off with an insertable panel for use as a stage.

Transport cart for the tops and the elements inserted in one another.

The following material groups are available to choose from: Frame made of steel tube: M1; (plain black); Gratnells plastic box: C3.

		$\bigcirc$		$\bigcirc$			$\bigcirc$	Ş
Shift+ Landscape		09451	09452	09453	09454	09456	09457	09455
	w∙d	105,5·85	104.104			174·83		
	W			77,5	98			
	h	3	32		,5	91		
	h (2-high)	5	Э					
			60°					
	Capacity of transport trolley					6 platforms		
	Packaging unit							2 pieces





#### PRODUCT INFORMATION Leaf\_TY\_EN - 22.02.2022 - www.vs-furniture.com

# Leaf

# Tent element for floor-level learning.

Tent elements for creating individual withdrawal areas in the classroom for individual children or small groups. The triangular material elements can be combined with the mats from the Shift+ series to create tent configurations and nooks and crannies. Similarly, the textile sail-type elements can be fixed to any magnetic surface (cabinets from the Shift+ series) using magnetic fastenings. A tent pole, which can also be used in combination with the Gugl storage element and/or the triangular Shift+-Landscape mats, makes it possible to construct a round tent consisting of a maximum of 6 sail elements. Textile sail element, consisting of a stretch fabric and glass fibre rods for tensioning the triangular surface. With 3 fixing points on the long and one fixing point on the short side.

Tent pole, consisting of a solid wood pole with stand plate made of HPL solid board and with a 6-way adapter in two heights, positionable using a bayonet fixing.

Shift+-Landscape mats, optionally with 1 to 3 fixing points (see above).

Magnetic fixings to fasten the sail elements to any magnetic surface.

Storage bag for transporting and storing the sail elements and curved glass-fibre rods.

Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available to choose from: Fabric sails: S77; Fabric cover: 40,64,81.

								CCC CCC
Leaf		09448	09449	01486	09450	09446	09447	09444
	w	circa 96			108	105	106	5
	h	circa 226	172	40		8		3
	d				40/13	85	25.87	
	Ø		46	64/47				
	Arc						60°	
	Quantity							4
			Ī					Magnetic fitting





### PRODUCT INFORMATION Gugl\_TY\_EN - 09.12.2021 - www.vs-furniture.com

## Gugl Occasional-element with integrated storage space. FloorFriends for floor-level learning.

Body made from deep-drawn, conical ABS plastic. The body is stackable.

Top made from HPL top. The top can be removed to access the storage space and is equipped with a groove to protect it against slipping. The storage space can accommodate back casters (09379), carpets (09440) or upholstery mats (09445). Padded mats consisting of a thick, foam-padded body with anti-slip bottom, side carrying loop and a black, all-round surrounding strap. The top seating surface consists of a hard-wearing, coloured covering.


Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

Equipment: Optionally available with a black polypropylene pen insert in the top.

The following material groups are available to choose from: Body made of plastic: C(white, black grey RAL 7021); HPLtop: L4; Fabric cover: S40,64,81.

	DIN EN h = 40 ○ 0			$\bigcirc$	$\bigcirc$	°
Gugl		09447	09379	09440	09445	01486
	W	106	525	410	)	
	d	25.87		334	1	
	h	8		7	30	400
	Ø		200			635/473
	Arc	60°				
	Storage in the table until max.		3	30	20	





PRODUCT INFORMATION Shift-p-LSitz\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Shift+ Landscape Soft seating elements.

Upholstered-element system consisting of carcass and seating elements.

Seating elements are linear or curved stools. Individual elements can be combined to form complete landscapes. Elements consisting of a floor plate with plastic or felt glide elements and a cushion of foam with leatherette cover. Seating sizes in 3 fixed heights in accordance with DIN EN 1729.

**Carcass** of melamine-resin-coated chipboards with glued-on plastic edge. With glued centre wall for partitioning the carcass. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel.

Function: Curved Landscape seating and cabinet elements can be combined linearly and, thanks to the matched inner and outer radii, back to back to create circular and serpentine seating/cabinet landscapes.

Fire protection of the upholstery elements optionally according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available to choose from: Body made of chipboard: L4; Perforated-plate: M1; Fabric cover: S40,64,81.

	Size as per DIN EN 1729 h = 30 ● 2 h = 38 ● 4 h = 46 ● 6		B	$\bigcirc$		$\mathbf{P}$			
Shift+ Landscape		45298	45297	09325	09328	09329	09326	09327	
	W	105,5	110	52,75	105,5	110	140,8/1	05,5	
	h	42			30.38.46				
	d			52,75		72,5/52,75			
	Size					2.4.6			
			60°			60°			
	Shelves	two sides	one side						



FloorFriends

1





PRODUCT INFORMATION Shift-p-LMatten\_TY\_EN - 17.11.2021 - www.vs-furniture.com

### Shift+ Landscape Padded mats, carpets and back support rolls. FloorFriends for floor-level learning.

**Padded mats** consisting of a thick, foam-padded body with anti-slip bottom, side carrying loop and a black, all-round surrounding strap. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. Can be used as a floor covering for one person or as a chair covering. The top seating surface consists of a hard-wearing, coloured covering.

**Carpet** consisting of a top surface made from black, hard-wearing artificial fibres and a rubberized, slip-proof bottom side. With side carrying loop. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. **Back support roll** consisting of a foam-padded body with black side element and hard-wearing, coloured covering. **Fire protection** of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available to choose from: Fabric cover: S40,64,81.

		$\checkmark$	$\bigcirc$			$\bigcirc$			
Shift+ Landscape		<u> </u>	Carpet			Padded mats			
		09379	09440	09441	09442	09445	09446	09447	
	w∙d		410·334	1050·850	1064/240.878	410.334	1050·850	1062/250.868	
	W	525							
	h			7		30	80		
	Ø	200							
	Arch				60°			60°	
							<u>.</u>	21	





PRODUCT INFORMATION Stapelstein\_TY\_EN - 03.05.2021 - www.vs-furniture.com

### Stapelstein Multifunctional sitting and play elements. FloorFriends for floor-level learning.

Structure made from expanded polypropylene (EPP). The "stone" (180g) and "spinning stone" (268g) are lightweight, odourless, water-resistant and free from chemical propellants. Stacking stones can be stacked to save space. Multifunctional and ideal for sitting, swaying, learning and playing. Both products can be combined to create active seating of varying heights. Maximum load: 180kg.

Sets of 4 or 12 stacking stones are available.

The following material groups are available to choose from: Stapelstein Body made of EPP: C5; Kreiselstein Body made of EPP: C(grey, darkblue).

Stapelstein		09387	09388	09389
	Ø	355	27	
	h	80	12	0
	Amount	1	4	12





PRODUCT INFORMATION EcoTable-R-Floor\_TY\_EN - 09.12.2021 - www.vs-furniture.com

# EcoTable-R FloorFriends tables for floor-level learning.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from circular tubular steel, powder-coated with coloured epoxy resin. Table with levelling screw-type feet, glide elements for hard or soft floorings or universal glide elements.

Tables in extra-low heights of 30 or 40 cm for floor-level learning.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. Some also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

**Optionally** available with plastic Gratnells box integrated in the edge frame.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.

		$\langle \rangle$			
EcoTable-R	d = 50 $d = 60$	23000 23005	23001 23006	23002 23007	23003 23008
	d = 65	23010	23008	23007	23008
	w h other cm	70	75 30	120	130

VS-International | Basic catalogue





Students' chairs





PRODUCT INFORMATION Jumper-Air-S-Active\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Air Active Forward-sprung cantilevered chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. In sizes 4-7, with an extremely stable strut between the skids. The chair is stackable (see table).

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Comfort model with large seat shell available for sizes 5 and 6.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

		Seating heights (± 1 cm) as per DIN EN 1729			
		• 2 = 31 cm			
		−3 = 35 cm			Sal
		•4 = 38 cm			
		● 5 = 43 cm	<u>~</u> ?		
		● 6 = 46 cm	>	$\sim$	
		● 7 = 51 cm	6		a de la compañía de la
JUMPER Air Active				33400	
	Comfort				33401
		Fixed height	23	4567	
		Fixed height cm			43·46
		Seat shell	SS	MMLXL	L XL
		Stacking height		5	





PRODUCT INFORMATION Jumper-Air-S-Four\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Air Four Four-legged chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

	Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	R
JUMPER Air Four		33300
	Fixed height	234567
	Seat shell	SSMMLXL
	Stacking height	5
1		27





PRODUCT INFORMATION Jumper-Air-S-Move\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Air Move Height-adjustable swivel chair for students.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Students' chair in fixed height or height-adjustable in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or particularly easy-to-use 3D tilt mechanism. With piggy-back hook for suspension of chair on table tops.

The following material groups are available to choose from: Foot of aluminum: M1; Seat and backrest: C4.

		Seating heights (± 1 cm)			
		as per DIN EN 1729			
		● 3 = 35 cm			
		● 4 = 38 cm			
		● 5 = 43 cm		$\frown$	
		$\bullet$ 6 = 46 cm			
		●7 = 51 cm			
		When fitted with castors, the			
		height increases by 23,5 mm.	5		
JUMPER Air Move	Fix		33501		
	Lift			33502	33506
		Fixed height	6		
		Variable height adjustment		35-43,9 cm ( <mark>345</mark> )	41,8-54,6cm( <b>5</b> 67)
		Seat shell	L	М	L





PRODUCT INFORMATION Jumper-Ply-S-Active\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Ply Active Forward-sprung cantilevered chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. In sizes 4-7, with an extremely stable strut between the skids. The chair is stackable (see table).

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Comfort model with large seat shell available for sizes 5 and 6.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	S		
JUMPER Ply Active			-	33450	-
	Comfort				33451
		Fixed height	23	4567	
		Fixed height cm			43.46
		Seat shell	S S	MMLXL	L XL
		Stacking height		5	





PRODUCT INFORMATION Jumper-Ply-S-Four\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Ply Four Four-legged chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3.

	Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	
JUMPER Ply Four		33350
	Fixed height	234567
	Seat shell	S S M M L XL
	Stacking height	5



Students' chairs

2



PRODUCT INFORMATION Jumper-Ply-S-Move\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# JUMPER Ply Move Height-adjustable swivel chair for students.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Students' chair in fixed height or height-adjustable in accordance with DIN EN 1729.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or particularly easy-to-use 3D tilt mechanism. With piggy-back hook for suspension of chair on table tops.

The following material groups are available to choose from: Foot of aluminum: M1; Seat and backrest: H3.

		Seating heights $(\pm 1 \text{ cm})$ as per DIN EN 1729 3 = 35  cm 4 = 38  cm 5 = 43  cm 6 = 46  cm 7 = 51  cm When fitted with castors, the height increases by 23,5 mm.		<del>₹</del>	
JUMPER Ply Move	Fix		33551		
	Lift			33552	33556
		Fixed height	6		
		Variable height adjustment		33,3-43,4 cm ( <mark>3 4 5</mark> )	41,5-56,7 cm ( <b>5</b> 67)
		Seat shell	L	М	L
					31





PRODUCT INFORMATION PMove-LuPo-Schul\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# PantoMove-LuPo Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Students' chair in fixed height or height-adjustable in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion. With concealed seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D rocker mechanism. Model 31505 with reduced weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (± 1 cm)			
		as per DIN EN 1729			
		● 3 = 35 cm			
		● 4 = 38 cm			
		● 5 = 43 cm			
		• 6 = 46 cm	0	0	
		● 7 = 51 cm			
		When fitted with castors, the			
		height increases by 23,5 mm.	<i>6</i>		
		-			
PantoMove-LuPo	Fix		31501		
	Lift			31505	31506
		Fixed height	6		
		Variable height adjustment		34,1-43 cm ( <mark>3 4 5</mark> )	42,4-55,2 cm ( <b>5</b> 67)
		Seat shell	L	М	L





PRODUCT INFORMATION PSwing-LuPo-Schul\_TY\_EN - 09.12.2021 - www.vs-furniture.com

# PantoSwing-LuPo Forward-flexing cantilever chair – the ergonomic seating solution.

Frame made from bent, powder-coated or chrome-plated round steel tubing. For sizes 4-7 with extra sturdy cross-strut between the skids.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole. Comfort model for sizes 5 and 6 with large seat shell.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggy-back chair stacking.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	Optionally with table-edge protection for piggy-back chair mounting.	
PantoSwing-LuPo			31400	
	Comfort			31401
		Fixed height	23 4567	
		Fixed height cm		43.46
		Seat shell	S S M M L XL	L XL
				22





PRODUCT INFORMATION Compass-LuPo-Schul\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# Compass-LuPo Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or 2C universal glide elements as well as with hard or soft castors.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	R	
Compass	LuPo		31300	31304
		Fixed height	234	<b>567</b>
		Seat shell	S S M	M L XL





PRODUCT INFORMATION PMove-VF-Schul\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# PantoMove-VF Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Students' chair in fixed height or height-adjustable in accordance with DIN EN 1729.

Seat shell made from beech plywood with anti-slip paint, visible seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D rocker mechanism. With piggyback hook for chair suspension on tabletops.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: H1.

		Seating heights $(\pm 1 \text{ cm})$ as per DIN EN 1729 3 = 35  cm 4 = 38  cm 5 = 43  cm 6 = 46  cm 7 = 51  cm When fitted with castors, the height increases by 23,5 mm.			
PantoMove-VF	Fix		31521		
	Lift			31525	31526
		Fixed height	6		
		Variable height adjustment		32,8-42,9 cm ( <mark>3 4 5</mark> )	41,5-56,7 cm ( <b>5</b> 67)
		Seat shell	L	M	L
		······	······		<b>9</b> E





PRODUCT INFORMATION PSwing-VF-Schul\_TY\_EN - 09.12.2021 - www.vs-furniture.com

# PantoSwing-VF Forward-flexing cantilever chair – the ergonomic seating solution.

Frame of one-piece bent powder-coated or chrome-plated round steel tube. With extra stable cross member between the skids.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from beech plywood (VF) with anti-slip paint and invisible seat mounting. Comfort model for sizes 5 and 6 with large seat shell.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggy-back chair stacking.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	Optionally with table-edge protection for piggy-back chair mounting.	
PantoSwing-VF			31420	
	Comfort			31421
		Fixed height		
		Fixed height cm		43.46
		Seat shell	S S M M L XL	L XL





PRODUCT INFORMATION Compass-VF-Schul\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# Compass-VF Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat shell made from beech plywood (VF) with anti-slip paint and concealed seat fixing.

Equipment and options. Glide elements for hard or soft floors or 2C universal glide elements as well as with hard or soft castors. See table for maximum stacking capacity (ST).

Accessories. Stacking trolley model 31198 for 1 stack of chairs of chair size 6 (46 cm).

The following material groups are available to choose from: Frame made of steel tube: M1,2,7; Seat and backrest: H1,2.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm		
Compass	VF		31320	31324
		Fixed height	234	567
		Seat shell	SSM	M L XL
		Stacking height	1	0





# PRODUCT INFORMATION KN-39-Schul\_TY\_EN - 08.12.2021 - www.vs-furniture.com KN-39

# Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube.

Chairs in 4 fixed heights in compliance with DIN EN 1729.

Seat and backrest of beech plywood with visible seat attachments. Optionally with firm upholstery on one side. Features and options. Glide elements for hard and soft floors. For maximum number stackable, see table. Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs of chair size 6. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,76,78,79,80,81.

	Stacking height	10	
	Fixed height	3456	6
KN-39		03901 039	03903
	Seating heights (± 1 cm) as per DIN EN 1729 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm		



Students' chairs

2



#### PRODUCT INFORMATION Classic\_TY\_EN - 08.12.2021 - www.vs-furniture.com

## Classic Skid-chair.

Frame of sides, skids and seat support of solid beechwood. Seat support with pickapack fitting for storage on table top. Students' chairs in 5 fixed sizes in accordance with DIN EN 1729.

Seat and backrest of solid beech and beech plywood with visible backrest attachments.

Features and options. Glides for hard and soft floors.

The following material groups are available to choose from: Frame made of wood: H(natural); Seat and backrest: H(natural).

	Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm	Ŕ	
Classic		03100	03101
	Fixed height	2	3456
			39





PRODUCT INFORMATION LuPoGlide\_TY\_EN - 08.12.2021 - www.vs-furniture.com

## LuPoGlide Skid-chair.

Frame of welded U-shaped skid and seat support, of powder-coated oval steel tube. Pickapack fitting for storage on table top. Model XL with extra wide seat.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat and backrest of double-walled textured polypropylene for comfortable sitting with air-cushion effect. Back with grip. Features and options. Glides for hard and soft floors or universal glides (2K). For maximum number stackable (ST) see table. Accessories. Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 / 6. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C(black grey RAL 7021, dolphin grey).

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	Ż
LuPoGlide	Standard		03430
	Comfort		0343
		Fixed height	<b>23456</b> 60
		Seat shell	M M M L L XLX
		Stacking height	10





PRODUCT INFORMATION BasicGlide\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# BasicGlide Skid-chair.

Frame of welded U-shaped skid and seat support, of powder-coated oval steel tube. Pickapack fitting for storage on table top. Model XL with extra wide seat.

Students' chairs in 6 fixed sizes in accordance with DIN EN 1729.

Seat and backrest of beech plywood with visible seat attachments. Optional with firm upholstery on one side. Features and options. Glides for hard and soft floors or universal glides (2K). For maximum number stackable (ST) see table. Accessories. Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 and 6. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,76,78,79,80,81.

		Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	<u>S</u>		S	R
BasicGlide	Standard		03402			
	Comfort			03405	03406	03407
		Fixed height	23456		60	
		Seat shell	SMMLL		XL XL	
		Stacking height		10		





PRODUCT INFORMATION Hokki\_TY\_EN - 08.12.2021 - www.vs-furniture.com

## Hokki, Hokki+ Stool, height-adjustable stool.

Stool made from stable, durable and extremely scratch-resistant polypropylene, fully recyclable. Comes with a lightweight foam seat shell (grey) or optionally with an extra-soft padded artificial leather cover (black). Thermoplastic base screwed to the polypropylene body.

Chair sizes in 4 fixed heights as set out in DIN EN 1729, one additional extra-large size and two sizes with gas-spring height adjustment.

Function: Offers freedom of movement in controlled conditions thanks to curved surfaces that stimulate the entire musculo-skeletal system. Easy to carry thanks to ergonomically shaped, undulating seating edge that is easy to grip and also prevents the user from slipping off. The stools are easy to transport and can be moved together to save space. Heightadjustable models with all-round activation mechanism and ergonomic depth suspension.

The following material groups are available to choose from: Body made of plastic: C2.

		Seating heights (± 1 cm)			
		as per DIN EN 1729			
		• 2 = 31 cm			
		• 4 = 38 cm			
		• 5 = 43 cm			
		• 6 = 46 cm		X	
		●7 = 51 cm	$\bigcirc$	$\bigcirc$	$\bigcirc$
Hokki	Fix		03825		
Hokki+	Lift			03813	03814
		Fixed height	<b>2467</b> 62cm		
		Variable height adjustment		38-50cm ( <b>4567</b> )	50-68 cm (🕖)
		Seat w cm		34,5	





PRODUCT INFORMATION Solo\_TY\_EN - 08.12.2021 - www.vs-furniture.com

## Solo Four-legged stool.

Frame of welded, powder-coated round steel tube.

Stool in 5 fixed heights. Each model with 4 seating heights, due to the cross struts positioned at different heights as foot supports.

Seat of beech plywood with concealed seat fixings.

Features and options. Plastic or felt glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat made of wood: H1.

Solo		03826
	Distance of seat to floor cm	46 52 61 65 83
	Distance of seat to foot support cm	24,8/29,8/34,8/39,8 29,8/34,8/39,8/44,8
	Stacking height	4
	Seat w cm	35
		43





PRODUCT INFORMATION Rondo-FixLift\_TY\_EN - 14.12.2021 - www.vs-furniture.com

# Rondo Four-legged stool, stool with five-star foot.

Rondo-Fix.

Frame of welded, powder-coated round steel tube. Frame sizes in 3 fixed heights. Seat of beech plywood with concealed seat attachments. Features and options. Glides for hard and soft floors. For maximum number stackable see table.

#### Rondo-Lift.

Frame consists of aluminium 5-star foot and a gas-spring with plastic cover.

Frame sizes adjustable in height.

Seat of beech plywood with concealed seat attachments.

Features and options. Glide elements or castors for hard or soft floors or 2C universal glide elements. Can be swivelled. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat made of wood: H1.

		Seating heights (± 1 cm) as per DIN EN 1729 • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm When fitted with castors, the height increases by 25 mm.			R	×
Rondo	Fix		03827	03828	03829	
	Lift					03822
		Fixed height cm	6	0	55	
		Variable height adjustment cm				37,5-50 cm ( <b>567</b> )
		Stacking height		15		
		Seat ø cm			35	





PRODUCT INFORMATION LuPoStool\_TY\_EN - 08.12.2021 - www.vs-furniture.com

# LuPoStool Skid stool.

Frame made from welded U-shaped skid and seat supports made from chromium-plated or powder-coated oval steel tubing. Piggy-back design for suspension from table top. Small model without foot support, medium and large model with foot support.

Chair sizes for raised seating in 3 fixed heights in accordance with DIN EN 1729.

Seat made from double-walled, structured polypropylene for comfortable seating with air cushion effect. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. See table for maximum stacking capacity.

Accessories. Stacking cart model 03414 for 2 stacks and stacking trolley model 03415 for 1 stack of chairs. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C(black grey RAL 7021, dolphin grey).

		R	Ż	<b>J</b>	B	R	Ð
LuPoStool				03428			03429
	Distance of seat to floor cm	46	56	61	46	56	61
	Distance of seat to foot support h cm		4	0		40	)
	Stacking height	6	2	3	6	2	3
	Seat w cm			3	7		

VS-International | Basic catalogue





3

Students' chairs (multi-year classroom groups)





PRODUCT INFORMATION Jumper-Air-S-Level\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### JUMPER Air Level Skid chair for ergonomic seating solutions in multi-year classroom groups.

**Frame** made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 33409) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Student's chairs for raised seating at 71 or 76 cm-high tables. In fixed heights each with 4 foot support settings, maximum 2 of which as per DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. For maximum number stackable with foot supports in upper "park position" (ST), see table.

**Recommendation.** JUMPER Air Level can be combined with school tables (without bookshelf and chair suspension) of height 71 or 76 cm.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

	Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm									
JUMPER Air Level		33407		33406	33405		33408		33409	
	Fixed height	2	3	4	2	3	4	6	6	
	Seat shell	S		Μ	S		M		L	
	Distance of seat to floor cm	48		51,2	53,6		53		46	
	Distance of seat to foot position h cm	31	35	38	31	35	38	43	46	
	Optimum table height cm		71				76			
	Stacking height		3			4			3	





PRODUCT INFORMATION Jumper-Air-S-MoJue\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### JUMPER Air Move HS Star-foot chair with foot ring for ergonomic seating in multi-year classroom groups.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism and height adjustment. Student's chairs for raised seating at 71 cm-high table tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole.

**Equipment and options.** Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and particularly easy-to-use 3D rocker mechanism. Model with reduced-weight gas spring mechanism suitable for children. With piggy-back hook for suspension of chair on table tops.

The following material groups are available to choose from: Foot of aluminum: M1; Seat and backrest: C4.

		Seating heights (± 1 cm) as per DIN EN 1729 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
JUMPER Air Move HS	Lift		33503
		Variable height adjustment	41,8-54,5 cm ( <b>3 4 5</b> )
		Seat shell	M
		Optimum table height cm	71
			49

3





PRODUCT INFORMATION Jumper-Ply-S-Level\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### JUMPER Ply Level Skid chair - ergonomic seating solution for multi-year classroom groups.

**Frame** made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 33409) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Student's chairs for raised seating at 71 or 76 cm-high tables. In fixed heights each with 4 foot support settings, maximum 2 of which as per DIN EN 1729.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. For maximum number stackable with foot supports in upper "park position" (ST), see table.

**Recommendation.** JUMPER Ply Level can be combined with school tables (without bookshelf and chair suspension) of height 71 or 76 cm.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3.

	Seating heights (± 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm									
JUMPER Ply Level		33457		33456	33455		33458		33459	
	Fixed height	2	3	4	2	3	4	6	6	
	Seat shell	S		М	S		M		L	
	Distance of seat to floor cm	48		50,3	52,9		53		46	
	Distance of seat to foot position h cm	31	35	38	31	35	38	43	46	
	Optimum table height cm		71				76	<u>i</u>		
	Stacking height		3			4			3	





#### PRODUCT INFORMATION Jumper-Ply-S-MoJue\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### JUMPER Ply Move HS Star-foot chair with foot ring for ergonomic seating in multi-year classroom groups.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism and height adjustment. Student's chairs for raised seating at 71 cm-high table tables.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and particularly easy-to-use 3D rocker mechanism. Model with reduced-weight gas spring mechanism suitable for children. With piggy-back hook for suspension of chair on table tops.

The following material groups are available to choose from: Foot of aluminum: M1; Seat and backrest: H3.

		Seating heights (± 1 cm) as per DIN EN 1729 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
JUMPER Ply Move HS	Lift		33553
		Variable height adjustment	41,7-56,9 cm ( <mark>3 4</mark> 5)
		Seat shell	M
		Optimum table height cm	71
			51

3





PRODUCT INFORMATION Level76-LuPo\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### Level-LuPo Skid chair - ergonomic seating solution for multi-year classroom groups.

Frame made from bended, powder-coated or chromium-plated circular steel tube with step-by-step, height-adjustable foot support (optional in the 31409) for adaptation to the child's height. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair sizes for elevated seating (for table height 71 or 76 cm) in fixed sizes, each with four foot support settings, maximum two as specified in DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggy-back chair stacking.

**Recommendation.** The Level can be combined with school tables of height 71 or 76 (without book shelf and chair suspension).

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

	Seating heights $(\pm 1 \text{ cm})$ as per DIN EN 1729 $\bigcirc 2 = 31 \text{ cm}$ $\bigcirc 3 = 35 \text{ cm}$ $\bigcirc 4 = 38 \text{ cm}$ $\bigcirc 5 = 43 \text{ cm}$ $\bigcirc 6 = 46 \text{ cm}$							Ĺ	
Level-LuPo		31407		31406	31405		31408		31409
	Fixed height	2	3	4	2	3	4	6	6
	Seat shell	Ś		М	S		M		L
	Distance of seat to floor cm	48		49	52,6		53		46
	Distance of seat to foot position h cm	31	35	38	31	35	38	43	46
	Optimum table height cm		71				76		
	Stacking height	3		4	3			4	





PRODUCT INFORMATION PMove-LuPo-Jue\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### PantoMove-LuPo HS Star-foot chair with foot ring for ergonomic seating in multi-year classroom groups.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. All models are height-adjustable Student's chairs for raised seating at 71 cm-high table tables.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion. With concealed seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and also optionally with particularly easy-to-use 3D rocker mechanism. Model 31509 with reduced-weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (± 1 cm) as per DIN EN 1729 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
PantoMove-LuPo HS	Lift		31509
		Variable height adjustment	41,1-53,9 cm ( <mark>3 4</mark> 5)
		Seat shell	М
		Optimum table height cm	71
			53

3





PRODUCT INFORMATION Level76-VF\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### Level-VF Skid chair - ergonomic seating solution for multi-year classroom groups.

Frame made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 31429) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair sizes for seating at high 71 or 76 cm tables. In fixed sizes each with 4 foot support settings, maximum two of which comply with DIN EN 1729.

Seat shell made from beech plywood with anti-slip paint. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking.

**Recommendation.** The Level can be combined with school tables of height 71 or 76 (without book shelf and chair suspension).

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

Seating heights ( $\pm$ 1 cm) as per DIN EN 1729 • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm								Ĺ	
Level-VF		31427		31426	31425		31428		31429
	Fixed height	2	3	4	2	3	4	6	6
	Seat shell	S		Μ	S		M		L
	Distance of seat to floor cm	48		48,5	52,6		53		46
	Distance of seat to foot position h cm	31	35	38	31	35	38	43	46
	Optimum table height cm		71				76		
	Stacking height				3				





PRODUCT INFORMATION PMove-VF-Jue\_TY\_EN - 09.12.2021 - www.vs-furniture.com

#### PantoMove-VF HS Star-foot chair with foot ring for ergonomic seating in multi-year classroom groups.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Student's chairs for raised seating at 71 cm-high table tables.

Seat shell made from beech plywood with anti-slip paint, visible seat fixing and grip hole.

**Equipment and options:** Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and also optionally with particularly easy-to-use 3D rocker mechanism. Model 31529 with reduced weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: H1.

		Seating heights (± 1 cm) as per DIN EN 1729	
		• 3 = 35 cm	
		●4 = 38 cm ●5 = 43 cm	<b>,                                    </b>
		When fitted with castors, the height increases by 23,5 mm.	
PantoMove-VF HS	Lift		31529
		Variable height adjustment	41,2-56,4 cm ( <mark>3 4</mark> 5)
		Seat shell	M
		Optimum table height cm	71
			55

3

VS-International | Basic catalogue





**Teachers' chairs** 





PRODUCT INFORMATION Jumper-Air-D-Active\_TY\_EN - 12.01.2021 - www.vs-furniture.com

#### JUMPER Air Active Forward-sprung cantilevered chair for lecturers.

Frame made from curved, powder-coated or chromium-plated circular steel tube with an extremely stable strut between the skids. The chair is stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm.	Ż	
JUMPER Air Active		33400	33402
	Seat w·h·d	440-460-425	455·475·425
	Total w·h·d	525-8	12.523
	Seat shell		L
	ST		5





PRODUCT INFORMATION Jumper-Air-D-Four\_TY\_EN - 19.01.2021 - www.vs-furniture.com

## JUMPER Air Four Four-legged chair for lecturers.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm.	R	
JUMPER Air Four		3331	33317
	Seat w·h·d	440-460-42	5 455·475·425
	Total w∙h∙d	512·	309·529
	Seat shell		L
	Stacking height		5





PRODUCT INFORMATION Jumper-Air-D-Move\_TY\_EN - 11.01.2021 - www.vs-furniture.com

#### JUMPER Air Move Height-adjustable swivel chair for kindergarten teachers.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. All models have height adjustment. Model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism. With piggy-back hook for suspension of chair on table tops. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

		Upholstery: Seat 15 mm. When fitted with castors, the height increases by 23,5 mm.		Ż
JUMPER Air Move	Kiga (Low)		33538	33537
		Seat w·h·d	455·363-453·425	440.348-437.425
		Total w·h·d	600·710	)-799.600
		Seat shell		L





#### PRODUCT INFORMATION PMove-LuPo-Doz\_TY\_EN - 06.04.2022 - www.vs-furniture.com

#### PantoMove-LuPo Star-foot chair for lecturer, tutor or teacher.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. All models are height-adjustable. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

**Equipment and options.** Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism. With piggy-back hook for suspension of chair on table tops. **Plus** model for raised seated/standing workplaces (68-115 cm) with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

Kiga model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

		Upholstery: Seat 20 mm. When fitted with castors, the height increases by 23,5 mm.	J.				<del>}</del>	€ K
PantoMove-LuPo	Lift		31506	31577				
	Plus (High)				31507	31578		
	Kiga (Low)						31508	31579
		Seat w·h·d	430.424-552.481	450.444-572.481	430.503-751.481	450.523-723.481	430.354-443.481	450.374-463.481
		Total w·h·d	601·785	-913·601	601.866-	1114.601	601·715	-803·601
		Seat shell				L	<u>.</u>	





PRODUCT INFORMATION PSwing-LuPo-Doz\_TY\_EN - 06.04.2022 - www.vs-furniture.com

## PantoSwing-LuPo Forward-flexing cantilever chair for lecturer, tutor or teacher.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover. Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

	Upholstery: Seat 20 mm.	Optionally with table-edge protection for piggy-back chair mounting.		
PantoSwing-LuPo			31400	31479
	Seat w·h·d		430.460.481	450.480.481
	Total w·h·d		525·81	
	Seat shell		L	-





PRODUCT INFORMATION Compass-LuPo-Doz\_TY\_EN - 06.04.2022 - www.vs-furniture.com

## Compass-LuPo Four-legged chair for lecturers and teachers.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

	Upholstery: Seat 15 mm.	R	R
LuPo		31300	
	h	460	475
	Seat w	430	450
 			~~





PRODUCT INFORMATION PMove-VF-Doz\_TY\_EN - 06.04.2022 - www.vs-furniture.com

## PantoMove-VF Star-foot chair for lecturer, tutor or teacher.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Seat shell made from beech plywood with anti-slip paint, visible seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly easy-to-use 3D rocker mechanism.

Plus model for raised seated/standing workplaces (68-115 cm) with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

Kiga model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

		Upholstery: Seat 20 mm. Backrest 20 mm. When fitted with castors, the height increases by 23,5 mm.			e la compañía de	e de la companya de l	Ż
PantoMove-VF	Lift		31526				
	Plus (High)			31527			
	Kiga (Low)				31530	31531	31532
		Seat w·h·d	430.415-567.526	430.506-779.526	430·331-432·526	430·351-452·526	430·351-452·526
		Total w·h·d	601·811-963·601	601.901-1176.601	i	601.727.828.601	
		Seat shell			L		



Students' desks





PRODUCT INFORMATION Tano\_TY\_EN - 06.04.2022 - www.vs-furniture.com

#### Tano Asymm

# Asymmetrical stacking table.

Frame consisting of an rectangular tubular steel frame with welded tubular steel table legs, colour epoxy powder-coated. Table with floor levelling screws, glides for hard or soft floors or with universal glides or with 2 or 4 lockable castors. The table can be stacked 6 high.

Tabletop shape ideal for a variety of combinations and set-ups for individual, double and group work.

Tables in 7 fixed heights according to DIN EN 1729, a further height of 30 cm for learning close to the floor and in 74 cm office height.

**Tabletop** made of melamine resin or laminate coated 19 mm or 25 mm chipboard with glued-on plastic edge. Partly also with a firm 13 mm HPL solid core board. In each case with angular or rounded corners.

**Optionally** with a Gratnells plastic box integrated in the frame and lateral folder hook. The table can be equipped with a ReCharge module for wireless charging of iPads with VS charging sleeve.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPLtop: L4.

	Table heights (± 2 cm)	Configuration		
	as per DIN EN 1729			
	○0 = 40 cm			
	●2 = 53 cm			
	−3 = 59 cm			
	● 4 = 64 cm			
	●5 = 71 cm			
	●6 = 76 cm			
	● 7 = 82 cm	· · · · · · · · · · · · · · · · · · ·	ľ	
Tano		0149	0 01491	
	w∙d cm	70.66/4	3 80.69/43	
	w·d cm Configuration A	158·14	2 171.154	
	w·d cm Configuration <b>B</b>	140-14	0 160.160	
	w·d cm Configuration ${f C}$	178-16		
	Fixed heights	30cm() <b>2</b> 3	<b>45</b> 74cm <b>67</b>	
	Height adjustable in steps		3 4 5 74cm 6 7	
	Stacking height		6	





PRODUCT INFORMATION Shift-p-B4Bein\_TY\_EN - 16.12.2021 - www.vs-furniture.com

## Shift+ Base Stackable four-legged tables.

Frame consisting of welded round tubular steel legs, some of which are offset outwards, with a central edging made from rectangular steel tubing, all powder-coated. Some models have tube-in-tube Allen-key height adjustment (see table). Desks with four plastic, felt or 2C universal glide elements or with glide elements and two lockable castors.

Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729.

Table top made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

Function: It is possible to combine the two mirrored concave-convex basic shapes in many ways to create circles, rows and groups. In the park position, the tables are stackable up to a height of six tables and are equipped with stack protection at the lower edge of the top frame.

Warning: A maximum of three stacked (unloaded) tables may be moved together on castors.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: PantoMove-LuPo.

	max. stacking height (stacked transportable)	6 (3)	6 (3)	
	Height adjustable in steps			
	Fixed height		30cm(0 <b>234567</b>	
	w·d cm	96,8·54/39,1	98,5·54/38,9	
	Cover plug	black	silve	
	Form	convex	concave	
Shift+ Base		01440	01441	
	•7 = 82 cm	•	1	
	• 6 = 76 cm			
	• 5 = 71 cm			
	● 4 = 64 cm			
	● 3 = 59 cm			
ſ	● 2 = 53 cm			
	0 = 40  cm			
	as per DIN EN 1729			
	Table heights (± 2 cm)			





PRODUCT INFORMATION Shift-p-BForm\_TY\_EN - 16.12.2021 - www.vs-furniture.com

## Shift+ Base Four-legged table.

Frame made from welded round tubular steel legs with set-back rectangular tubular steel top frame, all powder-coated. Optionally with tube-in-tube Allen-key height adjustment (see table). Tables with four plastic, felt or 2C universal glide elements or with glide elements and four lockable castors. Model 01448 can be stacked up to a height of 8 units. Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729. Table top in each case made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPLtop: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Move.

• •	Table heights ( $\pm 2 \text{ cm}$ )         as per DIN EN 1729 $0 = 40 \text{ cm}$ $2 = 53 \text{ cm}$ $3 = 59 \text{ cm}$ $4 = 64 \text{ cm}$ $5 = 71 \text{ cm}$ $6 = 76 \text{ cm}$ $7 = 82 \text{ cm}$		
Shift+ Base		01	445 01448
	w·d cm		140,8.78,8
	Fixed height	30 cm(	0234567
	Height adjustable in steps	30	<b>5</b> 74cm <b>6</b> 7
	max. stacking height		8





PRODUCT INFORMATION Shift-p-BFlip\_TY\_EN - 03.03.2022 - www.vs-furniture.com

# Shift+ Base Folding table.

**Designed (FlipTable)** with a centrally positioned tubular steel cross-piece with an articulated bracket. The table can be folded using a two-handed safety mechanism under the table top. It has a fitting to secure the table in both the horizontal and vertical positions.

Frame consisting of two curved, powder-coated steel tubes and four lockable castors.

Table heights in accordance with DIN EN 1729.

Function. When the top is tilted upwards, any number of tables can be pushed together to save space.

Table top in each case made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPLtop: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Move.

	Table heights $(\pm 2 \text{ cm})$ as per DIN EN 1729Sitting (Annex A) Standi $4 = 64 \text{ cm}$ $5 = 71 \text{ cm}$ $6 = 76 \text{ cm}$ $7 = 82 \text{ cm}$	88 cm	
Shift+ Base			01451
	w∙d cm		141.79
	Fixed heights	h Sitting	<b>4</b> 574cm6
		h Standing	<b>C4</b> C6
	Height-adjustable, type 1	h Sitting	<b>4</b> 574cm6
	Height-adjustable, type 2		74cm67
		h Standing	C4 97 cm





PRODUCT INFORMATION Shift-p-BHRund\_TY\_EN - 16.12.2021 - www.vs-furniture.com

## Shift+ Base Semi-circular tables.

Frame made from welded round tubular steel legs with 5-cornered all-round rectangular tubular steel top frame, all powder-coated. Some models have tube-in-tube Allen-key height adjustment (see table). Tables with five plastic, felt or 2C universal glide elements or with five castors, two of which are lockable.

Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729.

Table top made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

Equipment (01443): With a cable outlet (back) and a lockable, foldable metal cable tray.

Options (01443): With cable clamp, built-in socket, 5-way socket and convenient monitor arm.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: PantoMove-LuPo.

	Table heights ( $\pm 2 \text{ cm}$ )         as per DIN EN 1729 $0 = 40 \text{ cm}$ $2 = 53 \text{ cm}$ $3 = 59 \text{ cm}$ $4 = 64 \text{ cm}$ $5 = 71 \text{ cm}$ $6 = 76 \text{ cm}$ $7 = 82 \text{ cm}$	ŗ	<u>,</u>	
Shift+ Base			01442	01443
	w·d cm	160-78		
	Fixed height	30	0cm0023	84567
	Height adjustable in steps		34574	4cm 6 7





PRODUCT INFORMATION Shift-p-BStandStud\_TY\_EN - 16.12.2021 - www.vs-furniture.com

# Shift+ Base Height adjustable sit-at/stand-at school table.

Frame made from welded, powder-coated, U-shaped steel skids and a centrally positioned upright. Skids with four castors as standard, two of which are lockable. Optionally with bookshelf and/or screen.

**Function:** The gas spring is triggered using a handswitch at the edge of the desk top. The handswitch is equipped with a safety cover to protect against unintentional activation.

Desk height continuously height-adjustable with built-in gas spring.

Desk top made from laminate- or melamine resin-coated chipboard with glued plastic edge or from high-strength solid HPL board.

Equipment: Optionally available with a bookshelf made from metal sheet bended on three sides below the table top and/or a chipboard or HPL screen.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

Shift+ Base		01449	01450	
	Fixed height cm	91,5 (110,2)		
	Variable height adjustment cm		71-115	
	w·d cm		75.65	
	Optional	Book	Bookshelf	
		Scr	een	





PRODUCT INFORMATION EcoTable-Q-Edu\_TY\_EN - 15.12.2021 - www.vs-furniture.com

# EcoTable-Q Student's table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors.

Tables in 7 fixed heights in accordance with DIN EN 1729 as well as an additional height of 30 cm for floor-level learning. Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. Equipped with angled corners in all cases. Optionally available with a built-in plastic Gratnells box, chair suspension rails or storage basket under the table top, satchel hooks on the side and under-table screen at side opposite from user.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Active.

	Table heights (± 2 cm)		
	as per DIN EN 1729		
	○0 = 40 cm		
	● 2 = 53 cm		
	● 3 = 59 cm		
	● 4 = 64 cm		
	● 5 = 71 cm		
	• 6 = 76 cm		
	● 7 = 82 cm		
EcoTable-Q	d = 50 cm	23100 23101 23102	23103
	d = 60 cm	23105 23106 23107	23108
	d = 65 cm	23110 23111	23113
	w cm	70 75 120	130
	Fixed height	30 cm () (2 3 () (5 74 cm (6 ()	





PRODUCT INFORMATION EcoTable-R-Edu\_TY\_EN - 15.12.2021 - www.vs-furniture.com

# EcoTable-R Student's table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors.

Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729, as well as an additional height of 30 cm for floor-level learning.

**Table top** made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

**Optionally** available with a built-in plastic Gratnells box, chair suspension rails or storage basket under the table top, satchel hooks on the side and under-table screen at side opposite from user.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Active.

	Fixed height Height adjustable in steps	300	n 0 2 3 4 3 4 5 74	574cm67 cm67	,
	W CM	70	75	120	130
	d = 65 cm	23010	23011		23013
	d = 60 cm	23005	23006	23007	23008
EcoTable-R	d = 50 cm	23000	23001	23002	23003
	● 7 = 82 cm	-			
	● 6 = 76 cm				
·	●5 = 71 cm				
Ľ	• 4 = 64 cm				
	● 3 = 59 cm				
<b>F</b> <sup>®</sup>					
0	$\bigcirc 0 = 40 \text{ cm}$				
	as per DIN EN 1729				
	Table heights (± 2 cm)				





PRODUCT INFORMATION Cross-Q-Edu\_TY\_EN - 28.02.2022 - www.vs-furniture.com

# Cross-Q Group table with square tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from square tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Tables in 7 fixed heights, all in accordance with DIN EN 1729, as well as an additional height of 30 cm for floor-level learning.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

The following material groups are available to choose from: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.

	Fixed height				30 cr	n(0) <b>2 3 4</b>	<b>5</b> 74cm 6	7			
	w cm	60	70	80	90	100	120	140	160	180	200
	d = 100 cm					01890	01891	01892	01893	01894	01895
	d = 90 cm				01870		01871	01872	01873	01874	01875
	d = 80 cm			01860			01861	01862	01863	01864	01865
	d = 70 cm		01850				01851	01852	01853	01854	01855
Cross-Q	d = 60 cm	01840					01841	01842	01843	01844	01845
	• 7 = 82 cm	l									
	●6 = 76 cm										
	●5 = 71 cm										
	• 4 = 64 cm										
	● 3 = 59 cm										
	• 2 = 53 cm										
	00 = 40  cm										
	as per DIN EN 1729										
	Table heights (± 2 cm)										





#### PRODUCT INFORMATION Cross-R-Edu\_TY\_EN - 28.02.2022 - www.vs-furniture.com

# Cross-R Group table with round tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from round tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729, as well as an additional height of 30 cm for floor-level learning.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. All models available with angled or curved (radius = 25 mm) corners. The following material groups are available to choose from: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.

	Table heights (± 2 cm)										
0	as per DIN EN 1729										
	○0 = 40 cm										
, i	●2 = 53 cm		~								
	−3 = 59 cm										
	● 4 = 64 cm										
<u> </u>	●5 = 71 cm										
_	6 = 76 cm										
	● 7 = 82 cm	J									
Cross-R	d = 60 cm	01800					01801	01802	01803	01804	01805
	d = 70 cm		01810				01811	01812	01813	01814	01815
	d = 80 cm			01820			01821	01822	01823	01824	01825
	d = 90 cm				01830		01831	01832	01833	01834	01835
	d = 100 cm					01880	01881	01882	01883	01884	01885
	w cm	60	70	80	90	100	120	140	160	180	200
	Fixed height				30 cr	n0 <b>234</b>	<b>5</b> 74cm <b>6</b>	7			
	Height adjustable in steps					34574	cm60				





PRODUCT INFORMATION LiteTable-Schul\_TY\_EN - 15.12.2021 - www.vs-furniture.com

## LiteTable-AL Stackable lightweight table.

Frame. The leg elements of round aluminium tube are pressed and screwed with high-strength special-alloy corner connectors to the square aluminium tube frame. The legs and frame are powder-coated. Thanks to the way in which the legs are spaced closer together and further apart in pairs, the table is stackable (ST) and can nevertheless, depending on how it is turned, be lined up against another table without gaps in between. Tables with glide elements for hard or soft floors or with 2C universal glide elements and optionally with 2 castors on legs spaced further apart.

Table sizes in 8 fixed heights in accordance with DIN EN 1729.

**Table top** with a chipboard top and a seamlessly cast (PUR) polyurethane safety edge or with a chipboard top and glued-on plastic plastic edge. Tops with plastic edge with edged or rounded corners.

Function. The table can be stacked thanks to the extremely lightweight, hard-wearing materials used.

Warning: A maximum of 4 stacked (unloaded) tables may be rolled on their castors.

The following material groups are available to choose from: Frame made of aluminum: M1; Top made of chipboard: L4; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-VF.

		Table heights ( $\pm 2 \text{ cm}$ )         as per DIN EN 1729 $0 = 40 \text{ cm}$ $2 = 53 \text{ cm}$ $3 = 59 \text{ cm}$ $4 = 64 \text{ cm}$ $5 = 71 \text{ cm}$ $6 = 76 \text{ cm}$ $7 = 82 \text{ cm}$	180°	* w·d footprint		¢
LiteTable-AL	PUR/KU	d = 55 cm		21018		21003
	KU	d = 65 cm			21019	21003
		w cm		70	75	
		Fixed height		30cm(0 <mark>(2)3</mark>	4567	
		max. stacking height		8		
		max. stack w* cm		78	83	
		max. stack d* cm		82	92	
		Weight min. kg		9,0	10,5	





PRODUCT INFORMATION LiteTable-ST-Schul\_TY\_EN - 15.12.2021 - www.vs-furniture.com

## LiteTable-ST Stackable table.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the table is stackable. What is more, they can be rotated to form continuous rows. Tables with glide elements for hard or soft floorings or with 2C universal glide elements and, optionally, with two castors at the outer legs.

Table sizes in 7 fixed heights in accordance with DIN EN 1729.

Table top with HPL or chipboard top and continuous, molded (PUR) polyurethane safety border or chipboard top and glued plastic border. Tops with KU border available with edged or rounded corners as required.

Warning: A maximum of four stacked (unloaded) tables may be moved together on castors.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; Top made of chipboard with PUR edge: L2; Chipboard with laminate: L9; HPL-top: L4.

Further products on this page: Compass-VF.

		Table heights $(\pm 2 \text{ cm})$ as per DIN EN 1729 $\bigcirc 0 = 40 \text{ cm}$ @ 2 = 53  cm @ 3 = 59  cm @ 4 = 64  cm @ 5 = 71  cm @ 6 = 76  cm @ 7 = 82  cm	* w·d footprint	æ
LiteTable-ST	PUR/KU	d = 55 cm	21090	21003
	KU	d = 65 cm	210	91 21005
		w cm	70	75
		Fixed height	30cm 0 <b>2</b> 3 <b>4</b> 5 6 <b>7</b>	
		max. stacking height	8	
		max. stack w* cm	78	83
		max. stack d* cm	82	92
		Weight min. kg	13,5	15





PRODUCT INFORMATION TriTable-III\_TY\_EN - 16.12.2021 - www.vs-furniture.com

# TriTable-III Triangular table.

Frame made from welded round tubular steel legs with rectangular tubular steel top frame, all powder-coated. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729, as well as an additional height of 30 cm for floor-level learning.

Table top (right-angle triangle with two equal sides) made from melamine resin or laminate-coated chipboard with glued plastic edge or with a high-density, solid HPL top, both with rounded corners (radius 25 mm).

**Function:** Many combinations possible to form rows or group workspaces. The tables are stackable up to a height of eight tables and are equipped with stack protection at the lower edge of the frame. Optionally available with removable plastic tray on the long table side.

Equipment: Optionally available with castor at the 90° corner or with three castors.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9; Gratnells plastic box: C3.

Further products on this page: Compass-VF.

	Table heights $(\pm 2 \text{ cm})$ as per DIN EN 1729 $\bigcirc 0 = 40 \text{ cm}$ @ 2 = 53  cm @ 3 = 59  cm @ 4 = 64  cm @ 5 = 71  cm @ 6 = 76  cm @ 7 = 82  cm	Configurations		
TriTable-III	• / - 02 cm	01426	01427	01428
	w∙d cm	111/80-80	118/85·85	125/90.90
	w·d Configuration 2 tables cm	83.83	88.88	93.93
	w·d Configuration 4 tables·cm	114·114	121.121	128·128
	Fixed height	<b>30cm</b>	02346	67
	Height adjustable in steps		34567	)





PRODUCT INFORMATION JU-StudioTable-Edu\_TY\_EN - 06.04.2022 - www.vs-furniture.com

# JUMPER StudioTable Stackable four-legged table for school use.

Frame consisting of welded legs with all-round edging made from powder-coated or chromium-plated precision rectangular steel tubing. Due to the asymmetrically positioned table top, the tables are stackable but can nevertheless be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Table sizes in 7 fixed heights as per DIN EN 1729 as well as an additional height of 30 cm.

**Table top** With a 19-mm melamine or laminate-coated chipboard top and glued plastic edge or a 13-mm HPL top. **Function.** The rectangular table can be stacked by a single person due to the lightweight but tough materials. See table for maximum stacking capacity.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.

	Table heights (± 2 cm) as per DIN EN 1729						
	○0 = 40 cm						
	●2 = 53 cm						
	−3 = 59 cm						
	● 4 = 64 cm		180°				
	5 = 71 cm						
	6 = 76 cm						Ţ, I
	● 7 = 82 cm			•			1
JUMPER StudioTable	d = 65 cm			22440	22441	22442	22443
	w cm			65	75	130	130/65
	Fixed height				30cm023	4567	
	max. stacking height	Si. 0-4			8		
		Si. 5-7			6		





PRODUCT INFORMATION Uno-C\_TY\_EN - 16.12.2021 - www.vs-furniture.com

# Uno-C Skid desk.

Frame made C-shaped upright and flat-ended skids with plastic kick protection. Desk legs made from powder-coated or chrome-plated VS special steel tubing and cross-strut made from circular steel tubing.

**Desk sizes:** 6 fixed heights or with 6-stage grid height adjustment using an Allen key fixing. All products compliant with DIN EN 1729.

**Desktop** made from melamine-coated chipboard with continuous, moulded (PU) polyurethane safety edge or glued plastic edge, from exceptionally strong LIGNOdur safety board with soft, rounded edges, or from a high-strength HPL board (see table for dimensions and desktop types).

Equipment and options. With glide elements for hard and soft floors or 2K universal glide elements and satchel hooks. Also with screen, lattice-type book storage, plastic box or different kinds of chair suspension.

Warning: The desk height may vary depending on the type of desktop and the glide elements. Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2; Top made of chipboard: L4; HPL-top: L4.

Further products on this page: JUMPER Air Active.

		as per DIN EN 1729 • 2 = 53 cm • 3 = 59 cm • 4 = 64 cm • 5 = 71 cm • 6 = 76 cm • 7 = 82 cm		$\rightarrow$			
Uno-C	LIGNOdur, HPL,	d = 50 cm	22430			22432	
	Chipboard-KU/-PUR	d = 65 cm		22431		224	33
		w cm	70	75		130	
		Fixed height	0000	20		000000	
		Height adjustable in steps	2345	<b>91</b>		234567	
	Screen				22428		22429
		for table w cm			70, 75		130
		h cm			25		25





PRODUCT INFORMATION Uno-M\_TY\_EN - 06.04.2022 - www.vs-furniture.com

# Uno-M, Uno-M-Step Skid desk.

Frame made from powder-coated tubular steel with central upright on flat-ended skids with plastic kick protection. Desk legs made from flat oval steel tubing and cross-strut made from circular steel tubing.

**Desk sizes:** 6 fixed heights or with 5-stage grid height adjustment using an Allen key fixing. All products compliant with DIN EN 1729.

**Desktop** made from melamine-coated chipboard with continuous, moulded (PU) polyurethane safety edge, from exceptionally strong LIGNOdur safety board with soft, rounded edges, or from laminate-coated chipboard (see table for dimensions and desktop types).

Equipment and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension. Warning: The desk height may vary depending on the type of desktop and the glide elements. Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

		Table heights $(\pm 2 \text{ cm})$ as per DIN EN 1729 2 = 53  cm 3 = 59  cm 4 = 64  cm 5 = 71  cm 6 = 76  cm 7 = 82  cm	<	P				4	F			J
Uno-M					Uno-M				U	no-M-Ste	р	
		Fixed height		2	3456	0						
		Height adjustable in steps							3	456	7	
	LIGNOdur	d = 50 cm	02408			02405		22408			22405	
		d = 65 cm		02409					22409			
	Chipboard-KU Laminate KU	d = 60 cm	02412		02413			22412		22413		
	Chipboard-PUR	d = 65 cm		02410		02406	02407		22410		22406	22407
		w cm	70	75	120	130	150	70	75	120	130	150





PRODUCT INFORMATION UnoBean\_TY\_EN - 16.12.2021 - www.vs-furniture.com

## UnoBean, UnoBean-Step Skid desk with free-form top.

Frame made from powder-coated tubular steel with central upright on flat-ended skids with plastic kick protection. Desk legs made from flat oval steel tubing and cross-strut made from circular steel tubing.

**Desk sizes:** 6 fixed heights or with 5-stage grid height adjustment using an Allen key fixing. All products compliant with DIN EN 1729.

Desktop made from melamine-resin coated chipboard with continuous, moulded (PU) polyurethane safety edge. **Equipment and options.** Also with lattice-type book storage, plastic box or different kinds of chair suspension.

Warning: The desk height may vary depending on the type of desktop and the glide elements. Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

			Table heights ( $\pm 2 \text{ cm}$ ) as per DIN EN 1729 2 = 53  cm 3 = 59  cm 4 = 64  cm 5 = 71  cm 6 = 76  cm 7 = 82  cm		A	R
UnoBean		LIGNOpal-PUR	d = 58,6 cm		01467	
	Step					01468
			w cm		79	,7
			Fixed height		234567	
			Height adjustable in steps			34567
			ø cm	20° circle setup with 18 tables (without chairs)	51	0
				30° circle setup with 12 tables (without chairs)	36	0





PRODUCT INFORMATION StepByStep-I\_TY\_EN - 16.12.2021 - www.vs-furniture.com

# StepByStep-I Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table heights in 6 steps in accordance with DIN EN 1729. Height adjustment in steps with Allen-key or hand-wheel. Table top made from melamine-resin-coated chipboard with a seamlessly cast-on safety edge made from (PUR) polyurethane. Optionally with an extremely robust LIGNOdur safety top with softly rounded edges. Features of top. Fixed horizontal working surface.

Accessories and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension. Important notice. The table height can vary slightly depending on the type of top and the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

		Table heights (± 2 cm) as per DIN EN 1729 2 = 53 cm 3 = 59 cm 4 = 64 cm 5 = 71 cm 6 = 76 cm 7 = 82 cm	A start	A	A J		
StepByStep I	LIGNOdur	d = 50 cm		02904	02905		
		d = 65 cm	02901				
	Chipboard-PUR	d = 65 cm				02993	02994
		w cm	75	70	130	75	130
		Height adjustable in steps		2	34567		





PRODUCT INFORMATION Ergo-I\_TY\_EN - 15.12.2021 - www.vs-furniture.com

# Ergo-I Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table hight in accordance with DIN EN 1729. Frame with c ontinuous height adjustment with winding handle. Frame features. Continuous height adjustment with winding handle.

Table top made from melamine-resin-coated chipboard with a seamlessly cast-on safety edge made from (PUR) polyurethane.

Features of top. Fixed horizontal working surface.

Accessories and options. Glides for hard and soft floors and briefcase (satchel) hooks. Plywood or grid bookshelf or chair suspension for all VS school chairs (PantoSwing up to size 4).

Important notice. The table height can vary slightly depending on the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoMove-LuPo.

		Table heights ( $\pm$ 2 cm)         as per DIN EN 1729 $3 = 59$ cm $4 = 64$ cm $5 = 71$ cm $6 = 76$ cm $7 = 82$ cm	
Ergo I	Chipboard-PUR	d = 65 cm	02970 02
		w cm	75
		Variable height adjustment	59-82 cm ( <mark>3456</mark>





PRODUCT INFORMATION ClassicTisch\_TY\_EN - 15.12.2021 - www.vs-furniture.com

# Classic Skid-table.

Frame of solid beechwood with middle legs on flat tapering skids.

Table sizes in 5 fixed heights in accordance with DIN EN 1729.

Table top of melamine-resin coated chipboard with seamless moulded-on (PUR) polyurethane safety edges. Alternatively with extremely wear-resistant LIGNOdur safety top with soft rounded edges.

**Features and options.** Glides for hard and soft floors. Satchel hook, grid and plywood bookshelf (2105, 2106, 2108–2110). Depending on the type of top and castors, the table height can vary slightly.

**Important notice.** The table height can vary slightly depending on the type of table top and the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of wood: H(natural); Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: Classic.

		as per DIN EN 1729 • 2 = 53 cm • 3 = 59 cm • 4 = 64 cm • 5 = 71 cm • 6 = 76 cm		A		
Classic	LIGNOdur	d = 50 cm	02108		02105	•
		d = 65 cm		02109		
	Chipboard-PUR	d = 65 cm		02110	02106	02107
		w cm	70	75	130	150
		Fixed height		234	56	





PRODUCT INFORMATION FlipTable2-RU-Edu\_TY\_EN - 30.03.2022 - www.vs-furniture.com

# FlipTable-RU Standing and sitting table with round tube frame and folding top.

**Construction** of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

**Table height** in maximum 3 fixed sitting heights or 2 standing heights according to DIN EN 1729 and in office height 74 cm. Optionally height-adjustable.

Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded.

Frame consisting of two bent, powder-coated or chrome-plated steel tubes. Frame with lockable castors.

Function. When the top is folded up, any number of tables can be pushed together to optimise space.

Note. PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

	●5 = 71 cm	<b>ing (Annex C)</b> = 88 cm = 106 cm	R		>					R		>				
FlipTable-RU	d = 65 cm	PUR/KU	22102		22103											
	d = 70 cm	KU		22105		22106	22107	22108	22109	0						
	d = 80 cm	-								22110	22111	22112	22113	22114		
	d = 90 cm									22115	22116	22117	22118	22119		
	Fixed heights	h Sitting			4	<b>5</b> 74cm	6					<b>5</b> 74cm	6			
		h Standing				<b>C4</b> C6						<b>C4</b> C6	)			
	Height-adjustable, type 1	h Sitting	<b>45</b> 74cm <b>6</b>							<b>5</b> 74cm <b>6</b>						
	Height-adjustable, type 2	ype 2 74cm 6 7 74cm 6 7							74cm 6 7							
		h Standing				C4 97 cm	1					C4 97 cm	n			
	w cm		130	140	150	160	180	200	220	140	160	180	200	220		





PRODUCT INFORMATION FlipTable2-TQ-Edu\_TY\_EN - 30.03.2022 - www.vs-furniture.com

### FlipTable-TQ Standing and sitting table with T-foot and square tube column and folding top.

**Construction** of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 3 fixed sitting heights or 2 standing heights according to DIN EN 1729 and in office height 74 cm. Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded. Frame consisting of a powder-coated square tube column and a powder-coated or chrome-plated runner with lockable castors.

**Function.** When the top is folded up, any number of tables can be pushed together to optimise space. **Note.** PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

	d = 70 cm d = 80 cm d = 90 cm Fixed heights	KU h Sitting		22145 22150 22155		22146 22151 22156	22147 22152 22157	22148 22153 22158	22154
	d = 80 cm	KU		22150		22151	22152	22153	22149 22154 22159
		KU							
	d = 70 cm	KU		22145		22146	22147	22148	22149
				00145		00440			
	d = 65 cm	PUR/KU	22142		22143				
	●5 = 71 cm	, 							





PRODUCT INFORMATION FlipTable2-TR-Edu\_TY\_EN - 30.03.2022 - www.vs-furniture.com

### FlipTable-TR Standing and sitting table with T-foot and round tube column and folding top.

**Construction** of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 3 fixed sitting heights or 2 standing heights according to DIN EN 1729 and in office height 74 cm. Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded. Frame consisting of a powder-coated round tube column and a powder-coated or chrome-plated runner with lockable castors.

**Function.** When the top is folded up, any number of tables can be pushed together to optimise space. **Note.** PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

	Table heights ( $\pm 2 \text{ cm}$ , as per DIN EN 1729         Sitting (Annex A) St $4 = 64 \text{ cm}$ $5 = 71 \text{ cm}$ $6 = 76 \text{ cm}$	tanding (Annex C) C4 = 88 cm		Â,			
FlipTable-TR	d = 70 cm	KU	22125	22126	22127	22128	22129
	d = 80 cm		22130	22131	22132	22133	22134
	d = 90 cm		22135	22136	22137	22138	22139
	Fixed heights	h Sitting		<u>.</u>	4574cm	6	
		h Standing			<b>C4</b> C6		
	w cm		140	160	180	200	220





PRODUCT INFORMATION Puzzle-Schul\_TY\_EN - 15.12.2021 - www.vs-furniture.com

# Puzzle Freely-shaped table for school.

**Frame** consisting of welded round steel-tube legs and a rectangular steel-tube frame. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table sizes in 6 fixed heights in accordance with DIN EN 1729.

Table top made of melamine-resin-coated chipboard with glued-on plastic or beech edge.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6. Further products on this page: Hokki.

	Table heights ( $\pm 2 \text{ cm}$ ) as per DIN EN 1729 $\bullet 2 = 53 \text{ cm}$ $\bullet 3 = 59 \text{ cm}$ $\bullet 4 = 64 \text{ cm}$ $\bullet 5 = 71 \text{ cm}$ $\bullet 6 = 76 \text{ cm}$ $\bullet 7 = 82 \text{ cm}$		s p
Puzzle			01470
	w∙d cm	 	 165·114
	Fixed height		<b>234567</b>
			89





PRODUCT INFORMATION TriUnion\_TY\_EN - 16.12.2021 - www.vs-furniture.com

# TriUnion Stand-at table for students.

Frame made from welded, screwed, round tubular steel legs with rectangular tubular steel top frame and foot support. All powder-coated. Optionally available with chrome-plated foot support ans plastic kick protection. Table with castors or glide elements for hard or soft floorings.

Tables in 3 fixed stand-at heights in accordance with DIN EN 1729.

Table top (right-angle triangle with two equal sides) made from melamine-resin coated chipboard with glued plastic edge or highly compacted tops (HPL). All table tops with rounded corners.

Function: Many combinations possible to form rows or group workspaces. Optionally with table connectors.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L4; HPL-top: L4.

Further products on this page: Hokki.

	Table heights (± 2 cm) as per DIN EN 1729	Configurations			
	●C4 = 88 cm				
	● C6 = 106 cm				
	● C7 = 120 cm				
			K		
TriUnion			01475	01476	01477
	w·d cm		1	63/117.117	
	w·d Configuration 2 tables cm			123.123	
	w·d Configuration 4 tables·cm			174.174	
	Fixed height		<b>C4</b>	<b>C</b> 6	<b>C7</b>





#### PRODUCT INFORMATION M-Table\_TY\_EN - 05.04.2022 - www.vs-furniture.com

# M-Table Cheek table in standing and sitting height.

· T I I I · I I ( . 0

**Construction** of two side-panel elements, a table top and a stable, centrally positioned double crosspiece, each made of laminate- or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both sides with glides. As a standing table, with two additional tubular steel footrests as standard.

Tables in one seat height and 3 standing heights according to DIN EN 1729 and in office seat height 74 cm.

Electrification optionally with metal cable outlet, built-in socket or a module for wireless charging of smartphones. In the centre of the table in a maximum of 3 possible positions.

Installation: Free-standing or wall-mounted or in combination with the M-Panel as a meeting point. For use in rooms with high safety requirements, also with floor mounting.

The following material groups are available to choose from: Chipboard with laminate: L4; Top veneered: F1. Further products on this page: PantoMove-VF.

	Table heights ( $\pm$ 2 cm) as per DIN EN 1729 Sitting (Annex A) Standing (Annex C) $\bigcirc$ C4 = 88 cm $\bigcirc$ 6 = 76 cm $\bigcirc$ C6 = 106 cm $\bigcirc$ C7 = 120 cm										
M-Table	d = 70 cm	20403	20404	20405	20406	20407	20423	20424	20425	20426	20427
	d = 80 cm	20413	20414	20415	20416	20417	20433	20434	20435	20436	20437
	w cm	160	180	200	220	240	160	180	200	220	240
	Fixed heights			74 cm 6					<b>C4</b> C6C	7	
1						<u>.</u>					01





PRODUCT INFORMATION Duo-Media\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Duo-Media Computer table.

Frame of powder-coated steel tube with set-back double-legs (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat-oval profile. Table suitable for floor fixing if required.

Table height of 72 cm.

Table top of melamine-resin coated chipboard with glued-on plastic edges.

Features. Table top with lockable sliding mechanism (12 cm) for access to the cable channel. Cable outlet through sealing lip over the full table width between top and side panel.

Accessories and options. Perforated-metal vertical cable channel attached without tools between the double legs. Inside solid metal, outside powder-coated perforated metal. Vertical cable guide consists of 3 plastic cable clips to push-onto the table legs. CPU-angle and CPU-box for fixing to table legs.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L4. Further products on this page: PantoMove-LuPo.

Duo-Media	d = 80	21470	21471	21472	21473	21474	21475					
								21476	21477	21478	21479	21480
	W	80	90	120	140	160	180					
	h			72	2							
	w∙h∙d								23.44,9.57	22.44,9.52,8		
								CPU-Angle	CPU	-Box	Cable channel	Cable guide



Teachers' desks





PRODUCT INFORMATION Shift-p-BStand\_TY\_EN - 09.12.2021 - www.vs-furniture.com

# Shift+ Base Height-adjustable teacher's desk.

Frame made from welded, powder-coated, U-shaped steel skids and a centrally positioned upright. Skids with four castors as standard, two of which are lockable.

**Function:** The gas spring is triggered using a handswitch at the edge of the desk top. The handswitch is equipped with a safety cover to protect against unintentional activation.

Desk height in two fixed heights or continuously height-adjustable with built-in gas spring.

Desk top made from laminate- or melamine resin-coated chipboard with glued plastic edge or from high-strength solid HPL board.

Equipment: Optionally available with a bookshelf made from metal sheet bended on three sides below the table top and/or a chipboard or HPL screen.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: PantoMove-LuPo.

Shift+ Base		01447	01444
	Fixed height	91,5 (110,2)	
	Variable height adjustment		71-115
	w·d	67.5	
	Optional	Book	shelf
		Scr	een





PRODUCT INFORMATION Uno-M-Teach\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Uno-M-Teach Teachers' desk.

Frame of powder-coated flat-oval steel tube with middle leg on flat tapering steel skids with plastic kicking protection. Table top of melamine-resin coated chipboard with seamless moulded-on (PUR) polyurethane safety edge.

Features. Built-in cupboard and drawer are lockable on request.

Handles. Choice of 2 different types such as plastic or metal bow handles.

Accessories and options. Glides for hard and soft floors or universal glides (2K).

Important notice. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard with PUR edge: L2; Body and top made of chipboard: L6.

Further products on this page: PantoMove-VF.







PRODUCT INFORMATION EcoTable-Q-Doz\_TY\_EN - 09.12.2021 - www.vs-furniture.com


# EcoTable-Q Lecturer's and teacher's table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. The table has levelling screws, glide elements for hard or soft floorings or universal glide elements.

Table heights of 74 and 76 cm, the latter in compliance with DIN EN 1729.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. Equipped with angled corners in all cases. Equipped on the left, right or on both sides with a substructure with drawers or cabinet door. Optionally with panels. The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Move.







PRODUCT INFORMATION EcoTable-R-Doz\_TY\_EN - 09.12.2021 - www.vs-furniture.com

# **EcoTable-R** Lecturer's and teacher's table with round tubular legs.


Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements.

Table heights of 74 and 76 cm, the latter in compliance with DIN EN 1729.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

Equipped on the left, right or on both sides with a substructure with drawers or cabinet door. Optionally with panels. The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPLtop: L4; Chipboard with laminate: L9.

Further products on this page: JUMPER Air Move.







PRODUCT INFORMATION RondoLift-Teach\_TY\_EN - 01.03.2022 - www.vs-furniture.com

### RondoLift-KF Height-adjustable sit-down and stand-at table for teachers.

Frame comprising a round central leg/post and a four- or five-foot star-shaped base made from rectangular section, all powder-coated. Leg/post with integrated gas-filled strut and hand switch on the table-top edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. Star-shaped base with lockable castors or with glide elements.

Table height infinitely variable.

**Table top** (barrel shape) made from melamine-resin- or veneer-coated chipboard with glued-on plastic or wooden edge. Also with high-strength HPL solid core plate.

Equipment: Table optionally with one or two drawers located at the sides and/or a screen under the table top. Electrification optionally with a freely hanging cable conduit or a self-coiling cable chain.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: PantoMove-LuPo.

RondoLift-KF		02829
Teach	w∙d	120.84
	h	71-115
	Star foot w∙d	95.59
	Drawer b·h·t	47,2·7,9·43,5
	Optional	47,2·7,9·43,5 Screen
		Drawers





PRODUCT INFORMATION RondoLift\_TY\_EN - 01.03.2022 - www.vs-furniture.com

## RondoLift-KF Height-adjustable sit-at and stand-at table.

Frame comprising a round central leg/post and a four- or five-foot star-shaped base made from rectangular section, all powder-coated. Leg/post with integrated gas-filled strut and hand switch on the table-top edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. Star-shaped base with lockable castors or with glide elements.

Table height infinitely variable.

**Table top** of melamine resin, linoleum or veneer coated chipboard with glued-on plastic or wooden edges. Also with highstrength HPL solid core plate. Round or square tables (from 90 cm) optionally with a folding and sliding table top for safe transport.

Features. Oval table can be supplied with an optional lockable drawer and/or screen (see table) under the top. Table top shapes are oval, circular and square.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: PantoMove-VF.

				×		6				
RondoLift-KF		02823					02828	02820		
	Folding table top		02824	02825	02826	02827			02821	02822
	ø / w·d	80	90	100	110	120	130.80	80.80	90.90	100.100
	h					71-115	·····			
	Star foot ø / w∙d	75			95		61.41		95	
	Optional							Screer	1	
							Drawer			





PRODUCT INFORMATION MediaBox\_TY\_EN - 06.04.2022 - www.vs-furniture.com

# MediaBox Storage element for teacher's workplaces.

**Body element** with organized access to the storage space from three sides. Protected against unauthorized access from the side, front and top by means of lockable doors and flaps. Two models permitting the teacher's desk to be positioned on either the right or left. The MediaBox can be free-standing or fixed to the floor.

Supporting plate for the positioning of a document camera with cabling via the gap in the flap as well as a function rail for integrating a monitor arm.

**Front area** with PC compartment and optionally also a Gratnells tray and a separate keyboard compartment. **Side area** with compartments for a document camera and small parts.

Equipment and options. With "Flo" monitor holder, movable along a function rail With an integrated MediaSwitch of type MD\_540 013 (1xVGA,1xHDMI,2xUSB) or MD\_540 014 (1xVGA,2xHDMI,3xUSB) or MD\_540 015 (2xVGA,1xHDMI,3xUSB). The following material groups are available to choose from: Body made of chipboard: L6; Cheek made of chipboard: L3; Cheek veneered: F1.

Further products on this page: RondoLift-KF.

MediaBox		0442:	3 04424
	Total w·h·d	40,5-7	7,5.102,5
	Body w⋅h⋅d	38.	74·100
	Position substructure side	lef	t right
100			





#### PRODUCT INFORMATION InteractiveTeach\_TY\_EN - 25.11.2021 - www.vs-furniture.com

### InteractiveTeach Media teacher's workstation with storage space.

Workstation consisting of a side substructure, a rear substructure and a table top with a generously dimensioned cable flap. Carcass, cheek and table top made of melamine-resin-coated chipboard with glued-on plastic edge.

Side substructure (left or right) consisting of a carcass with material pull-out and CPU storage space behind a lockable swing door. Fitted on the side with a sliding panel for free access to the CPU cabling. A sliding table-top segments permits access from above to further storage space (e.g. for a document camera).

**Rear substructure** with a lockable swing door consisting of a cable compartment for spare cable and hardware peripherals. The compartment is accessible from above through the cable flap in the table top (see below). Further storage space at the bottom; fitted with an adjustable shelf insert and brackets for cable routing. Carcass with sheet-steel legs.

**Table top** comprising three segments. Sliding part on the side for access from above to the substructure. Cable flap at the rear (rear substructure) and worktop on the user side. Table top with a frame of half-oval steel tube. **Equipment.** Optionally with monitor holder "Flo".

The following material groups are available to choose from: Frame made of steel: M1; Body and front made of chipboard: L6; Cheek made of chipboard: L3.

Further products on this page: PantoMove-LuPo, RondoLift.

InteractiveTeach		04441	04442
	Overall / table w·h·d	104.80.94	l / 65·74·65
	Storage space, substructure, side w·h·d	35-	74.90
	Storage space, substructure, rear w·h·d	63:	29.13
	Storage space for camera w·h·d	35-	74·35
	Cable cap w·d	63	3·20
	Position substructure side	left	right
			101

VS-International | Basic catalogue





Media rail systems





PRODUCT INFORMATION FlexiPanel-1\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### FlexiPanel for wall or cabinet mounting Media rail with one board level.


Mounting on walls or Serie 800 special add-on cabinets. When wall-mounted, it is possible to compensate for slight wall unevenness of max. 13 mm.

System consisting of two aluminium profiles positioned above one another, equipped as standard with a hook strip and optionally with an integrated picture clamping strip. Lightweight boards can easily be inserted in and removed from the one-part profiled rail. As an option, a wall-mounted, writable base surface made from enamel steel can be inserted at the back (level 0). The end of the profile is closed with a tight-fitting plastic cap.

**Boards** can be used on both sides and are equipped with a fabric lining that is suitable for pins, an enamel steel surface with different rulings or a laminate coating. The wood-fibre board is equipped all-round with a moulded, shock-resistant polyurethane edge.

The following material groups are available to choose from: Writing surface made of steel: E1; Pinboard made of fabric: S72; Chipboard with writable laminate: L(white).

								]		7%	00	Ŀ		
FlexiPanel		Single rail					Board			Pin	Magnet	Hooks	Mini-board	Hook
	Assembly	Wall Cabinet				Cabinet	t for all rails			for boards		for wall-mounted rails		
	Level 1	07880				07888								
	Level 1+0		07881											
	Level 1+clamping strip			07882										
	Level 1+0+clamping strip			1	07883									
							07890	07891	07892	07896	07947	07894	07893	07895
	W						800	1000	1125				400	
	h							1125					600	
										100x	1x	4x		



PRODUCT INFORMATION FlexiPanel-2\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### FlexiPanel for wall or cabinet mounting Media rail with two board levels.

Mounting on walls or Serie 800 special add-on cabinets. When wall-mounted, it is possible to compensate for slight wall unevenness of max. 13 mm.

System consisting of two aluminium profiles positioned above one another, equipped as standard with a hook strip and optionally with an integrated picture clamping strip. Lightweight boards can easily be inserted in and removed from the two-part profiled rail or can be slid in front of or behind one another. As an option, a wall-mounted, writable base surface made from enamel steel can be inserted at the back (level 0). The end of the profile is closed with a tight-fitting plastic cap. Boards can be used on both sides and are equipped with a fabric lining that is suitable for pins, an enamel steel surface with different rulings or a laminate coating. The wood-fibre board is equipped all-round with a moulded, shock-resistant polyurethane edge.

The following material groups are available to choose from: Writing surface made of steel: E1; Pinboard made of fabric: S72; Chipboard with writable laminate: L(white).

								]		72	00	Ĉ		$\bigcirc$
FlexiPanel		Double rail					Board			Pin	Magnet	Hooks	Mini-board	Hook
	Assembly	Wall			Cabinet	for all rails			for boards		for wall-mounted rails			
	Level 1	07884				07889								
	Level 1+0		07885									[ 		
	Level 1+clamping strip			07886										
	Level 1+0+clamping strip			1	07887									
							07890	07891	07892	07896	07947	07894	07893	07895
	W						800	1000	1125				400	
	h							1125					600	
										100x	1x	4x		





PRODUCT INFORMATION S800-FlexiPanel\_TY\_EN - 25.11.2021 - www.vs-furniture.com

### **Serie 800** Add-on cabinets for FlexiPanel integration.

Element cabinet (see table for details) in height of 3 height units. Type: Shelved add-on cabinet, in some cases with centre partition. With doubled top and bottom panel for attachment of FlexiPanel system rail.

Internal equipment consisting of shelf inserts or gratnells plastic boxes.


The following material groups are available to choose from: Body and bases made of chipboard: L6.

Serie 800			D=42,5			D=58,0			D=42,5	
	Н					114,4 зғн				
	W= 40 cm	44880			44980					
	W= 50 cm	44881			44981					
	W= 60 cm	44882			44982					
	W= 71 cm							44877		
	W= 80 cm	44883			44983					
	W= 100 cm	44884	44885	44886	44984	44985	44986			
	W= 105,5 cm								44878	
	W= 120 cm	44887	44888	44889	44987	44988	44989			
	W= 140 cm									44879
	Adjustable shelf inserts	2	4	4	2	4	4	-	-	-
	CP, CPsb	-	CP	CPsb	-	CP	CPsb	-	-	-
	Number of boxes (h 7,5/15)	-	-	-	-	-	-	4/2	6/3	8/4
	Number of compartiments	-	-	-	-	-	-	2	3	4



**Media rail systems** 

7



PRODUCT INFORMATION MediaPro-B\_TY\_EN - 05.12.2016 - www.vs-furniture.com

# MediaPro-II-Basic Rail.

MediaPro-II-Basic, wall-mounted media rail.

System comprising a multifunctional aluminum rail system with an integrated picture rail and a profile section for level 1 slot-in accessories and boards.

Function. VS level 1 accessories and the picture rail (see table) can be slid over each other.


**Mounting.** Wall-mounted with visible screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, boards (also height-adjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection.

The following material groups are available to choose from: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm	1				EEEE	J
Basic	with level 1	07800	07840	07801	07802		
	for level 1						07842
	for picture rail					07841	
	d∙h	1,3·3,6	0,5·4,0				
	Length min-max	100-1	200				
		Media rail	Wall protection	90° corner connector	2x Stopper	4x Picture hook	4x Suspension hook





PRODUCT INFORMATION MediaPro-C\_TY\_EN - 05.12.2016 - www.vs-furniture.com

# MediaPro-II-Comfort Rail.

MediaPro-II-Comfort, wall-mounted media rail.

System comprising a multifunctional aluminum rail system with an integrated picture rail, a magnetically adherent decorative band and a profile section for level 1 slot-in accessories and boards.

**Function.** VS level 1 accessories, the picture rail and the magnetically adherent strip (see table) can be slid over each other. **Mounting.** Wall-mounted with concealed screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, magnets, stoppers, boards (also heightadjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection. The following material groups are available to choose from: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm					EEEE	J.	
Comfort	with level 1	07805	07840	07806	07807			
	for level 1						07842	
	for picture rail					07841		
	for magnetically adherent surface							07947
	d·h	1,4·4,5	0,5·4,0					
	Length min-max	100-1200						
		Media rail	Wall protection	90° corner connector	2x Stopper	4x Picture hook	4x Suspension hook	1x Magnet





PRODUCT INFORMATION MediaPro-P\_TY\_EN - 06.02.2019 - www.vs-furniture.com

## MediaPro-II-Premium Rail.

MediaPro-II-Premium, wall-mounted media rail.

System comprising a multifunctional aluminum rail system with an integrated picture rail, a magnetically adherent decorative band and profile sections for level 1 and level 2 slot-in accessories and boards. Additionally with an enamel steel baseplate as level 0.

Function. VS level 1 and 2 accessories, the picture rail and the magnetically adherent strip (see table) can be slid over each other.

**Mounting.** Wall-mounted with concealed screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, magnets, stoppers, boards (also heightadjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection. The following material groups are available to choose from: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm								A	FFF		00
Premium	with level 1, 2	07813	07814	07815	07816	07810	07840	07811	07812			
	for level 2										07842	
	for picture rail									07841		
	for magnetically adherent surface											07947
	d∙h					1,6.8,6	0,5·4,0					
	h	100	120	100	120							
	Length min-max	20	00, 250, 3	00, 350, 40	0	100-	1200					
			Media rail	, baseplate		Rail	Wall	90°	2x	4x	4x	1x
		Wall pro	otection	Shelf pro	otection		protec-	corner	Stopper	Picture	Suspension	Magnet
		str	ip	str	ip		tion	connector		hook	hook	





PRODUCT INFORMATION MediaPro-Board\_TY\_EN - 05.12.2016 - www.vs-furniture.com

# MediaPro-II Board.

System. Boards for slotting into the MediaPro-II rail systems. Can optionally be used on two sides or one side. The elements can be easily slid.

Function. Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

**Board areas.** Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated plastic glide elements or aluminum roller glide elements and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

**Board surfaces.** Enamel steel (with and without lines) for chalk or VS boardmarker, cork linoleum, natural cork and felt covering (suitable for pins) are available. Different materials can be used on the front and back of all boards. **Accessories.** Magnetically adherent pen holder and sponge holder.

Note. The models can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and one level.

The following material groups are available to choose from: Writing surface made of steel: E1; Pinboard made of cork: K(natural cork); Pinboard made of fabric: S54; Projection surface: E(matt white).

Board	Basic Comfort	Level 1	07820	07821	07822	07823	07824						07844	07845
	Premium Premium	level 2						07920	07821	07022	07823	07024		
	Treinium	w·h	80.100	120.100	100.120	120.120	135.120							
							one or tv	vo sides					Pen holder	Sponge holder





PRODUCT INFORMATION MediaPro-Chart\_TY\_EN - 06.04.2022 - www.vs-furniture.com

# MediaPro-II Flipchart, rollchart.

System. Charts for slotting into the MediaPro-II rail systems. The elements can be easily slid.

**Function.** Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

**Board areas.** Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated rollers and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

Board surfaces in white enamel steel (without lines) for VS boardmarker and with paper holders for flip- and roll-charts including pad or roll of paper.

Note. The model can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and the corresponding level.

The following material groups are available to choose from: Writing surface made of steel: E(white).

Flipchart	Basic	Level 1	07825	07826		07827	07828	
Rollchart	Comfort							
	Premium	Level 2						
	Accessories	¢			07846			07847
	2	w∙h	70.100	70.120	68·99	70.100	70.120	68·3000
			Flipchart		Flipchart block	Rollchart		Rollchart roll
		÷			10 pads, each w/ 20 sheets			2 30 m rolls
		.à						111





PRODUCT INFORMATION MediaPro-PBoard-N\_TY\_EN - 05.12.2016 - www.vs-furniture.com

# MediaPro-II Projection board (tilting).

System. Projection boards for slotting into the MediaPro-II rail systems. The elements can be easily slid.

**Function.** Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

**Projection areas.** Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated rollers and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

**Board surfaces** in coated matt white for slide, film, daylight, LCD and video projections. Board function. Tilting. **Note.** The model can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and the corresponding level.

The following material groups are available to choose from: Projection surface: E(matt white).

				1							
Projektion	Basic	Level 1	07830	07831	07832	07833	07834	07835	07836	07837	07838
	Comfort										
	Premium	Level 2									
		w∙h	135.135	150.150	165.165	180.180	200.200	160.120	180.135	200.150	220.165
		Protrusion, top	15	30	45	60	80	0	15	30	45
				tilting	up to 28° (1	:1)			tilting up to	28° (4:3)	



© Boards

# **Boards**

113





PRODUCT INFORMATION TopScript-I\_TY\_EN - 08.01.2020 - www.vs-furniture.com

# **TopScript-I** Elongated wall board with one writing surface.

Installation. Wall-mounted, suspended

Board surfaces made from steel sheet, Korkinol or cork, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip (optional) and wiper holder (optional) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Aluminium picture clamping strip with four movable clamping points per linear metre.

Note: Please note any discrepant dimensions during assembly. The following material groups are available to choose from: Writing surface made of steel: E1; Pinboard made of cork: K1. Further products on this page: JUMPER Air Move, EcoTable-Q.

TopScript-I	W	100	120	150	200,4	250,4	300,4	400,4
	<b>T</b> ( ) )	66500		66501	66502			
	Total h	80		80	80			
		66503	66504	66505	66506	66507	66508	66509
	Total h	100,8	100,8	100,8	100,8	100,8	100,8	100,8
					66510	66511	66512	66513
	Total h				120,8	120,8	120,8	120,8
					66514	66515	66516	
	Total h				153,2	153,2	153,2	





PRODUCT INFORMATION TopMove-I\_TY\_EN - 04.03.2021 - www.vs-furniture.com

# TopMove-I Sliding board with one writing surface.

Sliding frame with extruded surround, aluminium profiles with natural anodized finish and chipboard front cover. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in body. The board surface can be moved vertically.

Installation. Wall (A) or floor-mounted (B), free-standing (C) or mobile (D).

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps.

Accessories. Wall-mounted projection surface.

The following material groups are available to choose from: Frame made of aluminium: M(anodisé); Writing surface made of steel: E1.

		F1	
TopMove-I		66620	66621
	Surface 1	200.100	200.120
	A Total h min/max (wall mounted)	169,5 / 224,5	169,5 / 244,5
	B Total h min/max (floor mounted)	164,0 / 219,0	169,5 / 244,5
	C Total h min/max (free-standing)	170 5 / 007 5	170 5 / 047 5
	D Total h min/max (mobile)	172,5 / 227,5	1/2,5/24/,5





PRODUCT INFORMATION TopMove-V\_TY\_EN - 03.08.2021 - www.vs-furniture.com

# TopMove-V Sliding board with five writing surfaces.

Sliding frame with extruded surround, aluminium profiles with natural anodized finish and chipboard front cover. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in body. The board surface can be moved vertically.

Installation. Wall (A) or floor-mounted (B), free-standing (C) or mobile (D).

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder on main surface (F3) and dirt collection channel on the two wings (F1, F2/F4, F5) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Wall-mounted projection surface. Model 66600 ptionally with insertable matte glass wing.

The following material groups are available to choose from: Frame made of aluminium: M(anodisé); Writing surface made of steel: E1.

	A B	F2 F3	3 F4
Termanna V		F1	F5
TopMove-V		66600	66601
	Surface 3	200.100	200.120
	Wing 1,2,4,5	100.100	100.120
	A Total h min/max (wall mounted)	169,5 / 224,5	169,5 / 244,5
	B Total h min/max (floor mounted)	164,0 / 219,0	164,0 / 239,0
	C Total h min/max (free-standing)	172,5 / 227,5	172,5 / 247,5
	D Total h min/max (mobile)	1/2,5/22/,5	1/2,5 / 24/,5





PRODUCT INFORMATION TopPilon-I\_TY\_EN - 04.03.2021 - www.vs-furniture.com

# TopPilon-I Pylon board with one writing surface.

**Pair of pylons** (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically between the pylons. See table for maximum pylon height. **Installation.** Wall mounting.

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre, wall-mounted projection surface.

The following material groups are available to choose from: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1.

		F1											
TopPilon-I		66720	66721	66722	66723	66725	66726	66727	66728	66730	66731	66732	66733
	Surface 1	200.100	200.120	200.150	250.100	250.120	250.150	300.100	300.120	300.150	400.100	400.120	400.150
	Total w		225			275			325			425	
	Column h						250-	350					






PRODUCT INFORMATION TopPilon-II\_TY\_EN - 28.04.2020 - www.vs-furniture.com

# TopPilon-II Pylon double board with two writing surfaces.

**Double pair of pylons** (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically between the pylons. See table for maximum pylon height. **Installation.** Wall mounting.

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps **Accessories.** Centre, wall-mounted projection surface.

The following material groups are available to choose from: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1.







PRODUCT INFORMATION TopPilon-V\_TY\_EN - 28.04.2020 - www.vs-furniture.com


# TopPilon-V Pylon folding board with five writing surfaces.

**Pair of pylons** (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically in front of the pylons. See table for maximum pylon height. **Installation.** Wall mounting.

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder (optional) on main surface (F3) and dirt collection channel on the two wings (F1, F2/F4, F5) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre, wall-mounted projection surface.

The following material groups are available to choose from: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1.







#### PRODUCT INFORMATION TopPilon-VI\_TY\_EN - 04.10.2021 - www.vs-furniture.com

### TopPilon-III, TopPilon-VI Double-pylon folding board with six writing surfaces.

**One** or **Two pairs of pylons** (pairs of uprights) made from combined, extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically in front of the pylons. See table for maximum pylon height. **Installation.** Wall mounting.

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder on main surface and dirt collection channel on the wings made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre-mounted projection surface or screen.

The following material groups are available to choose from: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1.

		F1	F2 F3			F2 F1	F3	F1	-3 F2	F5 F6			
TopPilon-III TopPilon-VI	Wing right	66766	66768	66770	66772	66774	66776						
TopPilon-VI	Wing left	66767	66769	66771	66773	66775	66777						
	Wing right + left							66760	66761	66762	66763	66764	66765
	Surface	100 100	100 100	100 150	120.120	150.120	150.150	100 100	100 100	100.150	120.120	150.120	150.150
	Wing	100.100	100.120	100.150	100-	120	100.150	100.100	100.120	100.120	100.	120	100.150
	Column h						250-	-350					





PRODUCT INFORMATION TopPilon-Tridacta\_TY\_EN - 28.04.2020 - www.vs-furniture.com

#### TopPilon-Tridacta Pylon board with two writing and one projection surface.

Two pairs of pylons (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically and horizontally in front of the pylons. See table for maximum pylon height. Installation. Wall mounting.

**Board surfaces** made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces (F1, F2) made from aluminium with natural anodized finish and with side safety caps.

Centre, wall-mounted projection surface. Surface can be tilted to any position, held in frame without screws, with rounded aluminium profiles and safety corners.

The following material groups are available to choose from: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1; Projection surface: E(matt white).







PRODUCT INFORMATION VistaFixWand\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# VistaFix Projection screen for wall mounting.

Installation. Wall-mounting hanging.

**Projection screen** is enclosed without screws in rounded aluminium profile with safety corners. The following material groups are available to choose from: Projection surface: L(grey white). Further products on this page: JUMPER Air Move, EcoTable-Q.

						Р						
VistaFix	Projection								665			
	1:1					147.147						
	16:10						160	100	192.120	215.135	244.153	271.170





PRODUCT INFORMATION VistaFlexPilon\_TY\_EN - 26.11.2019 - www.vs-furniture.com

## VistaFlex, VistaFlex-Pilon Projection screen.

Installation on TopPilon single-surface and double-surface boards or with bracket on ceiling or wall.

Material. Extruded aluminium (white RAL 9016) housing, corresponding to the spacing between the columns. Features Type A. Bevel gear drive on right hand side with removable winding handle. Height of projection screen continuously adjustable with automatic end stop when fully pulled-out.

Features Type B. Plug-in electric motor on right hand side with cable. Height of projection screen continuously adjustable with automatic end stop (Connection to electricity supply is customer responsibility).

The following material groups are available to choose from: Projection surface: E(diffusing).

		P								P					
VistaFlex	Type A	6450	6451	6452	6453	6454	6455	6456	6470	6471	6472	6473	6474	6475	6476
	Туре В	6460	6461	6462	6463	6464	6465	6466	6480	6481	6482	6483	6484	6485	6486
	Projection	150.150	180.180	200.200	250·200	250·250	300.250	300.300	180.200	200.200	200.200	250·200	200.200	250.200	300.200
	for board w								20	0	25	50	30	00	400
	Total w	166	196	216	266	266	316	316	22	25	27	75	32	25	425
	Housing							11.	11						





PRODUCT INFORMATION TopMobil-Circle\_TY\_EN - 08.01.2020 - www.vs-furniture.com

### TopMobil-Circle Framed board with two writing surfaces.


Frame made from powder-coated oval steel tube. Mobile with four castors, two of which are lockable. Installation. Mobile.

**Board surfaces** can be rotated horizontally through 360° and can be fixed in any position, writable on both sides. Board surface made from steel sheet, held in frame without screws, with rounded aluminium profiles, safety corners, wiper and chalk holder.

The following material groups are available to choose from: Frame made of steel tube: M(arctic); Writing surface made of steel: E1.

		F1	F2	
TopMobil-Circle		66550	66551	
	Surface 1,2	150.100	200.100	
	Total h	19		208






PRODUCT INFORMATION Zeichengeraete\_TY\_EN - 08.11.2018 - www.vs-furniture.com

# Drawing equipment.

Pointer, ruler (with graduations), 45° square, 30° square, protractor, angle and compass.

Drawing equipment Set (6936). Unbreakable plastic storage case, for separate wall attachment. 4 plastic parts consisting of: pointer (6920), ruler (6921), protractor (6924), compass (6926).

Drawing equipment Set (6937). Unbreakable plastic storage case, for separate wall attachment. 6 plastic parts consisting of: pointer, glass-fibre (6920), ruler (6921), 45° square (6922), 30° square (6923), angle (6925), compass (6926).



8

VS-International | Basic catalogue





Multipurpose chairs, office swivel chairs





PRODUCT INFORMATION Jumper-Air-Active\_TY\_EN - 20.01.2021 - www.vs-furniture.com

#### JUMPER Air Active Forward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.	Z	3	J.J.	J.	Z	Z
JUMPER Air Active		33410	33412	33413	33415	33416	33417
	Seat w∙h∙d	470.465.460	485.480.460	470.465.460	485.480.460	440.460.425	455·475·425
	Total w·h·d	532.849.547	532·854·547	615.849.547	615·854·547	519.81	2.515
	Armrest h			66	9		
	Seat shell		XI	_		Ĺ	
	Stacking height	5		3		5	





PRODUCT INFORMATION Jumper-Air-Four\_TY\_EN - 02.08.2021 - www.vs-furniture.com

### JUMPER Air Four Four-legged office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. With glide elements for hard or soft floorings or with 2C universal glide elements depending on model.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.			R		R	
JUMPER Air Four		33310	33312	33313	33315	33316	33317
	Seat w∙h∙d	470.460.460	485.475.460	470.460.460	485.475.460	440.460.425	455·475·425
	Total w·h·d	538.838.566	538·845·571	615·838·566	615·845·571	512.80	9∙529
	Armrest h			654	4		
	Seat shell		XL	-		Ĺ	
	Stacking height	5		3		5	





PRODUCT INFORMATION Jumper-Air-Four-P\_TY\_EN - 11.06.2021 - www.vs-furniture.com

### JUMPER Air Four Plus Chair for high sitting.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Chairs in 4 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

		R	R	R	
JUMPER Air Four Plus		33304	33305	33306	33307
	Seat w·h·d	440.610.425	440.720.425	440.760.425	440.830.425
	Total w·h·d	518.950.554	522·1060·572	524·1100·597	524·1171·622
	Distance of seat to floor	610	720	760	830
	Distance of seat to foot position h		46	0	
	Optimum table height	840-910	950-1020	990-1060	1060-1130
	Seat shell		Ĺ		
	Stacking height		5		





PRODUCT INFORMATION Jumper-Air-Meet\_TY\_EN - 20.01.2021 - www.vs-furniture.com

#### JUMPER Air Meet Backward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.			R	J.	R		
JUMPER Air Meet		33610	33612	33613	33615	33616	33617	
	Seat w·h·d	470.471.460	485.486.460	470.471.460	485.486.460	440.472.425	455.487.425	
	Total w·h·d	531·888·571	531·893·571	615·888·571	615·893·571	513.84	9.525	
	Armrest h			69	3			
	Seat shell		XI	_		L		
	Stacking height	5		3		5		





PRODUCT INFORMATION Jumper-Air-Move\_TY\_EN - 16.04.2020 - www.vs-furniture.com

#### JUMPER Air Move Office swivel chair for seated and standing workplaces.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Plus model for raised seated/ standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps. Available as both a chair and armrest chair.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes XL and L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

**Equipment and options.** Depending on the model, equipped with glide elements or castors for hard or soft floorings or with 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

		Upholstery: Seat 15 mm. Backrest 10 mm.	<b>X</b>		Real Provide American Americ American American A			
JUMPER	Lift		33510	33512	33513	33515		33517
Air Move		Seat w·h·d	470.446-574.460	485·461-589·460	470.446-574.460	485.461-589.460		455.433-561.425
		Total w·h·d	686.847-975.686	686·831-959·686	686·847-975·686	686·831-959·686		601.780-908.601
		Armrest h			660-	-788		
		Seat shell		Х	(L			L
		Height increase with castors		+ .	7,0			+ 23,5
	Plus		33520	33522	33523	33525	33526	33527
		Seat w·h·d	470.530-778.460	485·545-793·460	470.530-778.460	485·545-793·460	440.503-751.425	455·518-766·425
		Total w·h·d	686·932-1180·686	686·947-1195·686	686·932-1180·686	686·947-1195·686	601·864-	1112.601
		Armrest h			745-	-993		
		Seat shell		Х	Ĺ		l	-
		Height increase with castors		- 2	2,0		+ 2	3,5





PRODUCT INFORMATION Jumper-Ply-Active\_TY\_EN - 15.02.2021 - www.vs-furniture.com

#### JUMPER Ply Active Forward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.	Z		3	T	<b>F</b>	F	S
JUMPER Ply Active		33460	33461	33462	33463	33464	33465	33466
	Seat w·h·d	470.465.442	485-48	30·442	470.465.442	485-48	0.442	440.465.422
	Total w·h·d	532·85	2.547	532·857·547	615·852	2·547	615·857·547	519·816·515
	Armrest h					669		
	Seat shell			X	L			L
	Stacking height		5			3		5
	t	1					<u>1</u>	100





PRODUCT INFORMATION Jumper-Ply-Four\_TY\_EN - 02.08.2021 - www.vs-furniture.com

# JUMPER Ply Four Four-legged office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. With glide elements for hard or soft floorings or with 2C universal glide elements depending on model.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.				A			
JUMPER Ply Four		33360	33361	33362	33363	33364	33365	33366
	Seat w∙h∙d	471.460.442	486-47	5.442	471.460.442	486.47	5.442	440.460.422
	Total w·h·d	538.840.567	538.840.567	538·845·567	615·840·567	615.840.567	615·845·567	513.803.532
	Armrest h				65	5		
	Seat shell			XI	-			L
	Stacking height		5			3		5





PRODUCT INFORMATION Jumper-Ply-Four-P\_TY\_EN - 11.06.2021 - www.vs-furniture.com

# JUMPER Ply Four Plus Chair for high sitting.

**Frame** made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). **Chairs** in 4 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3.

JUMPER Ply Four Plus		33354	33355	33356	33357
	Seat w·h·d	440.610.422	440.720.422	440.760.422	440.830.422
	Total w·h·d	518.955.557	522·1064·575	524·1105·581	526·1175·593
	Distance of seat to floor	610	720	760	830
	Distance of seat to foot position h		46	60	
	Optimum table height	840-910	950-1020	990-1060	1060-1130
	Seat shell		Ĺ		
	Stacking height		5		





PRODUCT INFORMATION Jumper-Ply-Meet\_TY\_EN - 20.01.2021 - www.vs-furniture.com

#### JUMPER Ply Meet Backward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 10 mm.				1			
JUMPER Ply Meet		33660	33661	33662	33663	33664	33665	33666
	Seat w∙h∙d	470.460.442	485.47	5.442	470.460.442	485.47	5.442	440.460.422
	Total w∙h•d	531.891	I·571	551·896·571	615.89	1.571	615·896·571	513·854·525
	Armrest h				693	3		
	Seat shell			X	L			L
	Stacking height		5			3		5





#### PRODUCT INFORMATION Jumper-Ply-Move\_TY\_EN - 28.09.2020 - www.vs-furniture.com

#### JUMPER Ply Move Office swivel chair for seated and standing workplaces.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Plus model for raised seated/ standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps. Available as both a chair and armrest chair.

Seat shell made from beech plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Depending on the model, equipped with glide elements or castors for hard or soft floorings or with 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H3; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	33560	33561	33562	33563	33564	33565	
eat w∙h∙d	470.450-602.442	485-465-	·617·442	470.450-602.442	485.465-	617.442	
otal w∙h∙d	686·848-	1000.686	686.853-1000.686	686.848-	1000.686	686.853-1000.686	
rmrest h					658-810		
eat shell			X	L			
+ (with castors)			+ 7	7,0			
	33570	33571	33572	33573	33574	33575	33576
eat w∙h∙d	470.540-815.442	485·555-	·830·442	470.540-815.442	485·555-	·830·442	440.508-830.422
otal w·h·d	655·938-1213·655	655·953-1228·655	655·958-1233·655	655.938-1213.655	655-953-1228-655	655·958-1233·655	601.871-1146.601
rmrest h					748-1023		
eat shell			X	L			L
+ (with castors)			+	7,0			+ 23,5
+ ea ota rm	(with castors) t w·h·d al w·h·d nrest h t shell	(with castors) <b>33570</b> t w·h·d 470·540-815·442 al w·h·d 655·938-1213·655 irrest h t shell	(with castors)           33570         33571           t w·h·d         470·540-815·442         485·555-           al w·h·d         655·938-1213·655         655·953-1228·655           nrest h         t shell         1	33570         33571         33572           t w·h·d         470·540-815·442         485·555-830·442           al w·h·d         655·938-1213·655         655·953-1228·655         655·958-1233·655           nrest h         t shell         X	with castors)         + 7,0           33570         33571         33572         33573           t wihid         470:540-815:442         485:555-830:442         470:540-815:442           al wihid         655:938-1213:655         655:958-1233:655         655:938-1213:655           nrest h              t shell         XL         XL	(with castors)         + 7,0           33570         33571         33572         33573         33574           t w·h·d         470·540-815·442         485·555-830·442         470·540-815·442         485·555-           al w·h·d         655·938-1213·655         655·953-1228·655         655·958-1233·655         655·938-1213·655         655·953-1228·655           nrest h	(with castors)         + 7,0           33570         33571         33572         33573         33574         33575           t w·h·d         470-540-815-442         485-555-830-442         470-540-815-442         485-555-830-442           al w·h·d         655-938-123.655         655-958-1233-655         655-938-123.655         655-958-123.655           nrest h           -         -         -           t shell           -         -         -





PRODUCT INFORMATION PMove-LuPo-Tablar\_TY\_EN - 28.09.2020 - www.vs-furniture.com

#### PantoMove-LuPo College chair with tray.

Frame consisting of an aluminium star-foot and plastic-covered swivelling or height-adjustable pillar.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing.

Tray made from white CDF fibre board, swivelling and mounted on a support on the right or left.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Frame made of steel tube: M1,(high polished Alu, chromeplated); Seat and backrest: C1.

		When fitted with castors, the height increases by 23,5 mm.				
PantoMove-LuPo	Fix			31580		
	Lift					31581
		h mm		460		412-501
		Seat shell		Ĺ		
		Tablet	left	right	left	right





PRODUCT INFORMATION PMove-LuPoSoft\_TY\_EN - 28.09.2020 - www.vs-furniture.com

# PantoMove-LuPo, PantoMove-Soft Star-foot chair.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Upholstered and non-upholstered chairs and armrest chairs are available.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

Plus model for raised seated/standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

		Upholstery: Seat 20 mm. Backrest 15 mm.	C A							
PantoMove-LuPo	Lift		31510	31511						
	Plus (High)				31512	31517				
PantoMove-Soft	Lift						31513	31514		
	Plus (High)								31515	31516
		Seat w·h·d	450.477-	605.450	450·555-	805.450	480.492-	-620·450	480.575-	825.450
		Total w·h·d	700.846-	974.700	700.936-	1186.700	700.863-	-991.700	700.940-	1210.700
		Armrest h		649-767		733-983		649-777		733-983
		Seat shell	÷			X	L			





PRODUCT INFORMATION PSwing-LuPoSoft\_TY\_EN - 28.09.2020 - www.vs-furniture.com

# PantoSwing-LuPo, PantoSwing-Soft Forward-sprung cantilever chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. Upholstered and non-upholstered chairs and armrest chairs are available. For use under high material loads, with extremely stable cross-strut between the skids. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements for hard and soft floors or 2K universal glide elements. Optionally available with table edge protection for piggy-back chair stacking.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

	Upholstery: Seat 20 mm. Backrest 15 mm.	t t	Optionally with table-edge protec- tion for piggy-back chair mounting.		R	R	Ż				
PantoSwing-LuPo				31410	31412						
PantoSwing-Soft						31413	31414	31415			
	Seat w·h·d			450.46	0.450		480.480.450				
	Total w·h·d			520·825·545	575.825.545	520.835.545	575.835.545	520·835·545			
	Armrest h				650		650				
	Seat shell					XL	XL				





PRODUCT INFORMATION Compass-LuPoSoft\_TY\_EN - 11.12.2019 - www.vs-furniture.com

# Compass-LuPo, Compass-Soft Four-legged chair.

Frame made from welded, powder-coated or chromium-plated circular steel tube. Optionally available with armrests and plastic lining, as chair with row connectors, as chair with writing and laptop support or as chair with double castors. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. With book or storage basket under the seat shell.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,73,74,78,79,80.

		Upholstery: Seat 20 mm. Backrest 15 mm.		R		R	R	R	
Compass				LuPo		Soft			
			31310	31312	31306	31382	31384	31381	
		Total w·h·d	510.826.530	600·826·530	637·836·775	510.830.570	600.830.570	580·830·885	
	RV		31311			31383			
		Total w∙h∙d	545.826.530			545.830.570			
	Castors		31315	31317	31318	31387	31388	31389	
		Total w∙h∙d	540.826.530	600.826.530	648·836·775	540.830.570	600.830.570	648.830.780	
		Seat w∙h∙d	450.460.450			480.480.450			
		Armrest h		635			635		
		RV spacing	535			535			





#### PRODUCT INFORMATION PMove-VF\_TY\_EN - 02.11.2020 - www.vs-furniture.com

#### PantoMove-VF Five-star foot chair.

Frame comprising an aluminium star foot and a plastic-covered gas-filled telescopic strut.

Seat shell made of beech plywood with anti-slip paint and visible seat mounting. Optionally rigidly padded all over. Equipment and options. Glide elements or castors for hard or soft floors or 2C universal glide elements. Optionally with foot ring or with particularly ergonomic 3D rocking mechanism.

Model **Plus** for raised sitting/standing workstations with castors braked under load and with a foot ring that is heightadjustable and lockable in 3 cm increments.

The following material groups are available to choose from: Frame made of steel tube: M1,(high polished Alu, chromeplated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 20 mm. Backrest 20 mm.			A A				
Lift		31540	31541	31542	31545	31546	31547	
	Seat w∙h∙d	450.443-595.450	450.463-615.450		450.443-595.450	450.463-615.450		
	Total w∙h∙d	700.861-1013.700	700.881-1033.700		700.861-1013.700	00.861-1013.700 700.881-1033.700		
	Armrest h				653-805			
	Seat shell			XL	Ĺ			
Plus (High)		31550	31551	31552	31555	31556	31557	
	Seat w·h·d	450.533-806.450	450.553-8	326·450	450·533-806·450	450.553-82	6.450	
	Total w∙h∙d	700.945-1218.700	700.965-1	238.700	700.945-1218.700	700.965-123	38.700	
	Armrest h				7	41-1014		
	Seat shell			XI	L			
		Seat 20 mm. Backrest 20 mm. Backrest 20 mm. Seat w-h-d Total w-h-d Armrest h Seat shell Plus (High) Seat w-h-d Total w-h-d Total w-h-d Armrest h	Seat 20 mm. Backrest 20 mm.         John Constraints           Lift         31540           Seat w.h.d         450.443-595.450           Total w.h.d         700.861-1013.700           Armrest h         Seat shell           Plus (High)         31550           Seat w.h.d         450.533-806.450           Total w.h.d         700.945-1218.700           Armrest h         31550           Armrest h         31550	Seat 20 mm. Backrest 20 mm.         John Stress         John S	Seat 20 mm. Backrest 20 mm.         Image: Constraint of the sector	Seat 20 mm. Backrest 20 mm.         Image: Constraint of the sector	Seat 20 mm. Backrest 20 mm.         Image: Constraint of the sector	





PRODUCT INFORMATION PSwing-VF\_TY\_EN - 28.09.2020 - www.vs-furniture.com

### PantoSwing-VF Forward-flexing cantilever chair.

Frame of one-piece powder-coated or chrome-plated bent round steel tube. Chairs and armchairs are available. Seat shell of beech plywood with anti-slip varnish and visible seat attachments. Optional firm all-round upholstery. Features and options. Glide elements for hard and soft floors or 2K universal glide elements. Optionally with table-edge protection for piggy-back chair mounting.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

	Upholstery: Seat 15 mm. Backrest 15 mm.	Optionally with table- edge protec- tion for piggy-back chair moun- ting.	Z			R		Ż
PantoSwing-VF			31430	31431	31432	31440	31441	31442
	Seat w·h·d		450.460.450	450.42	75-450	450.460.450	450.42	<b>′</b> 5·450
	Total w·h·d			520.850.545		575·850·545		
	Armrest h						650	
	Seat shell				Х	L		





PRODUCT INFORMATION Compass-VF\_TY\_EN - 20.01.2021 - www.vs-furniture.com

# Compass-VF Four-legged chair.

Frame of bent and welded, powder-coated or chrome-plated round steel tube. Optionally as a chair with arms with plastic covering, as a chair with row connector, as a chair with writing and laptop surface or with 4 double castors. Seat shell made of beech plywood (VF) with anti-slip paint. Optionally with rigidly padded seat surface or rigidly padded all over.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. For maximum stacking quantity, see table. With book/storage basket under the seat pan.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,78,79,80,81.

		Upholstery: Seat 15 mm. Backrest 15 mm. VF/RV: w +35 mm	R		R	R	R	R	R	
Compass	VF		31330	31331	31332	31340	31341	31342	31350	
	VF (RV)		31335	31336	31337					
		Seat w·h·d	450.445.450	450.445.450 450.460.450		450.445.450	450.445.450			
		Total w∙h∙d	510.835.570				580.835.885			
		Armrest h								
		Stacking height			10		6			
		RV spacing		535						
	VF (Castors)		31360	31361	31362	31365	31366	31367	31370	
		Seat w·h·d	450.450.450 450.465.450		450.450.450	450.465.450		450.450.450		
		Total w∙h∙d	5	545·840·570			590·840·570			
		Armrest h					635			
		Stacking height			6				6	





#### PRODUCT INFORMATION Stratos\_TY\_EN - 11.12.2019 - www.vs-furniture.com

## Stratos Swivel chair and visitor's chair.

Conference swivel chair type S4 and swivel chair type S5:

Frame consisting of a 4-spoke (S4) or 5-spoke (S5) aluminium star foot and a plastic-covered or chrome-plated metalcovered gas spring mechanism. Gas spring operated from top with depth suspension.

Seat shell with armrests made from beech or oak plywood moulded in three dimensions with natural effect paint, seat padding cover and two-part back padding.

**Equipment and options:** Glide elements for hard and soft floors or 2C universal glide elements. Optionally available with particularly easy-to-use 3D rocker mechanism and soft or damped sideways tilt capability. Type S4 optionally available with spring-back function for automatic orientation towards the conference table.

#### Visitor's chair type W:

Frame consisting of curved, welded steel wire with 4 legs.

Seat shell (see above).

Equipment and options: Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available to choose from: Foot of aluminum: M1,(high polished Alu, chrome-plated); Frame made of steel wire: M1,(chrome-plated); Seat and backrest: H2; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

	Upholstery: Seat 20mm. Backrest 10mm. *Gas spring in high/low position					R	
Stratos		S5		S4		W	
		31891	31892	31894	31895	31881	31882
	Seat w·h·d	483·435/550*·480	483·435/550*·470	483·440/550*·480	483·440/550*·470	483.460.480	483.460.470
	Total w·h·d	676.817/9	32*•655	676.822/9	32*•767	676-822	·575
	Armrest h	635	5	64(	ſ	650	





PRODUCT INFORMATION NF-Compass\_TY\_EN - 04.03.2021 - www.vs-furniture.com

#### NF-Compass Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube. Optionally available with armrests and plastic lining or as a chair with row connector.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

	Upholstery: Seat 20 mm. Backrest 10 mm.				R	R	R
NF-Compass		32300	32301	32302	32305	32306	32307
	RV	32310	32311	32312			
	Seat w·h·d	434.460.440	434.480.440	434.480.430	434.460.440	434.480.440	434.480.430
	Total w·h·d		483.809.540			570.809.540	
	Armrest h					650	
	Stacking height			1(	)		
	RV spacing		508				





#### PRODUCT INFORMATION NF-Move\_TY\_EN - 11.12.2019 - www.vs-furniture.com

#### NF-Move Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Optionally available with armrests and plastic lining.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D tilt mechanism with sideways tilt capability. With piggy-back hook (models without armrests) for suspension of chair on table tops.

Model Plus for raised sitting/standing workstations with castors braked under load and with a foot ring that is heightadjustable and lockable in 3 cm increments.

The following material groups are available to choose from: Frame made of steel tube: M1; Seat and backrest: C1; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

		Upholstery: Seat 20 mm. Backrest 10 mm. When fitted with castors, the height increases by 23,5 mm.	Contraction of the second seco			X		
NF-Move			32500	32501	32502	32505	32506	32507
		Seat w∙h∙d	434.419-571.440	434.429-	·591·440	434.419-571.440	434.429-	591.440
		Total w∙h∙d	6	601.775-927.601			686.775-927.686	
		Armrest h					645-797	
	Plus (High seat)		32510	32511	32512	32515	32516	32517
		Seat w·h·d	434.509-782.440	434·529-	·802·440	434.509-782.440	434.529-8	302·440
		Total w∙h∙d	60	01.865-1138.601			686-865-1138-686	
		Armrest h					735-1008	





PRODUCT INFORMATION NF-Swing\_TY\_EN - 11.12.2019 - www.vs-furniture.com

## NF-Swing Forward-sprung cantilever chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. With an extremely stable strut between the skids. Optionally available with armrests and plastic lining.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggy-back chair stacking.

Warning: The NF-Swing cannot be combined with the Duo-C 2451 school desk.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

	Upholstery: Seat 20 mm. Backrest 10 mm.					R	
NF-Swing		32400	32401	32402	32405	32406	32407
	Seat w·h·d	434.460.440	434.480.440	434.480.430	434.460.440	434.480.440	434.480.430
	Total w·h·d	·····	525.816.540			582·816·540	
	Armrest h					650	





#### PRODUCT INFORMATION NF-Wire\_TY\_EN - 17.03.2022 - www.vs-furniture.com

## NF-Wire Wire frame chair.

Frame made from curved, welded and chrome-plated steel tubing (d= 12 mm). Optionally available as armrest chair with plastic arm support, each equipped with row connector. Can be stacked to a height of 9 to 15 units depending on the model variant (see table).

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fibre content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard and soft floors.

The following material groups are available to choose from: Frame made of steel tube: M(chrome-plated); Seat and backrest: C1; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

	Upholstery: Seat 20 mm. Backrest 10 mm.	R	R	R	A	Ż	Ż
NF-Wire		32350	32351	32352	32360	32361	32362
	RV	32355	32356	32357	32365	32366	32367
	Seat w·h·d	434.460.440	434.480.440	434-480-430	434.460.440	434.480.440	434.480.430
	Total w·h·d	······································	571.811.540			571.811.540	
	Armrest h					675	
	Stacking height	15	10	9	15	10	9
	RV spacing		555				





PRODUCT INFORMATION NF-Wire-P\_TY\_EN - 30.06.2021 - www.vs-furniture.com

## NF-Wire-Plus Wire frame chair.

Frame made from curved, welded and chrome-plated steel tubing (d= 12 mm) with a cross brace as a footrest. Chairs in 2 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fibre content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard and soft floors.

The following material groups are available to choose from: Frame made of steel tube: M(chrome-plated); Seat and backrest: C1; Fabric cover: S46,51,52,64,73,74,76,78,79,80,81.

	Upholstery: Seat 20 mm. Backrest 10 mm.	R			Å		
NF-Wire Plus		32370	32371	32372	32375	32376	32377
	Seat w∙h∙d	434·650·440	434·670·440	434.670.430	434.830.440	434.850.440	434.850.430
	Total w·h·d		553.1011.540			566·1191·540	
	Distance of seat to floor	650	67	0	830	85	0
	Distance of seat to foot position h	460	48	80	460	48	0
	Optimum table height		880-950			1060-1130	
	Seat shell			Ĺ			





PRODUCT INFORMATION LiteBench-ST\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### LiteBench-ST Stackable bench.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the bench is stackable. What is more, they can be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Benches with glide elements for hard or soft floorings or with 2C universal glide elements.

Seat sizes in 6 fixed heights in accordance with DIN EN 1729.

Seat top Consisting of a HPL or chipboard top and glued (KU) plastic border. Available with edged or rounded corners as required.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

	Size as per DIN EN 1729 $h = 310  \bigcirc 2$ $h = 350  \bigcirc 3$ $h = 380  \bigcirc 4$ $h = 430  \bigcirc 5$ $h = 460  \bigcirc 6$ $h = 510  \bigcirc 7$	* w·d footprint	N	1			
LiteBench-ST	d = 35		31083	31084	31085	31086	31087
	W		150	170	190	210	230
	for table w		160	180	200	220	240
	h DIN EN				2·3·4·5·6·7		
	max. stacking height				4		
	w footprint max. *		165	185	205	225	245
	d footprint *				43		
	Weight kg		21,0	24,5	28,0	31,5	35,0
			·····			•••••••••••	1 - 1





#### PRODUCT INFORMATION M-Bench\_TY\_EN - 05.04.2022 - www.vs-furniture.com

## M-Bench Cheek bench, free-standing or wall-mounted.

**Construction** of two side-panel elements, a seat plate and a stable, centrally positioned double crosspiece, each made of laminate or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both side-panels with glides.

Installation. For use in corridors or assembly halls, or in rooms with high safety requirements, also with floor or wall mounting.

The following material groups are available to choose from:; Top veneered: F1.

	Seating heights (± 1 cm) as per DIN EN 1729 ● 6 = 46 cm						
M-Bench	d = 35 cm		30213	30214	30215	30216	30217
	w cm		148	168	188	208	228
	for table w cm		160	180	200	220	240
	h cm				46		
	Fixed height				6		





# PRODUCT INFORMATION KN-39\_TY\_EN - 02.03.2022 - www.vs-furniture.com

## Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chairs, chairs with solid beech armrests or chairs with beech plywood writing tablet (left or right) available.

Seat and backrest of beech plywood with visible seat attachments. Optionally with firm upholstery on one side. Features and options. Glide elemtens for hard or soft floors. For maximum number stackable, see table. When using row linking (RV), the same types can be combined. Optionally with removable writing tablet (left or right).

Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,76,78,79,80,81.

		Upholstery: Seat 15 mm. Backrest 10 mm.				R	R	R	R	R	R
KN-39			03901	03902	03903	03916	03917	03918	03913	03914	03915
	RV		03904	03905	03906						
		Seat w∙h∙d	395.460.445	395.47	5.445	395.460.445	395.47	5.445	395-460-445	395.475	5.445
		Total w∙h∙d	4	96.785.530			580.785.530			565.785.678	
		Armrest h					712				
		Stacking height		10							
		RV spacing		506							





# PRODUCT INFORMATION WD-39\_TY\_EN - 20.01.2021 - www.vs-furniture.com

## Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chairs, chairs with solid beech armrests or chairs with beech plywood writing tablet (left or right) available.

Seat and backrest of beech plywood with visible seat attachments. Optionally with firm upholstery on one side. **Features and options.** Glide elements for hard or soft floors. For maximum number stackable, see table. When using row linking (RV), the same types can be combined. Optionally with removable writing tablet (left or right).

Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,73,74,76,78,79,80,81.

		Upholstery: Seat and backrest 15 mm.				R	R	R	R	R	R
WD-39			03940	03941	03942	03960	03961	03962	03950	03951	03952
	RV		03945	03946	03947						
		Seat w·h·d	410.470.460	410.48	5.460	410.470.460	410.48	I5·460	410.470.460	410·485·	460
		Total w∙h∙d	4	85.830.530			605.830.530		5	570.830.700	
		Armrest h					640			715	
		Typ A(B) w∙d							A 236	·545 (B 260·360	))
		Stacking height		10							
		RV spacing		520							





#### PRODUCT INFORMATION LightUp\_TY\_EN - 27.11.2019 - www.vs-furniture.com

## LightUp Office swivel chair.

Office swivel chair with synchronous mechanism and continuous seat height adjustment.

Seat and backrest with frame and mesh cover or breathable molded foam.

Frame consisting of a 5-spoke star foot. All the materials are environmentally friendly, easy to separate and recyclable. Seat optionally with sliding seat surface (6 cm) and seat inclination adjustment for individual positioning.

Armrests optionally made from plastic with soft PU arm supports, height adjustable over 80 mm. Depth- and widthadjustable depending on model.

Lumbar support (optional), height- and depth-adjustable.

The following material groups are available to choose from: Plastic frame: C; Frame made of metal: M(polished Alu); Fabric cover: S69.

LightUp		31723	31724
	Back	upholstery	net
	Seat w∙h∙d	480.450-	·580·440
	Total w∙h∙d	700.970-	1100.660
	Back h	55	50
	Weight kg	15	,5





PRODUCT INFORMATION Shape-V\_TY\_EN - 23.02.2022 - www.vs-furniture.com

## Shape elan visitor Chair.

**Designed** using curved, chromium-plated circular steel tube. Available as four-legged or cantilever chair, optionally with black plastic armrests.

Seat upholstered.

Backrest with plastic frame, upholstered with breathable molded foam.

Equipment. All models are stackable (see table).

The following material groups are available to choose from: Frame made of metal: M(chrome-plated); Fabric cover: S66.

			FA		E Contraction of the second se
Shape elan visitor		 31715	31716	31717	31718
	Back	 	uphol	stery	
	Seat w·h·d		450.44	ł0·460	
	Total w·h·d	 530·870·590	630.870.590	530.870.590	630.870.590
	Back h		43	10	
	Stacking height	 4		3	
	Weight kg	6,	2	9,0	)





PRODUCT INFORMATION Shape\_TY\_EN - 23.02.2022 - www.vs-furniture.com

## Shape economy2 Swivel chair.

Office swivel chair with synchronous mechanism, continuous seat height adjustment and safety gas spring. Seat and backrest upholstered with breathable molded foam or back-support mesh. Comfortable flat seat and mid-height or high backrest with plastic external shell. Adjustable upholstered backrest.

Frame consisting of a 5-spoke star foot.

**Synchronous mechanism.** The seat and backrest are synchronized to move with sitter and are always at the correct angle. Continuously adjustable and lockable support pressure for the back.

Synchronous mechanism – 3D (optional). As for the synchronous mechanism, but with additional automatic adjustment capability for the entire upper part of the chair (seat and backrest) either forward (inclination of seat up to  $-8^{\circ}$ ) or backward (inclination of backrest from 82° to 128°), as well as to the side (lateral movement up to  $+/-6^{\circ}$ ).

Synchronous mechanism – 3D, lockable (optional). With additional locking capability in zero position or at -6° forward inclination.

Lumbar support (optional) mechanical depth adjustment (3.5 cm).

The following material groups are available to choose from: Plastic frame: C; Frame made of metal: M(polished Alu, Alu silver); Fabric cover: S66.

Shape economy 2		31712	31713	31714
	Back	upholst	ery	net
	Seat w·d	490-39	90	500.380
	Seat h (optional)	4	100-520 (450-560)	
	Total w·h·d	720.900-1110.720	720.980-1190.720	720.1010-1130.720
	Back h	500	580	610
	Weight kg	13,5	14,8	12,9





PRODUCT INFORMATION Com\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Com High seat.

Skid frame made from welded, chrome-plated or white-aluminium-coated circular steel tube. With cross-strut as foot support.

Seat made from ergonomically shaped beech plywood or from solid HPL material. Optionally also available with cushioned seat.

Equipment and options. Plastic glide elements for soft floors or felt glide elements for hard floors.

The following material groups are available to choose from: Frame made of steel: M(chrome-plated); Seat made of wood: H(natural, black); Seat made of HPL-top: L(black, gray, white); Fabric cover: S69.

	Upholstery: Seat 10 mm.		
Com		31731	31732
	Seat w·h·d	450·790·410	
	Total w∙h∙d		70.560
	Back h	200	190
	Weight kg	7,5	



Multipurpose chairs, office swivel chairs

9



PRODUCT INFORMATION Stakki\_TY\_EN - 02.08.2021 - www.vs-furniture.com

#### Stakki Three-lea

## Three-legged plastic chair.

**Monoblock** made from stable, durable and extremely scratch-resistant, glass-fibre reinforced polypropylene. The chair is stackable. See table for maximum stacking capacity. The Stakki with UV stabilizer can be used indoors and outdoors. **Equipment and options.** With non-slip universal glide elements.

Accessories. Stacking trolley model 03836 for 1 stack of chairs.

The following material groups are available to choose from: Body made of plastic: C6.


		R
Stakki		03811
	Seat w·h·d	437.460.378
	Total w·h·d	537.776.553
	Stacking height	10
	·······	159





Upholstery elements





PRODUCT INFORMATION Shift-p-LSitz\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### Shift+ Landscape Soft seating elements.

Upholstered-element system consisting of carcass and seating elements.

Seating elements are linear or curved stools. Individual elements can be combined to form complete landscapes. Elements consisting of a floor plate with plastic or felt glide elements and a cushion of foam with leatherette cover. Seating sizes in 3 fixed heights in accordance with DIN EN 1729.

**Carcass** of melamine-resin-coated chipboards with glued-on plastic edge. With glued centre wall for partitioning the carcass. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel.

Function: Curved Landscape seating and cabinet elements can be combined linearly and, thanks to the matched inner and outer radii, back to back to create circular and serpentine seating/cabinet landscapes.

Fire protection of the upholstery elements optionally according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available to choose from: Body made of chipboard: L4; Perforated-plate: M1; Fabric cover: S40,64,81.

	Size as per DIN EN 1729 h = 30 ● 2 h = 38 ● 4 h = 46 ● 6		B	$\bigcirc$		P		
Shift+ Landscape		45298	45297	09325	09328	09329	09326	09327
	W	105,5	110	52,75	105,5	110	140,8/10	05,5
	h	42	2			30.38.46		
	d			52,75		72,5/52,75		
	Size					2.4.6		
			60°			60°		
	Shelves	two sides	one side					



10

PRODUCT INFORMATION Cloud\_TY\_EN - 26.11.2019 - www.vs-furniture.com

#### Cloud Beanbag and flat pouffe.

Upholstered bag elements of different shapes, each comprising an inner bag with removable cover.

Inner bag filled with new, freshly expanded EPS polystyrene beans, with a grain of 3-6 mm diameter. Flame-retardant in accordance with DIN 4102 B1.

Cover made of Cordura® (polyamide 6.6 / nylon) with extreme tensile strength and abrasion resistance. The double-coated surface is oil-, water- and dirt-repellent. The fabric is certified to Ökotex standard 100.

Equipment. Model 09383 with carrying handle and 2 pockets. The following material groups are available to choose from: Fabric cover: S41.

09383	09382	09381	09380		Cloud
1050		1200	400	Ø	
1400		300	520	h	
	1800·250·1400			w·h·d	
500-600				Seat h	
				Quantity I	
050 400	10 14	11 12 1800-250-1400	1200 10 300 10 1800-250-1400	400         1200         11           520         300         1           1800-250-1400         1         1	Ø         M





PRODUCT INFORMATION ClubLounge\_TY\_EN - 16.11.2021 - www.vs-furniture.com


#### ClubLounge Seat and couch elements.

Upholstered-element system comprising table and seating elements.

Seating elements are stools, easy chairs, sofas, benches and corners sofas in two different seating heights. Individual elements can be combined into entire seating landscapes. Elements comprising a floor plate with glide elements and a cushioned section of foam material with leatherette cover.

Table element same as the stool, but with an internal chipboard body and a graphite-grey (RAL 7024), powder-coated sheet metal covering as a table and playing surface.

Fire protection optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high). The following material groups are available to choose from: Fabric cover: S40,64,81.







#### PRODUCT INFORMATION Puzzle-S\_TY\_EN - 11.12.2019 - www.vs-furniture.com

## Puzzle Freeform seating element.

Seating element consisting of a 3-dimensionally shaped seating surface with seating positions of different heights. Construction consisting of a dimensionally stable baseplate of wood-based material with foam padding and all-round stitched seams.

Erection for direct placement on the floor or with 4 solid-wood feet or with 3 steel-tube brackets.

The following material groups are available to choose from: Frame made of steel: M(silver); Frame made of wood: H(natural, black finish-coated); Fabric cover: S40,46,51,64,81.

Puzzle			9384	09385		09386
	h min/max		24/43	45/	64	
	Total w·d			180.130		
						105





PRODUCT INFORMATION Lounge-Sessel\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie Lounge Armchairs LowBack and HiBack.

Range of upholstered furniture consisting of armchairs with low or high backrests.

**Design** consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining. With a close fit between seat surface and backrest.

**Frame** made from a 5-spoke tubular steel structure with two seat heights (430 or 460 mm) and gas spring with swivel function, depth suspension and optionally with spring-back function (for model 30188). Articulated glide element with felt or plastic covering or steel cap.

Equipment and options: Round upholstered cushion with central button-type gathering.

Fire resistance in accordance with DIN 66084 as standard in conformity with classes P-c (low) and P-b (medium). The following material groups are available to choose from: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,79,80.

			•••
Serie Lounge		30186 30188	30189
	w∙h∙d	805·1325·820 808·730 (760)·808	450.100.450
	Seat w·h·d	449·430 (460)·550	
	Seat h retrorotation function	420 (450)	
	Total h retrorotation function	720 (750)	





PRODUCT INFORMATION Lounge-Sit\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie Lounge Linear seating elements NoBack, LowBack and HiBack.

**Range of upholstered furniture** including stool, bench, armchair and sofa elements – based on the use of cubic elements with low, high or no backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20-mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

			22.28									Stand of a	
Serie Lounge		30120	30121	30122	30125	30126	30127	30110	30113	30111	30191	30190	30195
Se	seat w∙d	800.800	1200.800	1600.800	800.500	1200.500	1600.500	800.500	1200.500	1600.500			
То	otal w∙d				800.800	1200.800	1600.800	800.800	1200.800	1600.800	260.560		
Se	eat h					400 (460)							
То	otal h		400 (460)			720 (780)		1	370 (1430)		150		
												Connector	Power
												set	socket





PRODUCT INFORMATION Lounge-SitWin\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie Lounge Chaise longue and corner elements LowBack.

**Range of upholstered elements** with corner elements and chaise longue – based on the use of cubic elements with low backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests. **Design** consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

						Start Start
Serie Lounge		 30130	30131	30132	30133	30190
	w∙h∙d		1600.720	(780).800		
	Seat w·h·d		1300.400	(460).500		
						Connector set





PRODUCT INFORMATION Lounge-SitRund\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie Lounge Curved seating elements NoBack, LowBack and HiBack.

**Range of upholstered furniture** including stool, bench, armchair and sofa elements – based on the use of curved 60° or 90° elements with low, high or no backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

	Ø 1200 Ø 1200 Ø 2800 Ø 2800 Ø 2800		3						and the second s
Serie Lounge		30123	30124	30128	30129	30112	30114	30192	30190
	Seat w∙d	600/1400.800	850/2000.800	600/1400.500	850/2000.500	600/1400.500	350.500		
	Total w∙d	1400.800	2000-800	1400.800	2000.800	1400.800	800.800	260.560	
	Seat h			400 (4	-60)				
	Total h	400	(460)	720	(780)	1370 (1	430)	150	
	Arch segment	60°	90°	60°	90°	60°	90°		
									Connector set





PRODUCT INFORMATION Lounge-VisAVis\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie Lounge Vis-a-Vis elements HiBack.

**Range of upholstered elements** with 90° corner elements – based on the use of cubic elements with high backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests. Multiple Vis-a-Vis elements can be combined to create a closed-off island for communication. A technical element makes it possible to integrate a table, display and light and is equipped with a triple socket.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

**Optionally** with electrification kit 1 (2x Schuko, 2x USB charger) or electrification kit 2 (4x Schuko, 2x USB charger, 1x HDMI, 1x Mini DisplayPort, 2x Cat 6).

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

										Start Start	Ŷ	¢
Serie Lounge		30115	30117	30119	30116	30118	30114	20115	20116	30190	30193	30194
Vis-a-Vis	Seat w	80	0/1300		80	0/1300	350					
	Seat h			400	) (460)							
	Seat d		500									
	Total w	1200	1600	800	1200	1600	800	825	1225			
	Total h		·····	1368	(1428)	<u>i</u>		680	(740)			
	Total d 800 30						800	<u>.</u>				
	Segment		left	centre		right	90°					
										Connector set	Screen holder	LED lamp



Multipurpose tables





#### PRODUCT INFORMATION EcoTable-Q-MZ\_TY\_EN - 07.02.2022 - www.vs-furniture.com

#### EcoTable-Q Rectangular table with square tubular legs

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors.

Table height 74 cm and 8 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. Equipped with angled corners in all cases.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9; Top veneered: F1.

EcoTable-Q	d = 60	23105	23106				23107	23108	23164	23165	23166	23167
	d = 70	23170		23171		23172	23173		23174	23175	23176	23177
	d = 80			23181		23182	23183		23184	23185	23186	23187
	d = 90				23191		23193		23194	23195	23196	23197
	W	70	75	80	90	100	120	130	140	160	180	200
	h					30, 40, 53, 5	59, 64, 71, <b>7</b>	<b>4,</b> 76, 82				





PRODUCT INFORMATION EcoTable-Q-TrapTi\_TY\_EN - 22.12.2021 - www.vs-furniture.com

#### EcoTable-Q Trapezoidal, semi-circular and circular table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 (circular Table) lockable castors.

Table height 74 cm and 8 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. Equipped with angled corners in all cases.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPLtop: L4; Chipboard with laminate: L9; Top veneered: F1.

								$\bigcap$		
EcoTable-Q	d = 65	23114			23115					
	d = 70		23179			23178				
	d = 80			23189			23188			
								23150	23151	23153
	w/ø	130/65	140/70	160/80	130	140	160	90	100	120
	h				30, 40, 53,	59, 64, 71, <b>74</b> ,	76, 82			





#### PRODUCT INFORMATION EcoTable-R-MZ\_TY\_EN - 07.02.2022 - www.vs-furniture.com

#### EcoTable-R Rectangular table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors.

Table height 74 cm and 8 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners. The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9; Top veneered: F1.

EcoTable-R	d = 60	23005	23006				23007	23008	23064	23065	23066	23067
	d = 70	23070		23071		23072	23073		23074	23075	23076	23077
	d = 80			23081		23082	23083		23084	23085	23086	23087
	d = 90				23091		23093		23094	23095	23096	23097
	W	70	75	80	90	100	120	130	140	160	180	200
	h					30, 40, 53, 5	59, 64, 71, <b>7</b>	<b>4,</b> 76, 82				





PRODUCT INFORMATION EcoTable-R-TrapTi\_TY\_EN - 22.12.2021 - www.vs-furniture.com

#### EcoTable-R Trapezoidal, semi-circular and circular table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 (circular Table) lockable castors.

Table height 74 cm and 8 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners. The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9; Top veneered: F1.

					$\left  \right $			$\bigcap$		
EcoTable-R	d = 65	23014			23015					
	d = 70		23079			23078				
	d = 80			23089			23088			
								23050	23051	23053
	w / ø	130/65	140/70	160/80	130	140	160	90	100	120
	h				30, 40, 53	, 59, 64, 71, <b>74</b> ,	76, 82			





PRODUCT INFORMATION Cross-Q\_TY\_EN - 02.03.2022 - www.vs-furniture.com

## Cross-Q Individual table with square tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from square tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table height 74 cm and 8 other heights.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

**Optionally** with an E-box or a built-in socket from 90 cm wide tables for electrification in the centre of the table. **The following material groups are available to choose from:** Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4; Top veneered: F1.

Further products on this page: JUMPER Air Move.

		R	7								
Cross-Q	d = 60 cm	01840					01841	01842	01843	01844	01845
	d = 70 cm		01850				01851	01852	01853	01854	01855
	d = 80 cm			01860			01861	01862	01863	01864	01865
	d = 90 cm				01870		01871	01872	01873	01874	01875
	d = 100 cm					01890	01891	01892	01893	01894	01895
	w cm	60	70	80	90	100	120	140	160	180	200
	h cm				30, 4	0, 53, 59, 64,	71, <b>74</b> , 76, 82	2			





#### PRODUCT INFORMATION Cross-R\_TY\_EN - 02.03.2022 - www.vs-furniture.com

## Cross-R Individual table with round tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from round tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table height 74 cm and 8 other heights.

**Table top** made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. All models available with angled or curved (radius = 25 mm) corners.

**Optionally** with an E-box or a built-in socket from 90 cm wide tables for electrification in the centre of the table. **The following material groups are available to choose from:** Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4; Top veneered: F1.

Further products on this page: JUMPER Air Move.

		R	7								
Cross-R	d = 60 cm	01800					01801	01802	01803	01804	01805
	d = 70 cm		01810				01811	01812	01813	01814	01815
	d = 80 cm			01820			01821	01822	01823	01824	01825
	d = 90 cm				01830		01831	01832	01833	01834	01835
	d = 100 cm					01880	01881	01882	01883	01884	01885
	w cm	60	70	80	90	100	120	140	160	180	200
	h cm				30,	40, 53, 59, 6	4, 71, <b>74</b> , 76, 8	2			





PRODUCT INFORMATION LiteTable\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### LiteTable-AL Stackable lightweight table.

Frame. The leg elements of round aluminium tube are pressed onto and screwed to the rectangular aluminium tube top frame using high-strength corner connectors. The legs and top frame are powder-coated. Tables can be stacked thanks to the inner and outer legs arranged in pairs. However, depending on how they are turned, they can be arranged in rows without gaps. The top frame is equipped with stacking and gliding protection. Tables have glide elements for hard or soft floors or 2C universal glide elements and optionally 2 castors on the outer legs.

Table sizes in 9 fixed heights in accordance with DIN EN 1729.

Table top with a chipboard top and glued-on plastic plastic edge. Edged or rounded corners.

Function. Because the materials used are extremely lightweight and yet robust, the table can be stacked by a single person. Optionally, depending on the setup, table connectors (Model 21003) can be used.

Warning: A maximum of 4 stacked (unloaded) tables may be moved on their castors. The trapezoidal combinations shown in the table cannot be realised.

The following material groups are available to choose from: Frame made of aluminum: M1; Top made of chipboard: L4. Further products on this page: Compass-LuPo.

	These combinations cannot be realised.	* w·d footprin	t		180°		1		1	Ŷ
LiteTable-AL	d = 70	21011		21016		21014		21020		21003
	d = 80		21012		21017		21015		21021	21003
	w	70	80	140	120	140(70)	160(80)	140	160	
	h	30-40-53-59-64-71-74-76-82								
	max. stacking height		8				5			
	max. stack w*	78	88	78	88	146	166	148	168	
	max. stack d*	97	107	167	147	76	85	93	103	
	Weight min. kg	10,5	12,5	16,0	16,0	13,0	15,5	15,0	18,0	





PRODUCT INFORMATION LiteTable-ST\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### LiteTable-ST Stackable table.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the table is stackable. What is more, they can be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Tables with glide elements for hard or soft floorings or with 2C universal glide elements and, optionally, with two castors at the outer legs. Table sizes in 9 fixed heights in accordance with DIN EN 1729.

Table top Consisting of a HPL or chipboard top and glued plastic border. Available with edged or rounded corners as required.


Optionally it is also possible to use table connectors depending on the table arrangement (model 21003).

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L9.

Further products on this page: Compass-Soft.

		* w·d f	ootprint	V			<b>1</b> 80°	ľ								Ø
iteTable-ST	d = 70	21092	21093	21053	21054	21055	21056	21057								2100
	d = 80								21094	21095	21083	21084	21085	21086	21087	2100.
	W	70	140	160	180	200	220	240	80	120	160	180	200	220	240	
	h	30-40-53-59-64-71-74-76-82														
	max. stacking height	8				4			8	3			4			
	max. stack w*	97	167	175	195	215	235	255	107	147	175	195	215	235	255	
	max. stack d*				78							88				
	Weight min. kg	15,0	23,0	26,5	30,0	33,0	37,0	40,5	17,5	22,5	30,0	34,0	38,0	42,0	46,0	





PRODUCT INFORMATION Clapp-4Q\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Clapp-4Q Folding table with square tubular legs.

Frame consisting of two rectangular tubular steel edgings along the long side, screwed rigidly to the table top. The two U-shaped leg brackets made from square tubular steel are activated by means of a folding mechanism with safety bracket and then locked in place when open or closed. The leg brackets are chrome-plated or coloured and edgings are black powder-coated with epoxy resin. The table legs have levelling screws, glide elements for hard or soft floorings. Table height 74 cm.

**Table top** made from 19-mm melamine resin-coated chipboard with glued plastic edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

Equipped with stack protection to prevent scratches and damage to surfaces. A stacking cart can be used to transport the folded tables.

The following material groups are available to choose from: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L4; HPL-top: L4.

Further products on this page: JUMPER Air Meet.

			7			
Clapp-4Q	d = 60	02735	02736	02737	02738	09456
	d = 70	02740	02741	02742	02743	
	d = 80	02745	02746	02747	02748	
	W	120	140	160	180	
	h		74	1		
	h (folded) max.		8,	1		
	Stacking height		10	)		
	w·h·d					174.91.68





PRODUCT INFORMATION Clapp-4R\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Clapp-4R Folding table with round tubular legs.

Frame consisting of two rectangular tubular steel edgings along the long side, screwed rigidly to the table top. The two U-shaped leg brackets made from round tubular steel are activated by means of a folding mechanism with safety bracket and then locked in place when open or closed. The leg brackets are chrome-plated or coloured and edgings are black powder-coated with epoxy resin. The table legs have levelling screws, glide elements for hard or soft floorings. Table height 74 cm.

**Table top** made from 19-mm melamine resin-coated chipboard with glued plastic edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

Equipped with stack protection to prevent scratches and damage to surfaces. A stacking cart can be used to transport the folded tables.

The following material groups are available to choose from: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L4; HPL-top: L4.

Further products on this page: JUMPER Ply Meet.

09456	02718	02717	02716	02715		d = 60	Clapp-4R
	02723	02722	02721	02720		d = 70	app
	02728	02727	02726	02725		d = 80	
	180	160	140	120		W	
			74			h	
			8,1			h (folded) max.	
		)	10			Stacking height	
174.91.68						w∙h∙d	





PRODUCT INFORMATION JU-StudioTable\_TY\_EN - 06.04.2022 - www.vs-furniture.com


#### JUMPER StudioTable Stackable four-legged table.

Frame consisting of welded legs with all-round edging made from powder-coated or chromium-plated precision rectangular steel tubing. Due to the asymmetrically positioned table top, the tables are stackable but can nevertheless be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Table height 74 cm.

**Table top** With a 19-mm melamine-coated or laminate-coated chipboard top and glued plastic edge or a 13-mm HPL top. **Function.** The table can be stacked by a single person due to the lightweight but tough materials. See table for maximum stacking capacity.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L9.







PRODUCT INFORMATION Clapp-T\_TY\_EN - 23.11.2021 - www.vs-furniture.com

### Clapp-T Folding table.

Frame consisting of two T-shaped foot supports made from round and two cross-frames made from rectangular steel tubing. All items powder-coated or chrome-plated. Skids with plastic kick protection and adjustable glide elements with plastic or felt. With folding mechanism and integrated stack protection.

Table height 74 cm.

Table top made from melamine-coated chipboard (19mm) with glued plastic edge or solid HPL top, each with straight corners.

Accessories: Stacking cart for transporting maximum 10 folding tables. Made from powder-coated rectangular tubular steel The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L4; HPL-top: L4.

Further products on this page: NF-Swing.

Clapp-T	d = 60	02755 (	02756	02757	02758	09456
	d = 70	02760 (	02761	02762	02763	
	d = 80	02765 0	02766	02767	02768	
	W	120	140	160	180	
	h		74			
	h (folded)	9.5		6.0	)	
	w·h·d					174.91.68





PRODUCT INFORMATION FlipTable2-RU\_TY\_EN - 30.03.2022 - www.vs-furniture.com

### FlipTable-RU Standing and sitting table with round tube frame and folding top.

**Construction** of a centrally placed black tubular steel crossbar with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of two bent, powder-coated or chrome-plated steel tubes. Frame with lockable castors.

**Function.** Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

			2	$\overline{\langle}$					
FlipTable-RU	d = 65 cm		22102		22103				
	d = 70 cm			22105		22106	22107	22108	22109
	d = 80 cm			22110		22111	22112	22113	22114
	d = 90 cm			22115		22116	22117	22118	22119
	Fixed height cm	h Sitting			64	, 71, <b>74</b> , 76			
		h Standing				88, <b>106</b>			
	w cm		130	140	150	160	180	200	220





PRODUCT INFORMATION FlipTable2-TQ\_TY\_EN - 30.03.2022 - www.vs-furniture.com

#### FlipTable-TQ Standing and sitting table with T-foot and square tube column and folding top.

**Construction** of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of a powder-coated square tubular column and a powder-coated or chrome-plated runner with lockable castors.

Function. Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

				•					
FlipTable-TQ	d = 65 cm		22142		22143				
	d = 70 cm		22	2145		22146	22147	22148	22149
	d = 80 cm		22	2150		22151	22152	22153	22154
	d = 90 cm		22	2155		22156	22157	22158	22159
	Fixed heights cm	h Sitting			64	, 71, <b>74</b> , 76			
		h Standing				88, <b>106</b>			
	w cm		130	140	150	160	180	200	220





PRODUCT INFORMATION FlipTable2-TR\_TY\_EN - 30.03.2022 - www.vs-furniture.com

#### FlipTable-TR Standing and sitting table with T-foot and round tube column and folding top.

**Construction** of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of a powder-coated round tube column and a powder-coated or chrome-plated runner with lockable castors.

Function. Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available to choose from: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L9; Top veneered: F1; Chipboard with laminate: L9.

FlipTable-TR	d = 70 cm			 	22125	22126	22127	22128	22129
	d = 80 cm				22130	22131	22132	22133	22134
	d = 90 cm				22135	22136	22137	22138	22139
	Fixed heights cm	h Sitting				64	, 71, <b>74</b> , 76		
		h Standing					88, <b>106</b>		
	w cm				140	160	180	200	220





#### PRODUCT INFORMATION RondoLift-SiSt-ST\_TY\_EN - 01.03.2022 - www.vs-furniture.com

#### **RondoLift-ST** Height-adjustable sit-at and stand-at table.

Frame comprising a central post/leg made from chrome-plated steel tube and a disc-shaped base with stainless steel cover and with plastic and felt glide elements. RondoLift-Leg/post with integrated gas-filled strut and hand switch on the tabletop edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. The RondoSit and RondoStand models are also optionally available with a chrome-plated centre post/leg.

Table height of 72 or 74 cm, or 103 and 110 cm as stand-at table and continuously adjustable from 69-113 cm (see table). Table top of chipboard laminated with either melamine-resin, veneer or linoleum and with glued-on plastic or beech edges. Also with high-strength HPL solid core plate.

Table top shapes are circular and square.

The following material groups are available to choose from: Frame made of steel tube: M1, (chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: NF-Move.

			•								
RondoSit-ST	h = 72 / 74	02770	02771	02772	02773	02774	02775	02776	02777	02778	02779
RondoStand-ST	h = 103	02780	02781	02782	02783	02784	02785	02786	02787	02788	02789
	h = 110										
RondoLift-ST	h = 69-113	02790	02791	02792	02793	02794	02795	02796	02797	02798	02799
	w·d / ø	70.70	80.80	90.90	100.100	70	80	90	100	110	120
	Disc foot ø		64			49			64		





PRODUCT INFORMATION RondoLift\_TY\_EN - 01.03.2022 - www.vs-furniture.com

### RondoLift-KF Height-adjustable sit-at and stand-at table.

Frame comprising a round central leg/post and a four- or five-foot star-shaped base made from rectangular section, all powder-coated. Leg/post with integrated gas-filled strut and hand switch on the table-top edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. Star-shaped base with lockable castors or with glide elements.

Table height infinitely variable.

**Table top** of melamine resin, linoleum or veneer coated chipboard with glued-on plastic or wooden edges. Also with highstrength HPL solid core plate. Round or square tables (from 90 cm) optionally with a folding and sliding table top for safe transport.

Features. Oval table can be supplied with an optional lockable drawer and/or screen (see table) under the top. Table top shapes are oval, circular and square.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: PantoMove-VF.

				$\mathbf{k}$		¢				
RondoLift-KF		02823					02828	02820		
	Folding table top		02824	02825	02826	02827			02821	02822
	ø / w·d	80	90	100	110	120	130.80	80.80	90.90	100.100
	h					71-115				
	Star foot ø / w∙d	75			95		61.41		95	
	Optional							Screer	1	
							Drawer			





PRODUCT INFORMATION Puzzle\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Puzzle Freely-shaped table.

**Frame** consisting of welded round steel-tube legs and a rectangular steel-tube frame. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table height of 71 cm and 76 cm.

Table top made of melamine-resin-coated chipboard with glued-on plastic or beech edge.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6. Further products on this page: PantoMove-VF.

		S P
Puzzle		01470
	w∙d	165.114
	h	71 / 76
		189






PRODUCT INFORMATION TeamTable\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### TeamTable Freeform stand-at table.

**Frame** consisting of welded round steel-tube legs, a rectangular steel-tube frame and an intermediate shelf of chipboard. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table height of 103 cm for raised sitting or 110 cm as stand-at table.

Table top made of melamine-resin-coated, linoleum-coated or veneered chipboard with glued-on plastic or beech edge. The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.







PRODUCT INFORMATION TriUnion-Office\_TY\_EN - 06.04.2022 - www.vs-furniture.com

### TriUnion Office stand-at table.

Frame made from welded, screwed, round tubular steel legs with rectangular tubular steel top frame and foot support. All powder-coated. Optionally available with chrome-plated foot support ans plastic kick protection. Table with castors or glide elements for hard or soft floorings.


Table height of 106 cm for raised sitting or 120 cm as stand-at table.

Table top (right-angle triangle with two equal sides) made from melamine-resin coated chipboard with glued plastic edge or highly compacted tops (HPL). All table tops with rounded corners.

Function: Many combinations possible to form rows or group workspaces. Optionally with table connectors.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L4; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: PantoMove-Soft (Plus).







#### PRODUCT INFORMATION M-Table-Office\_TY\_EN - 05.04.2022 - www.vs-furniture.com

# M-Table Cheek table in standing and sitting height.

**Construction** of two side-panel elements, a tabletop and a stable, centrally positioned double crosspiece, each made of laminate- or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both sides with glides. As a standing table, with two additional tubular steel footrests as standard.

Table height in 74 cm for sitting, in 106 cm for high sitting or 120 cm as standing table.

Electrification optional with metal cable outlet, built-in socket or a module for wireless charging of smartphones. In the centre of the table in a maximum of 3 possible positions.

**Installation.** Free-standing or wall-mounted or in combination with the M-Panel as a meeting point. For use in corridors or assembly halls, or in rooms with high security requirements, also with floor mounting.

The following material groups are available to choose from: Chipboard with laminate: L4; Top veneered: F1.

M-Table	d = 70 cm	20403	20404	20405	20406	20407	20423	20424	20425	20426	20427
	d = 80 cm	20413	20414	20415	20416	20417	20433	20434	20435	20436	20437
	w cm	160	180	200	220	240	160	180	200	220	240
	h cm			74					106/120		





#### PRODUCT INFORMATION M-Panel-Office\_TY\_EN - 05.04.2022 - www.vs-furniture.com

#### M-Panel Meeting point with display holder. Free-standing, wall-mounted or integrated with M-Table.

Wall panel as an information or meeting point to accommodate a display, sound bar or video sound bar. Panel with internal cabling. Optionally with a 2-fold Schuko socket and 2x USB or with a 2-fold Schuko socket and 1x HDMI, 1x Mini-Displayport and 2x CAT 6.

**Construction** consisting of a black powder-coated steel frame with internal electrification. If wall-mounted, with a single-sided otherwise with double-sided panelling consisting of melamine or veneer-coated chipboard.

Free-standing or wall-mounted installation or in combination with the M-Table in sitting and standing height. In the case of a free-standing Installation: foot stabilisers provide stability. In traffic zones, floor mounting is recommended.

M-Panel	free-standing for M-Table, h = 74 cm, sit-at	20440		
	free-standing, sit-at		20442	
	wall-mounted for M-Table, h = 74 cm, sit-at			20441
	wall-mounted, sit-at			20441
	w·h cm		100.15	9,5
	free-standing for M-Table, h = 106 cm, stand-at	20445		
	free-standing, stand-at		20447	
	wall-mounted for M-Table, h = 106 cm, stand-at			20440
	wall-mounted, stand-at			20446
	w∙h cm		100.15	97
	d cm	10		8
	d cm base		50	





PRODUCT INFORMATION JustBe-Re\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### JustBe Rectangular table.

Frame consisting of slightly oblique, drop-shaped tapering legs with all-round edging, each made from veneered construction beech laminate with a matte wax/oil surface. Tables with levelling screws and felt or plastic glide elements. Table top made from melamine resin or veneer-coated chipboard with glued plastic or wood edge or from melamine resin or veneer-coated MDF board with an all-round 30-degree chamfer. Rectangular table top with rounded corners. Electrical connection (optional) via the table edge. Cables are stored in a textile cable tray that is held in place between the frame edges.

The following material groups are available to choose from: Frame made of Construction beech: H(natural); Top made of MDF or chipboardl: L(white, warm white, terra grey); Top made of chipboard or MDF veneered: F(Walnut). Further products on this page: EEC SE 68.

		$\wedge$	<b>`</b>			
JustBe	d = 80	20251	20252	20253	20254	20255
	W	120	140	160	180	200
	h			74		





PRODUCT INFORMATION JustBe-Stand\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### JustBe Stand-at table.

Frame consisting of slightly oblique, drop-shaped tapering legs with all-round edging, each made from veneered construction beech laminate with a matt wax/oil surface. Tables with levelling screws and felt or plastic glide elements. With all-round chrome-plated foot ring.

Table height 106 cm.

Table top made from melamine resin-coated or veneered chipboard with glued plastic or wood edge or from melamine resin or veneer-coated MDF board with an all-round 30-degree chamfer. Table top with rounded corners.

Electrical connection (optional) via the table edge. Cables are stored in a textile cable tray that is held in place between the frame edges.

The following material groups are available to choose from: Frame made of Construction beech: H(natural); Top made of MDF or chipboardI: L(white, warm white, terra grey); Top made of chipboard or MDF veneered: F(Walnut).

d = 80	20272		20274
W	140	160	180
h		106	





# PRODUCT INFORMATION DROP\_TY\_EN - 16.02.2021 - www.vs-furniture.com

# Plastic table.

**Plastic table**, round or square, four-legged for flexible use indoors or outdoors, e.g. in break areas, great halls or the canteen. Table made from glass fibre-reinforced polypropylene with UV stabilizer. The material is tough, weather-resistant, water-repellent and easy to clean. The table top has flattened edges. The legs with plastic glide elements are fastened to the table with screws.

The following material groups are available to choose from: Body made of plastic: C(white, dolphin grey).

DROP		09365	09366
	Table top ø∕w·d	70	73·73
	Total ø	83	104
	h	7.	2
	Stacking height	E	



School office

197





PRODUCT INFORMATION Ne-ReTi\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### NetWork Basic table.

**Constructed** of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.


Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws or castors.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp, OfficeBox.







12

#### PRODUCT INFORMATION Ne-TrapTi\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### **NetWork** Basic table (Semicircular and trapezoid D=70, D=80).

Constructed of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.

Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed. Legs fitted with levelling screws or castors.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: Compass-VF.







PRODUCT INFORMATION Ne-AnbauTi\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# NetWork Add-on table (Droplet and bow shaped table).

**Construction** partly with a round support leg. Quarter-circle tables on the straight with a half-oval-shaped frame and a function groove between table top and frame for accommodating accessories and for mounting further tables and tops. Steel parts either powder-coated or chrome-plated.

Table heights (supporting leg) are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws.

**Table top** is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp.

			·			21313	·	21326	- Contraction of the second se	21317	¢,	•	21315
NetWork	Add-on table		21313	21314	21323	21324	21326	21336	21317	21327	21337	21315	21325
		W	77		8	0	55	60	80	90	100	44/6	60
		d	92		10	0	90	100	00	90	100	100	180
		Extension d	80	)	9	0	90	100	80	90	100	160	180
		h						52.58.6	64·70·76				
		sq. m	0,6	1	0,6	8	0,41	0,49	0,5	0,63	0,78	0,89	1,00
		add-on side	left	right	left	right	left/r	ight				left/rig	ght





#### PRODUCT INFORMATION Ne-AnTi\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### NetWork Add-on table.

**Constructed** of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.

Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws or castors.

**Table top** is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners. The angled top insert of leather-covered steel sheet can be positioned in the corner and allows a greater table depth and thus optimum spacing from the monitor.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp, OfficeBox.

				ීම මම ම	• • • • • •		<mark>. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</mark>				
NetWork	d = 60				21444	21445	21446	21447	21448	21449	
	d = 70					21204					
	d = 80	21220			21221	21222	21223	21224	21225	21226	21398
	d = 90		21250		21251	21252	21253	21254	21255	21256	
	d = 100			21280	21281	21282	21283	21284	21285	21286	
	W	80	90	100	120	140	160	180	200	220	
	h				72	·76 (65-85)					
	Ø										74
		å									2∩1

12





#### PRODUCT INFORMATION Ne-CPUGitter\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# NetWork CPU accessories and stand-at desk.

CPU-holder for attachment of the CPU to the table side.

L-shaped grid of powder-coated steel rod. The holder is inserted into the functional gap between table top and frame. Further shelves can be hung onto it. The CPU is secured with a strap and guick-release fastener.

Hanging shelves are of melamine-resin laminated chipboard with glued-on plastic edges and rounded corners. Fitted with a bracket of arctic-colored powder-coated steel rod for hanging onto the CPU-holder and CPU-grid, for the upper and lower positions.

Stand-at desk for insertion into the functional gap between table top and frame. With a swivelable post of powder-coated steel tube as well as a working surface of melamine-resin laminated chipboard.

The following material groups are available to choose from: Frame made of steel tube: M(arctic); Top made of chipboard: L(black).

Further products on this page: LightUp.

							<b>K</b>
NetWork		21396	20322	20323	20324	20325	21493
	w∙d		60.20	60.40	60.20	60.40	60.40
		for table height min. 64 cm (glide elements), min. 70 cm (castors)					
		CPU holder	Hang-in s	helf lower	Hang-in sl	helf upper	
		with retaining strap					
	sq. m						0,24
	h (by table height 72 cm)						108





PRODUCT INFORMATION Pareto-C\_TY\_EN - 06.04.2022 - www.vs-furniture.com

#### **Pareto-C** Height-adjustable, transport-optimized desk with C-type foot.

Design in accordance with DIN EN 527-1 consisting of two asymmetrically positioned tubular steel cross-pieces and welded brackets.

Substructure consisting of two C-type feet made from powder-coated metal with round, square or rectangular uprights and skids with angular ends. Electrically-driven height-adjustment with one- or two-stage telescoping uprights, optionally with display, memory, collision protection and child safety protection. Table legs can be folded for ease of transport.

Table top made from melamine-resin, veneer or linoleum-coated chipboard with edged corners. Electrical connections (optional) by means of a folding metal cable tray with round cable chain.

Cable outlet through a maximum of three metal outlets (left, centre, right) or a cable flap positioned on the left or right. Accessories for electrical connection (Schuko power socket) and CPU holder with retaining strap.

The following material groups are available to choose from: Frame made of steel tube: M2; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Pareto-C	d = 80	22531	22532	22533	22534	22535			
	d = 90	22541	22542	22543	22544	22545			
	h =		68-118	(1-fold teles	cope)				
	d = 80	21731	21732	21733	21734	21735			
	d = 90	21741	21742	21743	21744	21745			
	h =		65-125	(2-fold teles	cope)				
							21771	21874	21776
	W=	120	140	160	180	200	CPU holder	Table space	ers, 1 pair
								front	side
		L							203

12





PRODUCT INFORMATION OBoxKurz\_TY\_EN - 23.11.2021 - www.vs-furniture.com

### OfficeBox Mobile containers (short).

**Body** made of melamine-resin-coated chipboards with glued-on plastic edge. With 4 castors, 2 of which can be locked, or as stationary container with slide elements. Mobile containers also available in half-size format (see table).

Front made of us melamine-resin-coated chipboard with glued-on plastic edge or veneered. Optionally 1. with metal, plastic or wood bow handles; 2. with horizontal aluminum handle strips; 3. on both sides with vertical, milled handle strips or 4. without handle with "push to open" technology.

Drawers in 1,5, 2, 3 and 4 HU with partial or over-extension, 6 HU drawers with over-extension. Optionally with slide-in damping.

Equipment for 1.5 HU with plastic material pull-out. And 6 HU with suspension frame for DIN A4 folders. Optionally with seat cushion and foldable push-handle.

The following material groups are available to choose from: Body made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Fabric cover: S46,51,52,74,78,79,80.

	Seat cushions available as an option:						
	- h = 4,5 cm						
	- max. load 110 kg			<u> </u>			
OfficeBox	HU		9,5			10,5	
<b>D=60</b>	w carcass 43	40500	40501	40502	40503	40504	40505
	Storage set no.	1	2		1	2	
	w carcass 33 Half-Size	40520	40521	40522	40523	40524	40525
	Storage set no.	7	9		7	9	
	h total (with cushion)		55 (59,5)		······	60 (64,5)	
	HU	1,5·2·6	1,5·2·3·3	1,5·2·2·4	1,5·3·6	1,5·3·3·3	1,5·2·3·4





PRODUCT INFORMATION OBoxLang\_TY\_EN - 23.11.2021 - www.vs-furniture.com

# OfficeBox Stationary and mobile containers (long).

**Body** made of melamine-resin-coated chipboards with glued-on plastic edge. With 4 castors, 2 of which can be locked, or as stationary container with slide elements. Mobile containers also available in half-size format (see table).

Front made of us melamine-resin-coated chipboard with glued-on plastic edge or veneered. Optionally 1. with metal, plastic or wood bow handles; 2. with horizontal aluminum handle strips; 3. on both sides with vertical, milled handle strips or 4. without handle with "push to open" technology.

Drawers in 1,5, 2, 3 and 4 HU with partial or over-extension, 6 HU drawers with over-extension. Optionally with slide-in damping.

Equipment for 1.5 HU with plastic material pull-out. And 6 HU with suspension frame for DIN A4 folders. Optionally with seat cushion.

The following material groups are available to choose from: Body made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Fabric cover: S46,51,52,74,78,79,80.

	Seat cushions available as an option: - h = 4,5 cm - max. load 110 kg							-		
OfficeBox	HU		9,5		l	10,5			13,5	
D=80	w carcass 43	40510	40511	40512	40513	40514	40515	40516	40517	40518
	Storage set no.	3	4		3	4		-	5	6
	w carcass 33 Half-Size	40530	40531	40532	40533	40534	40535			
	Storage set no.	8	10		8	10				
	h total (with cushion)		55 (59,5)			60 (64,5)			72 (76,5)	
	HU	1,5·2·6	1,5·2·3·3	1,5·2·2·4	1,5·3·6	1,5·3·3·3	1,5·2·3·4	1,5.6.6	1,5·3·3·6	1,5.3.3.3.3
			i							201

205





Serie 2000 (partition walls)





#### PRODUCT INFORMATION S2000-P-23\_TY\_EN - 30.11.2021 - www.vs-furniture.com

### Serie 2000 Typ P. Folding screen (2/3 parts).


System consists of 2 or 3 flexibly-jointed, mobile, free-standing screen.

**Construction** is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. 2. chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 155 cm). 3. From a lightweight top with fabric covering. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.

The following material groups are available to choose from: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,73,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.







#### PRODUCT INFORMATION S2000-P-45\_TY\_EN - 30.11.2021 - www.vs-furniture.com

# Serie 2000 Typ P. Folding screen (4/5 parts).


System consists of 4 or 5 flexibly-jointed, mobile, free-standing screen.

**Construction** is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. 2. chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 155 cm). 3. From a lightweight top with fabric covering. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.

The following material groups are available to choose from: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,73,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.



13

VS-International | Basic catalogue





**SPACE (storage space)** 





PRODUCT INFORMATION SpaceWalk-G\_TY\_EN - 04.04.2022 - www.vs-furniture.com

#### SpaceWalk-G Mobile storage module with a guide system for Gratnells boxes.

**Frame consisting** of bent and welded rectangular steel tube on 4 lockable double swivel casters (d=65mm) and a top sheet metal shelf. Optionally with a rear panel, two side panels and a hinged door made of sheet steel in different combinations. Side parts with a recess as a handle. All steel parts powder coated in color.

Modular system consisting of 1, 2 and 3 part elements. Rail system between the frames with metal guides and pull-out stop. In the metal guides different sized Gratnells boxes with or without lid can be variably inserted in the module as required. Optionally without back panel, modules can also be used on both sides.

Locking system optionally with cylinder lock.

The following material groups are available to choose from: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 5 kg.		1 •		12 •						
							$\diamondsuit$	$\diamondsuit$	$\bigcirc$	
SpaceWalk-G	one- or tow-sided	45400	45401		45402					
	either side			45403		45404				
							48565	48566	48568	48567
	W	37	7	2	1(	)6		31,2		
	h∙d	ç		100.49			7,5·37,5	15,0·37,5		
	Number of boxes (h 7.5/15)	9/4	18/8	18/8	27/12	27/12				
								Grati	nells	
							Plastic	boxes*	Тор	Name plate





PRODUCT INFORMATION SpaceStation-G\_TY\_EN - 06.04.2022 - www.vs-furniture.com

#### SpaceStation-G Stationary, wall-mounted storage module with a guide system for Gratnells boxes.

Frame consisting of bent and welded rectangular steel tube on 4 adjustable feet and a top sheet metal shelf. Optionally with a rear panel, two side panels and a hinged door made of sheet steel in different combinations. Side parts with a recess. All steel parts powder coated in color. The modules must be fixed to the wall and can be interlinked.

Rail system between the frames with metal guides and pull-out stop. In the metal guides different sized Gratnells boxes with or without lids can be variably inserted in the module as required.

Locking system optionally with cylinder lock.

The following material groups are available to choose from: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 5 kg.				$\diamond$	$\diamond$	$\bigotimes$	$\bigcirc$
SpaceStation-G		45406	45407	48565	48566	48568	48567
	W	37	72		31,2		
	h∙d	184	1·49	7,5·37,5	15,0.37,5		
	Number of boxes (h 7.5/15)	18/8	36/16				
					Grati	nells	
			¢	Plastic	boxes*	Top	Name plate
<u>.</u>							212





Shift+ (storage space)





PRODUCT INFORMATION Shift-p-LRegal\_TY\_EN - 15.03.2022 - www.vs-furniture.com

#### Shift+ Landscape Mobile shelf units.

**Constructed from** glued linear and curved (60°) body on steel crosspiece with 4 or 5 (60°) tech castors, 2 of them lockable. Optionally with 4 or 5 adjustable feet.

**Body** made from melamine resin-coated chipboard with glued (KU) plastic edge. With glued central panels to subdivide the body. With rows of drill holes (25 mm) for shelf inserts and perforated sheet visible back panel. With back panel and storage space on both sides depending on model.

Function (options): With shelf inserts or wardrobe hooks (4-way or 8-way) and magnets on the outside surfaces for docking-on further cabinet elements. Curved Landscape seat, table and cabinet elements can be combined in rows or as circular and undulating seating/cabinet landscapes thanks to the harmonized internal and external radii. Sliding handles (optional) made from steel on the top of the body.

The following material groups are available to choose from: Body made of chipboard: L4; Perforated-plate: M1.

	* Possibility of choosing shelf inserts and wardrobe hooks for each row												
Shift+	h with (without) handle = 96,9 (91,5)	45292		45304		45306		45317		45300		45302	
Landscape	h with (without) handle = 115,6 (110,2)		45293	45305		45307			45318	45301		45303	
	h with (without) handle = 134,4 (129,0)		45336		45337		45338		45333		45334		45335
	w·d (d Total)		152,6·4	2,5 (57)		163-53	3 (67,3)		105,5	5.42,5		105,	,5∙53
				60	Э°	<u>.</u>							
	Shelf inserts	one	side		two	sides		one	side		two	sides	
	Number rows						4	2					
	* Number of shelf inserts per row		2			4			2		4	1	
	* Number of wardrobe hooks per row		1						1				





PRODUCT INFORMATION Shift-p-LSchrank\_TY\_EN - 15.03.2022 - www.vs-furniture.com

#### Shift+ Landscape Mobile cabinet elements.

Structure of glued linear carcasses on a steel cross-member with 4 technical castors, 2 of which are lockable. Optional with 4 adjustable feets.

**Carcass** made of melamine-resin-coated chipboards with glued-on plastic edge. With glued, 2/3-height centre walls for partitioning the carcasses in the lower area. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel. With a locker on the left or right side.

Front consisting of a single-wing door with bow-type handle, inset-type handle or handle knob.

Locking system optionally with cylinder or turn-knob locks.

Function: With magnets (optional) on the outer sides for docking further cabinet elements.

Push-handles (optional) made of steel on the top of the carcass.

The following material groups are available to choose from: Body made of chipboard: L4; Front made of chipboard: L3; Perforated-plate: MM.

Shift+ Landscape			319
	with (without) handle	115,6	(110,2)
	w∙d		5·42,5
	Number of shelf inserts		3
	Door	left	right
			217





PRODUCT INFORMATION Shift-p-LSchrank2\_TY\_EN - 15.03.2022 - www.vs-furniture.com

#### Shift+ Landscape Mobile cabinet elements with doors for specialist rooms.

Structure of glued linear bodies on a steel cross-member with 4 technical casters, 2 of which are lockable. Optional with 4 adjustable feets.

**Body** of melamine-resin-coated chipboards with glued-on plastic edge. With glued center walls for partitioning the bodies. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel. Partly with plastic boxes/trays on guide rails (see table).

Front consisting of 1, 2 or 3 wing doors with bow-type handle, inset-type handle or handle knob (see table). Locking system optionally with cylinder or turn-knob locks.

Function: Optional with magnets on the outer sides for docking further cabinet elements.

Push-handles (optional) made of steel on the top of the body.

The following material groups are available to choose from: Body made of chipboard: L4; Front made of chipboard: L3; Perforated-plate: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes and shelf inserts for each row		•							
Shift+ Landscape	h with (without) handle = 96,9 (91,5)	45324			45323			45322		
	h with (without) handle = 115,6 (110,2)		45329			45328			45327	
	h with (without) handle = 134,4 (129,0)			45342			45341			45340
	w·d		105,5·42,5						•••••	
	Number of doors	1			2			3		
	Number of raw					3				
	* Number of boxes (h 7.5/15) per row	8/4	10/5	12/6	8/4	10/5	12/6	8/4	10/5	12/6
	* Number of shelf inserts per row					6				







PRODUCT INFORMATION Shift-p-LTaschen\_TY\_EN - 15.03.2022 - www.vs-furniture.com

#### Shift+ Landscape Mobile storage cabinets.

Constructed from glued linear body on steel crosspiece with 4 tech castors, 2 of them lockable. Optionally with 4 adjustable feet.

**Body** made from melamine resin-coated chipboard with glued (KU) plastic edge. With glued central panels to subdivide the body, fixed, glued construction shelf and a perforated sheet visible back panel. Some available with plastic boxes on guide rails (see table). Optionally with protective rubber mats on the shelves.


**Function (options):** It is possible to define compartments for satchels, wardrobes with 4-way or 8-way hooks or plastic Gratnells boxes for each cabinet unit (row) individually depending on the size of the cabinet. With magnets on the external surfaces for docking-on further cabinet elements.

Sliding handles (optional) made from steel on the top of the body.

The following material groups are available to choose from: Body made of chipboard: L4; Perforated-plate: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes, shelf inserts and wardrobe hooks for each row							
Shift+ Landscape		45320	45325	45339	45321	45326	45330	45332
	h with (without) handle	96,9 (91,5)	115,6 (110,2)	134,4 (129)	96,9 (91,5)		115,6 (110,2)	
	w∙d				105,5·42,5			
	Number of satchel compartments				3	4	8	6
	Number of raw		3			1		
	* Number of boxes (h 7.5/15) per row	8/4	10/5	12/6	2/1	10/5		
	* Number of shelf inserts per row		2					
	* Number of wardrobe hooks per row		1	1		1		





PRODUCT INFORMATION Shift-p-EBoden\_TY\_EN - 05.01.2021 - www.vs-furniture.com

# Shift+ Landscape Adjustable shelf inserts.

Adjustable shelf inserts are available in melamine-resin-coated chipboard, each with glued-on plastic edges. The shelf inserts can be freely positioned by means of shelf supports in the holes and secured against slipping out.

			×,		A A	<b>H</b>		Í							
Shift+	for cabinet d = 42,5	45286	45287	45276		45288	45289	45279		45278		45280		45281	
Landscape	for cabinet d = 53,0				45277				45283		45282		45284		45285
	W	49,9	32,6	49	,9	73	,0	73,0	78,2	73,0	78,2	63,1	65,7	63,1	65,7
	d	41	41,0			54,7		36,3	42,1	36,3	42,1	33,6	38,8	33,6	38,8
	d (center panel, decor)			19,4	24,5									•••••••	
	d (center panel, perforated panel)			19,7	24,9										
	Cupboard	1-side	d use	2-side	d use	1-sided use			2-sided use						
	Position of shelf insert				}	left	right	out: rig			side ft		iide eft		iide ght








PRODUCT INFORMATION Shift-p-Zub\_TY\_EN - 26.01.2021 - www.vs-furniture.com

#### Shift+ Landscape Accessories.

Magnetic write-on film for use on all magnetic surfaces, for example the perforated metal back panels of the Shift+ Landscape cabinet-type units. The surface can be written on using board markers and can be wiped-off dry. Writing / cleaning material: Wiper (magnetic, for dry wiping, with replaceable felt insert), felt insert (for Model 06962, packet of 10 strips), Board marker (can be wiped-off dry, packet of 10 pens), magnet. Gratnells plastic boxes for Shift + cabinets with Gratnells rail system.



VS-International | Basic catalogue





LearnBox (personal storage space)





PRODUCT INFORMATION LearnBox-S\_TY\_EN - 23.11.2021 - www.vs-furniture.com

### LearnBox Container for students' workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Design consisting of glued bodies made from melamine-resin-coated chipboard with glued plastic edge.

Base cabinets for positioning on the left or right side of the workplace. With one open compartment and a Gratnells tray. Optionally available with castors, 2 of which are lockable, or adjustable glide units. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization at the side of the workplace, with open compartments or with a flap, depending on the model. With perforated sheet back panel and a sheet metal side element with pen tray, both magnetic.

**Combination** with 76 cm-high tables from the TriTable-III and Cross ranges. Cover panels for base cabinets to match the table tops. Base and add-on cabinets that are accessible from both sides (40051, 40059, 40060) are available for space-optimized use.

The following material groups are available to choose from: Body made of chipboard: L6; Front made of chipboard: L3; Perforated-plate: L1.

Further products on this page: PantoMove-LuPo.

earnBox	Usable			1-sided	2-sided								
	Lower cabinet	40050					40051						
	Add-on cabinet		40055	40056	40057	40058		40059	40060				
	W	36,5											
	h	76,0		38,		76,0 38,0							
	d			70,0 (80,0)				80,0					
	Alignment to user		left	left	right	right		left	right				
	Open compartment	1	4	3	4	3	1	2+2					
	Flap			1		1							





PRODUCT INFORMATION LearnBox-L\_TY\_EN - 23.11.2021 - www.vs-furniture.com

## LearnBox Container for teachers' workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Design consisting of glued bodies made from melamine-resin-coated chipboard with glued plastic edge.

**Base cabinets** for positioning on the left or right side of the workplace. With drawers or wing doors, each with bow handles, inset handles or lever handles, and with cylinder or turn knob locks. Optionally available with castors, 2 of which are lockable, or adjustable glide units. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization at the side of the workplace, with open compartments or with a flap, depending on the model. With perforated sheet back panel and a sheet metal side element with pen tray, both magnetic.


**Combination** with 76 cm-high tables from the TriTable-III and Cross ranges. Cover panels for base cabinets to match the table tops.

The following material groups are available to choose from: Body made of chipboard: L6; Front made of chipboard: L3; Perforated-plate: L1.

Further products on this page: PantoMove-Soft.

LearnBox	Lower cabinet	40052	40053	40054								
	Add-on cabinet				40055	40056	40057	40058				
	W	36,5										
	h		76,0			38	,0					
	d	70,0 (80,0)										
	Alignment to user				links rechts							
	Door (left/right)	1										
	Materials drawer	1	1	2								
	Drawer		2	2								
	Open compartment				4	3	4	3				
	Flap					1		1				





PRODUCT INFORMATION LearnBox-Zub\_TY\_EN - 23.11.2021 - www.vs-furniture.com

## LearnBox Cover panels and organizational accessories.

Cover panels made from 19 mm chipboard or HPL to match the table top.

Organizational equipment in the form of drawers, adjustable hanging frame and material trays.

Plastic Gratnells trays for Shift+ cabinets with Gratnells rail system.

Available for selection: Plastic insertable materials tray as well as drawer partition and adjustable hanging frame.

The following material groups are available to choose from: Bases made of chipboard: L6.

* Max. load pe 5 kg.	r box:				$\land$					
							$\diamondsuit$	$\diamond$	$\diamondsuit$	$\bigcirc$
LearnBox	LIGNOpal	d = 70	40061			-				
Accessories		d = 80	40064							
	1	d = 70	40062							
		d = 80	40065							
				40067	40068	40069	48565	48566	48568	48567
		w∙h∙d					31,2.7,5.37,5	31,2.15.37,5		
		w∙d							31,2·37,5	
			Cover panel	Drawer		Materials tray		Grat	nells	
				partition	hanging frame		Plastic	boxes*	Тор	Name plate



Serie 600 (mobile storage space)





#### PRODUCT INFORMATION S600-SchrReg\_TY\_EN - 05.01.2021 - www.vs-furniture.com

## Serie 600 Cupboard. Open cupboard. Storage module.

**Body** consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open or with double wing doors of chipboard laminated with melamine-resin sheet and glued-on (KU) plastic edges. The doors are fitted with metal bow handles.

Organisation. Both the open shelf and cupboard versions have adjustable chipboard shelves.

Locks. Optionally with cylinder or turning knob locks. Model 45235 alternatively with personal property boxes and rubber mat.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.

Serie 600		45240	45241	45230	45231	45238	45239	45235
Cupboards, shelves	w∙d	85.48	125.48		85	-48		125.48
shelves	h design castor 7,5 (10)				159 (163)			
	h special castor 7,5 (10)				160 (164)			





PRODUCT INFORMATION S600-AufBe\_TY\_EN - 05.01.2021 - www.vs-furniture.com

### Serie 600 Storage module.

**Body** consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powdercoated. With design or special castors or optional adjustable feet. Front open.

**Organisation.** Body with vertical compartments and runners for small (yellow), medium (red) or large (green) plastic boxes. The boxes can be freely combined provided the 3 different heights are taken into account. The internal partitions are made of chipboard laminated with melamine-resin sheet. There are 3 additional side compartments of office file size. **Plastic storage boxes** must be ordered separately.

The following material groups are available to choose from: Frame made of steel tube: M1; Body made of steel: M1.

	Max. load per box: 5 kg.							<u> </u>			
	180										
Serie 600		09196	09197	09198	09100	45244	45242	45245			
Storage	w∙d		31.2.	42.7		48-48	85.48	125.48			
module	h	7.5	15.0	30.0							
	h design castor 7,5 (10)					124 (128)					
	h special castor 7,5 (10)						125 (129)				
	No. of small boxes					12	24	36			
	No. of medium boxes					6	12	18			
	No. of large boxes					3	6	9			
								220			





PRODUCT INFORMATION S600-Compass\_TY\_EN - 05.01.2021 - www.vs-furniture.com

### Serie 600 Compass module.

**Carcass** comprising a steel-tube skeleton with 4 posts, a solid-sheet base and 3 perforated-sheet sides, all powder-coated. With design or technical castors or optionally with adjustable feet.

Front with lockable double wing door.

**Organisation.** Carcass with vertical compartments and rails for Compass school-table/desk box trays. Inner side sections and centre wall made from chipboard. Carcass additionally with 3 folder-sized side compartments.

Storage box trays made from plastic must be ordered separately.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.

	Max. load per box: 5 kg.	$\diamond$	$\diamond$	
Serie 600 Compass		48-256-00	48-257-00	45229
Compass	w∙d	52.4		125.48
	h	7,2		
	Number of box trays			34
	h design castor 7,5 (10)			159 (163)
	h special castor 7,5 (10)			160 (164)







#### PRODUCT INFORMATION S600-Garderobe\_TY\_EN - 05.01.2021 - www.vs-furniture.com

### Serie 600 Clothes, shoe and satchel cupboard.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powdercoated. With design or special castors or optional adjustable feet. Front open.

Shoe cupboard with 16 or 20 shoe compartments of chipboard laminated with melamine-resin sheet and glued-on (KU) plastic edges.

Clothes cupboard, at the bottom: 15 shoe compartments of chipboard as well as at top: wardrobe with 6 triple hooks. Satchel cupboard with 8 or 12 satchel compartments of chipboard. Optionally with self-adhesive protective rubber mats. The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1.

Serie 600 Wardrobe		45236	4523	2 45233	45234	45237
Wardrobe	w∙d			125·48		
	h design castor 7,5 (10)	89 (	93)	159 (163)	124 (128)	159 (163)
	h special castor 7,5 (10)	90 (	94)	160 (164)	125 (129)	160 (164)
						231





PRODUCT INFORMATION S600-Papier\_TY\_EN - 05.01.2021 - www.vs-furniture.com

## Serie 600 Cupboard for paper and handicraft.

**Body** consisting of a tubular-steel carcass with 4 posts, a solid-sheet base and 3 perforated-plate sides, each powder-coated. With design or technical castors or optionally with adjustable feet.

Front with doors and drawers, each consisting of melamine-resin-coated chipboard with glued-on plastic edge and with metal bow handles.

Organisation (top). Cupboard element with a double wing door.

Optionally with 1 or 2 shelf inserts or left side with 6 guides for plastic boxes and right side with 1 chipboard shelf insert. **Organisation (bottom).** 7 drawers with pull-out stop for DIN A2 format. Further formats (DIN A3, A4, A5) with drawer partitions possible (see table).

Locks. Both cupboard elements optionally with cylinder locks.

Drawer partitions and storage boxes of plastic must be ordered separately.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.

	Max. load per box: 5 kg.									
Serie 600		09196	09197	09198	09100	45247	45248	45249	45246	45243
Paper and	w·d		31.2	42.7					85	·65
handicraft	h	7.5	15.0	30.0						
cupboard	h design castor 7,5 (10)								159	(163)
	h special castor 7,5 (10)								160	(164)
	No. of boxes small/medium/large									6/3/2
	DIN A3 partition					2x		1x		
	DIN A4 partition						4x	1x		
	DIN A5 partition							3х		






PRODUCT INFORMATION S600-Regal\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 600 Open cupboard.

**Body** consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet.

**Organisation** with open compartment and adjustable shelves of steel or melamine-resin laminated chipboard with glued-on (KU) plastic edges.

The following material groups are available to choose from: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1; Bases made of chipboard: L6; Bases made of steel: M(arctic, anthracite, black RAL 9011).







Serie 800-Mobil (mobile storage space)



0



PRODUCT INFORMATION S8Mobil-FTuer\_TY\_EN - 22.11.2021 - www.vs-furniture.com

#### Serie 800-Mobil Mobile swing-door cabinets.

**Mobile element cabinet** (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Swing-door cabinet, some with central panel (CPsb) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Front consisting of 2 separately closing single swing doors or a double swing door (CPsb) with bow handles, inset handles or lever handles.

Locking system with cylinder or turn knob locks as standard.

Internal equipment consisting of shelf inserts.

The following material groups are available to choose from: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1.

Serie 800	H =		88,2	2FH			125,7 зғн			163,2 4FH			200,7 sfh	
D=42,5	W= 80 cm	47400	47401	47402		47403	47404	47405						
,	W=100 cm	47412	47413	47414		47415	47416	47417						
	W=120 cm	47424	47425	47426	47427	47430	47431	47432						
D=50,0	W= 80 cm	47406	47407	47408		47409	47410	47411						
,	W=100 cm	47418	47419	47420	6	47421	47422	47423						
	W=120 cm	47433	47434	47435	47436	47437	47438	47439						
D=58.0	W= 80 cm	47500	47501	47502		47503	47504	47505	47506	47507	47508	47509	47510	47511
) -	W=100 cm	47512	47513	47514		47515	47516	47517	47518	47519	47520	47521	47522	47523
	W=120 cm	47524	47525	47526	47527	47530	47531	47532	47533	47534	47535	47537	47538	47539
	Adjustable shelf inserts	1	2	2	6	2	4	4	3	6	6	4	8	8
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / CPsb	1 / -	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	1/-	1 / CP	1 / CPsb









PRODUCT INFORMATION S8Mobil-Regal\_TY\_EN - 25.11.2021 - www.vs-furniture.com

#### Serie 800-Mobil Mobile shelf units.

**Mobile element cabinet** (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open cabinet, partly with central panel (MWz) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Internal equipment consisting of shelf inserts.

The following material groups are available to choose from: Body and bases made of chipboard: L6.

Serie 800	H =			88,2	2 2FH				125,7 зғн			163,2 4FH			200,7 5FH	
D=42,5	W= 80 cm	47450						47453								
,	W=100 cm	47462	47463	47464				47465	47466	47467				÷		
	W=120 cm	47474	47475	47476	47477	47478	47479	47480	47481	47482				0		
D=50,0	W= 80 cm	47456			ů			47459						•		
) -	W=100 cm	47468	47469	47470	å			47471	47472	47473				••••••		
	W=120 cm	47483	47484	47485	47486			47487	47488	47489						
D=58.0	W= 80 cm	47550						47553			47556			47559		
) -	W=100 cm	47562	47563	47564				47565	47566	47567	47568	47569	47570	47571	47572	47573
	W=120 cm	47574	47575	47576	47577			47580	47581	47582	47583	47584	47585	47587	47588	47589
	Adj. shelf inserts	1	2	2	6	8	12	2	4	4	3	6	6	4	8	8
	Wooden boxes H=14,0	-	-	-	-	12	16	-	-	-	-	-	-	-	-	-
	CP, CPsb	-	CP	CPsb	CP	CP	CP	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb







#### Serie 800-Mobil Mobile Gratnells cabinets.

**Mobile element cabinet** (see table for details) in 2 and 3 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open or closed cabinet with 2 to 4 rows of plastic Gratnells boxes, 7.5 or 15 cm high. Central panels and side elements with guide rails for Gratnells boxes. Cabinet with visible back panel fixed in groove.

Front consisting of double swing door (CPsb) with bow handles, inset handles or lever handles depending on model. Locking system with cylinder or turn knob locks as standard.

The following material groups are available to choose from: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Gratnells plastic box: C3.

Serie 800	H =		88,2	2 2FH		, 125,7 зғн
D=42,5	W= 71 cm	47440				
	W= 105,5 cm		47441		47443	47444
	W= 140 cm			47442		
	Number of boxes (h 7,5/15)	16/8	24/12	32/16	24/12	36/18
	Locks	-	-	-	1	1







#### PRODUCT INFORMATION S8Mobil-Ranzen\_TY\_EN - 29.11.2021 - www.vs-furniture.com

#### Serie 800-Mobil Mobile satchel cabinets.

Mobile element cabinet (see table for details) in 2 and 3 height units. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open cabinet with 3 to 4 rows of satchel compartments. Some with individual plastic Gratnells boxes, 7.5 or 15 cm high, in each satchel cabinet or with complete row of Gratnells boxes. Cabinet with visible back panel fixed in groove. The following material groups are available to choose from: Body and bases made of chipboard: L6; Gratnells plastic box: C3.


Serie 800	H =		88,2 2FH		125,	7 зғн	
D=42,5	W= 105,5 cm		47445	47446	47447		
,	W= 120 cm					47448	
	W= 140 cm						47449
	Number of boxes (h 7,5/15)		6/3	6/-	12/6	-/-	8/-
	Number of compartiments		3	6	4	8	8
	4	4					239





Serie 800 (cabinet walls)





#### TECHNICAL DESCRIPTION S800-Vor1\_TB\_EN - 05.01.2021 - www.vs-furniture.com

## Serie 800 Preliminary remark – grid system.

Series 800 element cabinets are made from melamine-resin-coated chipboard with glue-on plastic or beech edge. Cabinets are available in 6 widths, 6 heights and 2 depths. One height grid (1FH) corresponds to 375 mm. Add-on cabinets are available 1, 2 and 3FH without [1] and with [2] base for a ladder rail to be installed (cf. table). In addition, many models (without technical built-in components) can be variably shortened in the width, height and depth dimensions in five-millimetre increments and thus built for a perfect fit in all room situations.


Top shelves are placed on the side walls and thereby form a cleanly structured top cover for low cabinets. Cabinet fronts (2 cm) and further protruding parts such as handles for example are not taken into consideration in the depth specifications.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available to choose from: Front made of chipboard: L3; Body and bases made of chipboard: L3; Front veneered: F1.

Serie 800		File height (37,5)	1F	Н	2F	Ή	3F	Η	4FH	51	=H 6	FH
	Cabinet	h without base			77,0		114,5		152,0	189,5	227,0	)
		h with base 7,5 cm			84,5		122,0		159,5	197,0	234,5	5
		h with base 4,0 cm			81,0		118,5		156,0	193,5	231,0	)
	Add-on cabinet	h without base		37,5		75,0		112,5				
		h with base 7,5 cm (ladder rail)		45,0		82,5		120,0				





TECHNICAL DESCRIPTION S800-Vor2\_TB\_EN - 23.02.2022 - www.vs-furniture.com

# Serie 800 Preliminary remark – carcass construction.

Series 800 element cabinets are supplied fully glued or disassembled, with eccentric connectors. The row of holes (dia. 3 mm) at a grid distance of 25 mm can be used right through.

Shelf carriers (load class L75) are screwed into standard-equipped cabinets [1] and screwed and inserted into individually equipped cabinets [2].

Adjustable shelf inserts [3] made from chipboard (up to a width of 80 cm), coreboard (width 40 - 120 cm) and sheet steel (width 80 - 120 cm) have a concealed mounting for the shelf carriers.

Vertical carcass structures are fashioned by glued and, in the case of disassembled cabinets, by construction shelves [4] with eccentric connectors.


Horizontal carcass structures are fashioned by middle partitions flush with the carcass [5] or set back [6]. These are glued or, in the case of disassembled cabinets, equipped with eccentric connectors. Middle partitions flush with the carcass permit the use of separately closing single swing doors. Set-back partitions are combined with double swing doors.

**Bases** are a structural component of the carcass construction made from chipboard [7] or are positioned as a steel base [8] at heights of 75 and 40 mm below the carcass. Both base types have precision height adjustment by means of an Allen key [9] through the bottom shelf. The chipboard base can be fitted with a base cover strip flush with the front/door [10]. Base recesses [11] on the back are possible in the case of floor strips.

Wardrobe and washbasin cabinets are provided with plastic ventilation outlets on the top and bottom edges of the door. Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	Cupboard w	40	50	60	80	90	100	120	80	90	100	120	120	120
	Shelf w	36,1	46,1	56,1	76,1	86,1	96,1	116,1	37,1	42,1	47,1	57,1	37,4	27,5
	Middle partition									1			2	3
*D=42,5	Load according to L75	10	13	15	21	24	27	32	10	11	13	14	10	7
*D=58	(kg)	14	18	22	30	34	38	46	11	16	18	22	14	





TECHNICAL DESCRIPTION S800-Vor3\_TB\_EN - 04.03.2021 - www.vs-furniture.com

## Serie 800 Preliminary remark – swing doors.


Series 800 element cabinets can be fitted with two different door hinges for the opening angles 110° [1] or 270° [2]. 110° door hinges cannot be seen from the outside and have damped door closing. Both hinges are available for single and for double swing doors in accordance with the carcass structure.

Single swing doors [3] are available hung on either the left or the right. The hanging side can be freely defined for widths up to 60 cm.

Double swing doors [4] are fitted with a flexible plastic impact strip.

Bow handles (steel, plastic and wood), knob handles und inset handles (round) are available to choose from.





TECHNICAL DESCRIPTION S800-Vor4\_TB\_EN - 04.03.2021 - www.vs-furniture.com

#### Serie 800 Preliminary remark – closing of swing doors, sliding doors and roller shutters.

Series 800 element cabinets are available with swing doors (see Preliminary remark – swing doors) and with assorted sliding doors and roller shutters.

Lockable single and double swing doors [1] are equipped with cylinder or turning-knob locks and a locking rod with striker on the top and bottom shelves. [7] Bow handles (steel, plastic and wood), knob handles and inset handles (round) are available to choose from.


**Glass sliding doors [2]** (optionally lockable) made from single-layer safety glass are equipped with a roller guide and a rail system made from aluminium. A pressure-cylinder lock locks the door.

Chipboard sliding doors [3] (optionally lockable) are locked by a pressure-cylinder lock. [7] Bow handles (steel, plastic and wood), knob handles and inset handles (round and rectangular) are available to choose from.

Vertical roller shutters [4] (optionally lockable) made from plastic are fitted on 5FH cabinets with a horizontal strip handle [5] over the entire cabinet width. All cabinets are equipped with a strip handle with catch. A roller-shutter lock locks the roller shutter.

The keys will fold [6] and are supplied with a spare key located in the plastic lid in the case of customer-defined locking or locking based on a locking plan.





TECHNICAL DESCRIPTION S800-Vor5\_TB\_EN - 04.03.2021 - www.vs-furniture.com

## Serie 800 Preliminary remark – closing of drawers and lockers.


Series 800 element cabinets are available with swing doors (see Preliminary remark – swing doors) and with assorted drawers and lockers.

**Drawer cabinets** [1] (optionally lockable) are available with 1 or 2 rows of drawers which are equipped in each case with central rod locking and a lock in the top drawer. [5] Bow handles (steel, plastic and wood), knob handles and inset handles (round) are available to choose from.

Locker cabinets [2] (always lockable) are available with simple case locks or with combination locks. All without handles. Suspension filing cabinets and wide drawers [3] (optionally lockable) are available with central rod locking and a lock in the top drawer. Pulling out several drawers at once is disabled.

Keys are folding [4] and are supplied on delivery with a spare key integrated in the plastic cap.





TECHNICAL DESCRIPTION S800-Vor6\_TB\_EN - 04.03.2021 - www.vs-furniture.com

# Serie 800 Preliminary remark – wardrobe.


Series 800 element cabinets with swing doors can be equipped from 4FH as wardrobe cabinets. 3 different wardrobe systems are used, depending on the width and depth dimensions.

[1] Width less than 50 cm, depth = 42.5 cm: Centrally positioned 3-point hook under the hat shelf (max. load 35 kg). [2] Width from 50 cm, depth = 42.5 cm: Pull-out wardrobe rod under the hat shelf (max. load 6 kg).

[3] Width from 40 cm, depth = 58.0 cm: Laterally positioned wardrobe bar under the hat shelf (max. load 50 kg).

Wardrobe cabinets are equipped with plastic ventilation outlets [4] on the top and bottom edges of the door. Hat shelves [5] are located in 4FH-high cabinets at position 3FH and in 5FH- and 6FH-high cabinets at position 4FH. 6FH cabinets also have an additional adjustable shelf insert.






TECHNICAL DESCRIPTION S800-Vor7\_TB\_EN - 06.04.2022 - www.vs-furniture.com

## Serie 800 Certified as belonging to sound absorption class C.

The swing doors and roller shutters of Series 800 units can be acoustically enhanced in order to improve sound absorption in rooms in which noise reverberates. This is achieved by using perforated surfaces for the swing doors and roller shutters. Swing doors certified as belonging to sound absorption class C: The sound absorption properties of Series 800 cabinets equipped with perforated swing doors in a reverberation chamber were determined in independent measurements performed according to DIN EN ISO 354. In addition, the determined sound absorption level was rated as being of sound absorption class C in accordance with DIN EN ISO 11654. Other measured characteristic values: Noise Reduction Coefficient NRC=0.65; Sound Absorption Average SAA=0.64 (according to ASTMC 423-09).

Roller shutters certified as belonging to sound absorption class C: The sound absorption properties of Series 800 cabinets equipped with perforated roller shutters in a reverberation chamber were determined in independent measurements performed according to DIN EN ISO 354. In addition, the determined sound absorption level was rated as being of sound absorption class C in accordance with DIN EN ISO 11654. Other measured characteristic values: Noise Reduction Coefficient NRC=0.60; Sound Absorption Average SAA=0.65 (according to ASTMC 423-09). Standard surfaces are not eligible for classification (NOC).






Serie 800	H (in cm for standard base) =		84,5 2FH			122,0 зғн			159,5 4FH			197,0 5FH			234,5 бЕН	
D=42,5		44030			44031			44032			44033			44034		
	W= 50 cm	44130			44131			44132			44133			44134		
	W= 60 cm	44230			44231			44232			44233			44234		
	W= 80 cm	44035			44036			44037			44038			44039		
D=58,0	W= 40 cm	44330			44331			44332			44333			44334		
	W= 50 cm	44430			44431			44432			44433			44434		
	W= 60 cm	44530			44531			44532			44533			44534		
	W= 80 cm	44335			44336			44337			44338			44339		
	Adjustable shelf inserts	1			2			3			4			5		
			ß		B											
c ·	11															
	H (in cm for standard base) =		84,5 2FH			122,0 зғн			159,5 4FH			197,0 5FH			234,5 бЕН	
D=42,5	W=100 cm	44135		44137	44141		44143			44146	44147			44150	44151	
	W=120 cm	44235	44236	44237	44241	44242	44243	44244	44245	44246	44247	44248	44249	44250	44251	44252
D=58.0	W=100 cm	44435	44436	44437	44441	44442	44443	44444	44445	44446	44447	44448	44449	44450	44451	44452
_ 00,0	W=120 cm	44535	44536	44537	44541	44542	44543	44544	44545	44546	44547	44548	44549	44550		44552
	Adjustable shelf inserts CW, CWsb	1	2 CP	2 CPsb	2	4 CP	4 CPsb	3	6 CP	6 CPsb	4	8 CP	8 CPsb	5	10 CP	
		1			2	<u>.</u>		3 -			4			5		
		1 -			2 -	<u>.</u>		3			4			5		
	CW, CWsb H (in cm for standard base) =	1			2	<u>.</u>		3			4			5		
	CW, CWsb H (in cm for standard base) =	1 - 44000	СР		2 - 44001	CP		3 - 44002	CP		4	CP		5 - 44005	CP	
	CW, CWsb	-	СР 84,5 2гн		-	CP		-	CP			CP		-	CP	
	CW, CWsb H (in cm for standard base) = W= 40 cm	- 6 44000	СР 84,5 2гн		-	CP		- 44002	CP		44003	CP		44005	CP	
D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm	- 44000 44100	СР 84,5 2гн		- 44001 44101	CP		- 1	CP		- 44003 44103	CP		- 44005 44105	CP	
D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm	- 44000 44100 44200	СР 84,5 2гн		- 44001 44101 44201 44301	CP		- 44002 44102 44202 44302	CP		- 44003 44103 44203 44303	CP		- 44005 44105 44205 44305	CP	
	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 40 cm	- 44000 44100 44200 44300	СР 84,5 2гн		- 44001 44101 44201 44301 44401	CP		- 44002 44102 44202 44302 44302	CP		44003 44103 44203 44303 44403	CP		- 44005 44105 44205 44305 44405	CP	
D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 40 cm W= 50 cm W= 50 cm	- 44000 44100 44200 44300 44400 44500	СР 84,5 2гн		- 44001 44101 44201 44301 44401 44401	СР		- 44002 44102 44202 44302 44302 44402 44502	CP		44003 44103 44203 44303 44403 44403	CP		- 44005 44105 44205 44305 44405 44405	CP	
D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 40 cm W= 50 cm	- 44000 44100 44200 44300 44400	СР 84,5 2гн		- 44001 44101 44201 44301 44401	СР		- 44002 44102 44202 44302 44302	CP 159,5 4FH		44003 44103 44203 44303 44403	CP		- 44005 44105 44205 44305 44405	СР 234,5 сғн	
D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 50 cm W= 60 cm Adjustable shelf inserts	- 44000 44100 44200 44300 44400 44500 1	СР 84,5 2гн		- 44001 44101 44201 44301 44401 44401 44501 2	СР		- 44002 44102 44202 44302 44302 44402 44502 3	CP 159,5 4FH		- 44003 44103 44203 44303 44403 44503 44503 4	CP		- 44005 44105 44205 44205 44305 44405 44505 5	СР 234,5 сғн	
D=42,5 D=58,0	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 50 cm W= 60 cm Adjustable shelf inserts	- 44000 44100 44200 44300 44400 44500 1	СР 84,5 2гн		- 44001 44101 44201 44301 44401 44401 44501 2	СР		- 44002 44102 44202 44302 44402 44402 3 1	CP 159,5 4FH		- 44003 44103 44203 44303 44403 44503 44503 4	CP		- 44005 44105 44205 44205 44305 44405 44505 5	СР 234,5 сғн	
D=42,5 D=58,0	CW, CWsb H (in em for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 60 cm Adjustable shelf inserts Locks	- 44000 44100 44200 44300 44400 44500 1	СР 84,5 2ғн 84,5 2ғн 84,5 2ғн	CPsb	- 44001 44101 44201 44301 44401 44501 2 1	СР 122,0 зғн	CPsb	- 44002 44102 44202 44302 44402 44502 3 1	СР	CPsb	44003 44103 44103 44203 44403 44403 44403 444503 4 4 1	СР 197,0 5гн 197,0 5гн	CPsb	- 44005 44105 44205 44305 5 44405 5 1	СР 234,5 6FH	CPs
D=42,5 D=58,0	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 60 cm Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm	- 44000 44100 44200 44300 44400 1 1 1 1	СР 84,5 2ғн 84,5 2ғн 84,5 2ғн <b>44011</b>	CPsb	- 44001 44101 44201 44301 44401 2 1	СР 122,0 зғн 122,0 зғн 122,0 зғн 122,0 зғн 44015	CPsb	- 44002 44102 44202 44302 44402 3 1 1	СР 159,5 4FH 159,5 4FH 159,5 4FH <b>44018</b>	CPsb	- 44003 44103 44203 44403 44403 44403 44503 4 1	СР 197,0 сгн 197,0 сгн 197,0 сгн 44021	CPsb	- 44005 44105 44205 44305 5 1 1 44405 5 1 44025	СР 234,5 сғн 234,5 сғн 234,5 сғн 44026	CPs
D=42,5 D=58,0	CW, CWsb           H (in cm for standard base) =           W= 40 cm           W= 50 cm           W= 60 cm           W= 50 cm           W= 60 cm           Adjustable shelf inserts           Locks           H (in cm for standard base) =           W= 80 cm           W= 80 cm           W= 100 cm	- 44000 44100 44200 44300 44400 1 1 1 1 44010 44110	СР 84,5 2FH 84,5 2FH 84,5 2FH 44011 44111	CPsb	- 44001 44101 44201 44301 44401 2 1	СР 122,0 зғн 122,0 зғн 122,0 зғн 122,0 зғн 44015 44115	CPsb	- 44002 44102 44202 44302 44402 3 1 1	CP 159,5 4FH 159,5 4FH 159,5 4FH 44018 44118	CPsb	- 44003 44103 44203 44403 44403 44403 44503 4 1 1 44020 44020 44120	СР 197,0 бгн 197,0 бгн 197,0 бгн 44021 44121	CPsb	- 44005 44105 44205 44305 5 1 1 44405 5 1 44025 44125	СР 234,5 сғн 234,5 сғн 234,5 сғн 44026 44126	CPs
D=42,5 D=58,0 Serie 800 D=42,5	CW, CWsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 60 cm Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm W= 100 cm W= 120 cm	- 44000 44100 44200 44300 44400 1 1 1 1 44010 44110 44210	СР 84,5 2FH 84,5 2FH 84,5 2FH 44011 44111 44211	CPsb	- 44001 44101 44201 44301 44401 2 1 1 44014 44014 44114	CP 122,0 3FH 122,0 3FH 122,0 3FH 44015 44115 44215	CPsb	- 44002 44102 44202 44302 44402 3 1 1 444017 44017 44117 44217	CP 159,5 4FH 159,5 4FH 159,5 4FH 44018 44118 44218	CPsb	44003 44103 44103 44203 44403 44403 44403 44503 4 4 1 1 44020 44020 44120 44220	СР 197,0 бгн 197,0 бгн 197,0 бгн 44021 44121	CPsb	- 44005 44105 44205 44305 44405 5 1 1 44025 44125 44125	СР 234,5 6FH 234,5 6FH 234,5 6FH 44026 44126	CPs
D=42,5 D=58,0 Serie 800 D=42,5	CW, CWsb H (in em for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 60 cm Adjustable shelf inserts Locks H (in em for standard base) = W= 80 cm W= 100 cm W= 120 cm W= 80 cm	- 44000 44100 44200 44300 44400 1 1 1 1 44010 44110 44210 44310	СР 84,5 2FH 84,5 2FH 84,5 2FH 44011 44111 44211 44311	CPsb	- 44001 44101 44201 44301 44401 44501 2 1 1 44014 44114 44114 44214 44314	CP 122,0 3FH 122,0 3FH 122,0 3FH 122,0 3FH 44015 44115 44215 44315	CPsb	- 44002 44102 44202 44302 44402 44502 3 1 1 444017 4417 44217 44317	CP 159,5 4FH 159,5 4FH 159,5 4FH 44018 44118 44218 44318	CPsb	44003 44103 44203 44203 44403 44403 44403 44503 4 1 1 44020 44020 44120 44220 44320	СР 197,0 бРН 197,0 бРН 197,0 бРН 44021 44121 44221 44321	CPsb	- 44005 44105 44205 44305 44405 5 1 1 44025 44125 44125 44225 44325	CP 234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44326	CPs 4402 4412 4422 4432
D=42,5	CW, CWsb H (in em for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 60 cm Adjustable shelf inserts Locks H (in em for standard base) = W= 80 cm W= 100 cm W= 120 cm W= 80 cm W= 100 cm	- 44000 44100 44200 44300 44400 1 1 1 1 44010 44100 44110 44210 44310 44410	СР 84,5 2ғн 84,5 2ғн 44011 44111 44211 44311	CPsb	- 44001 44101 44201 44301 44401 44501 2 1 1 44014 44114 44214 44314 44414	CP 122,0 3FH 122,0 3FH 122,0 3FH 44015 4415 44215 44315	CPsb	- 44002 44102 44202 44302 44402 44402 3 1 1 44402 44502 3 1 1	CP 159,5 4FH 159,5 4FH 159,5 4FH 44018 4418 44218 44318 44418	CPsb	44003 44103 44203 44203 44403 44403 44403 44403 444020 44020 44120 44220 44320 44420	СР 197,0 бгн 197,0 бгн 197,0 бгн 44021 44121 44221 44321	CPsb	- 44005 44105 44205 44305 44405 44405 4455 444025 444025 44425 44225 44325	СР 234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44326 44426	CPs 4402 4402 4412 4422 4432 4432
D=42,5 D=58,0 Serie 800 D=42,5	CW, CWsb H (in em for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 60 cm Adjustable shelf inserts Locks H (in em for standard base) = W= 80 cm W= 100 cm W= 120 cm W= 100 cm W= 120 cm	- 44000 44100 44200 44300 44400 1 1 1 1 1 44010 44100 44110 44210 44310 44410	СР 84,5 2FH 84,5 2FH 84,5 2FH 44011 44111 44211 44311 44411	CPsb	- 44001 44101 44201 44301 44401 44501 2 1 1 44014 44114 44214 44314 44414 44514	СР 122,0 зғн 122,0 зн 122,0 зн 44015 44115 44215 44315 44415	CPsb	- 44002 44102 44202 44302 44402 44502 3 1 1 44402 44502 3 1 1 44407 44177 44217 44217 44317 44417	CP 159,5 4FH 159,5 4FH 159,5 4FH 44018 44118 44218 44318 44418 44418	CPsb	- 44003 44103 44203 44203 44303 44403 44403 44503 44020 44020 44120 44220 44320 44420 44420	СР 197,0 бРН 197,0 бРН 197,0 бРН 44021 44121 44221 44421 44421	CPsb	- 44005 44105 44205 44305 44405 44405 4455 44025 44125 44225 44325 44425	CP 234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44426 44426 44426	CPs 4402 4402 4412 4422 4432 4442 4442
D=42,5 D=58,0 ierie 800 D=42,5	CW, CWsb H (in em for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 60 cm Adjustable shelf inserts Locks H (in em for standard base) = W= 80 cm W= 100 cm W= 120 cm W= 80 cm W= 100 cm	- 44000 44100 44200 44300 44400 1 1 1 1 44010 44100 44110 44210 44310 44410	СР 84,5 2FH 84,5 2FH 84,5 2FH 44011 44111 44211 44311 44411 44411 2	CPsb	- 44001 44101 44201 44301 44401 44501 2 1 1 44014 44114 44214 44314 44414	СР 122,0 зғн 122,0 зғн 122,0 зғн 44015 44115 44215 44315 44415 44515 44515 4	CPsb	- 44002 44102 44202 44302 44402 44502 3 1 1 44402 44502 3 1 1 44407 44417 44217 44217 44317 44317 44317 3	CP 159,5 4FH 159,5 4FH 44018 44118 44218 44318 44418 44418 44518 6	CPsb	44003 44103 44203 44203 44403 44403 44403 44403 444020 44020 44120 44220 44320 44420	СР 197,0 бРН 197,0 бРН 197,0 бРН 44021 44121 44221 44321 44421 44421 8	CPsb	- 44005 44105 44205 44305 44405 44405 5 1 1 44025 44425 44225 44325 44425 44425 5	CP 234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44326 44426 44426 44426 10	CP- CP- CP- CP- CP- CP- CP- CP- CP- CP-



				A MARK			
Serie 800	H(in cm for standard base) =	197,0 2+3FH (Shelf)	197,0 2+3FH	-	234,5 2+4FH	234,5 4	+2FH
D=42,5	W= 40 cm	44004		44008	44006	44007	
	W= 50 cm	44104		44108	44106	44107	
	W= 60 cm	44204		44208	44206	44207	
D=58.0	W= 40 cm	44304	·····	44308	44306	44307	
) -	W= 50 cm	44404		44408	44406	44407	
	W= 60 cm	44504		44508	44506	44507	
	Adjustable shelf inserts	3		4	4	4	
	Locks	1		1	2	2	



	* for ladder rail												
							B						
Serie 800	H =	ата 37,5 тғн	* 45,0 1FH	ат. 37,5 тғн	*45,0 1FH	75,0 2FH	*82,5 2FH	75,0 2FH	*82,5 2FH	112,5 зғн	*120,0 зғн	112,5 зғн	*120,0 зғн
D=42,5	W= 40 cm	47800	47820	47801	47821	44080	44090	44081	44091	47840	47860	47841	47861
,-	W= 50 cm	47802	47822	47803	47823	44180	44190	44181	44191	47842	47862	47843	47863
	W= 60 cm	47804	47824	47805	47825	44280	44290	44281	44291	47844	47864	47845	47865
D=58.0	W= 40 cm	47900	47920	47901	47921	44380	44390	44381	44391	47940	47960	47941	47961
,-	W= 50 cm	47902	47922	47903	47923	44480	44490	44481	44491	47942	47962	47943	47963
	W= 60 cm	47904	47924	47905	47925	44580	44590	44581	44591	47944	47964	47945	47965
	Adjustable shelf inserts	-	-	-	-	1	1	1	1	2	2	2	2
	Locks	1	1	-	-	1	1	-	-	1	1	-	-

Serie 800	H =	P	37,5 тн		45,	0 1FH for ladder	rail		37,5 тн		45,	0 1FH for ladder	rail
D=42.5	W= 80 cm	47806			47826			47807			47827		
,.	W=100 cm	47808	47809	47810	47828	47829	47830	47811	47812	47813	47831	47832	47833
	W=120 cm	47814	47815	47816	47834	47835	47836	47817	47818	47819	47837	47838	47839
D=58,0	W= 80 cm	47906			47926			47907			47927		
, -	W=100 cm	47908	47909	47910	47928	47929	47930	47911	47912	47913	47931	47932	47933
	W=120 cm	47914	47915	47916	47934	47935	47936	47917	47918	47919	47937	47938	47939
	Adjustable shelf inserts	-	-	-	-	-	-	-	-	-	-	-	-
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb



Serie 800	H =	P	75,0 2ғн	F	82	2FH for ladde	rail		75,0 2ғн	F	82	5 2FH for ladde	rail
D=42,5	W= 80 cm	44082			44092			44085			44095		
,0	W=100 cm	44182	44183	44184	44192	44193	44194	44185	44186	44187	44195	44196	44197
	W=120 cm	44282	44283	44284	44292	44293	44294	44285	44286	44287	44295	44296	44297
D=58.0	W= 80 cm	44382			44392			44385			44395		
, _	W=100 cm	44482	44483	44484	44492	44493	44494	44485	44486	44487	44495	44496	44497
	W=120 cm	44582	44583	44584	44592	44593	44594	44585	44586	44587	44595	44596	44597
	Adjustable shelf inserts	1	2	2	1	2	2	1	2	2	1	2	2
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	-   -	- / CP	- / CPsb

					B			B			B		B
Serie 800	H =		112,5 зғн	M	120	0,0 3FH for ladde	rail		112,5 зғн		120	.0 3FH for ladder	rail
D=42,5		47846	11210 311		47866			47847	11210 311		47867		
0-12,0	W=100 cm	47848	47849	47850	47868	47869	47870	47851	47852	47853	47871	47872	47873
	W=120 cm	47854	47855	47856	47874	47875	47876	47857	47858	47859	47877	47878	47879
D=58.0	W= 80 cm	47946			47966			47947			47967		
, _	W=100 cm	47948	47949	47950	47968	47969	47970	47951	47952	47953	47971	47972	47973
	W=120 cm	47954	47955	47956	47974	47975	47976	47957	47958	47959	47977	47978	47979
	Adjustable shelf inserts	2	4	4	2	4	4	2	4	4	2	4	4
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb

Serie 800 H =			- V
		75,0 2FH	112,5 зғн
D=42,5 W= 80	) cm	44870	1
W=100	) cm	44872	44873
W=120	) cm	44874	44875
W=160	) cm	44818	44819
W=180		44823	44824
D=58,0 W= 80	) cm	44970	1
W=100		44972	44973
W=120	) cm	44974	44975
W=160	) cm	44918	44919
W=180	) cm	44923	44924
Adjustal	ble shelf inserts	2	4
Locks / (	CPsb	1 / CPst	1 / CPsb

Serie 800	H =	75	0 2FH	112,5 зғн
D=42,5	W=160 cm	44	828	44829
) -	W=160 cm	44	928	44929
	Adjustable shelf inserts		2	4
	Locks / CPsb	1/	CPsb	1 / CPsb



1			 	 	
Serie 800	H (in cm for standard base) =				84,5 2FH
D=42,5	W= 40 cm				44830
- -	W= 50 cm				44840
	W= 60 cm				44845
D=58,0	W= 40 cm				44930
	W= 50 cm				44940
	W= 60 cm				44945
	Drawers				5
	Locks				1

	1						
Serie 800	H (in cm for standard base) =		84,5	D 2FH		197,	J 5FH
D=42,5	W= 80 cm	44831	44832	44833	44835	44834	44836
· · ·	W=100 cm	44841	44842	44843		44844	
	W=120 cm	44846	44847	44848		44849	
D=58,0	W= 80 cm	44931	44932	44933	44935	44934	44936
, í	W=100 cm	44941	44942	44943		44944	
	W=120 cm	44946	44947	44948		44949	
	Adjustable shelf inserts / Drawers	1/5	1/5	- / 10	- / 5	2 / 10	2 / 5
	Locks	2	2	2	1	3	2

Serie 800	H (in cm for standard base) =	84,5	5 2FH	122,	0 зғн	197,0	) 5FH	234,	5 6FH
D=42.5	W= 80 cm	47600	47601	47602	47603	47604	47605	47606	47607
) -	W=100 cm	47610	47611	47612	47613	47614	47615	47616	47617
	W=120 cm	47620	47621	47622	47623	47624	47625	47626	47627
D=58.0	W= 80 cm	47700	47701	47702	47703	47704	47705	47706	47707
, _	W=100 cm	47710	47711	47712	47713	47714	47715	47716	47717
	W=120 cm	47720	47721	47722	47723	47724	47725	47726	47727
	Adjustable shelf inserts /Pull-outs	- / 2	- / 4	- / 3	- / 6	2 / 2	1/3	3 / 2	2/3
	Locks	1	1	1	1	2	2	2	2

		H	Ħ		
Serie 800	H (in cm for standard base) =		84,5 2FH	122,0 зғн	159,5 4FH
D=42,5	W=160 cm		47630	47631	47632
D=58,0	W=160 cm		47730	47731	47732
	Adjustable shelf inserts		2	4	6
	Locks		1	1	1

**D=42,5** W= 50 cm

D=58,0 W= 50 cm

W= 100 cm

W= 100 cm

Locks



					ð	<b>B</b>						H	
Serie 800	H (in cm for standard base) =			<b>V</b>	84,5 2FH	122,0	260	159,5 4FH			197,0 sfh		
D=42.5	W = 80  cm				44800		SFR	100,0 4m		44803		804	44059
0-12,0	W=100 cm				44805		14806	44807	7	44808		809	44159
	W=120 cm				44810	,	44811	44812	2	44813	44	814	44259
	W=160 cm				44815	4	44816	44817	7				
	W=180 cm				44820	4	44821	44822	2				
D=58,0	W= 80 cm				44900					44903		904	44359
	W=100 cm				44905		14906	44907		44908		909	44459
	W=120 cm W=160 cm				44910		44911	44912 44917		44913	449	914	44559
	W= 160 cm W= 180 cm				44915 44920		44916 44921	4491					
	Adjustable shelf inserts				44920		+ <b>4921</b> 4		<b>2</b> 6	2+2		2+2	2+2
	Locks				- 1		1		1	1		212	212
D=42,5	H (in cm for standard base) = W= 80 cm W= 80 cm									44070 44370		071	4407:
D=30,0											44,		
	Adjustable shelf inserts Locks									2+2 2		3 2	4
	H (in cm for standard base) = W= 40 cm			84,5 2FH <b>44600</b>	··••••••••••••••••••••••••••••••••••••	159,5 4ғн	<u>A</u>			197,0 5FH	ARA		B
	W= 40 cm Adjustable shelf inserts			44650	44651 -	44602 44652 -	446( 446!	53 44654 - 1	44605 44655 -	44606 44656 1	<b>44657</b> 2		1
				44650	<b>44651</b> -	44652		53 44654	44655	44656	<b>44657</b> 2	1	1
D=58,0	Adjustable shelf inserts Locks			44650	44651 -	44652		53     44654       -     1       5     3	44655	<b>44656</b> 1	<b>44657</b> 2	1	1
D=58,0	Adjustable shelf inserts Locks H (in cm for standard base) =	84,5 2FH	122,0 зғн	44650 - 2 159,5 4FH	44651	44652	446!	53 44654 - 1 5 3 1 1 1 1	44655 - 4 97,0 sн	44656 1 3	44657 2 2		
D=58,0 Serie 800 D=42,5	Adjustable shelf inserts Locks	84,5 2FH 44610	122,0 зғн <b>44611</b>	44650	44651	44652		53 44654 - 1 5 3 1 1 1 1	44655	<b>44656</b> 1	<b>44657</b> 2	1	1
	Adjustable shelf inserts Locks H (in cm for standard base) =	÷		44650 - 2 159,5 4FH	44651 - 3	44652	446!	53 44654 - 1 5 3 - 1 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 1 1 1 1 	44655 - 4 97,0 sн	44656 1 3	44657 2 2		
D=58,0 Serie 800 D=42,5	Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm	44610	44611	44650 - 2 2 159,5 4гн 44612 44662 -	44651 - 3	44652 - 4 4 4 4 4 4 4 6 14 4 4 6 6 4 2	446!	53 44654 - 1 5 3 - 1 1 - 1 - 1 - 1 - 1 - 1 - 1	44655 - 4 97,0 sгн 44617	44656 1 3 44618 2	44657 2 2 2 44619 2		2
D=58,0 Serie 800 D=42,5	Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm W= 80 cm	44610 44660	44611 44661	44650 - 2 159,5 4H 44612 44662	44651 - 3 3 44613 44663	44652 - 4 4 4 4 4 4 4 6 14	446! 44615 44665	53 44654 - 1 5 3 - 1 1 - 1 - 1 - 1 - 1 - 1 - 1	44655 - 4 97,0 sFH 44617 44667	44656 1 3	44657 2 2 44619	1 1 44620	44621
D=58,0 Serie 800 D=42,5	Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm W= 80 cm Adjustable shelf inserts	44610 44660 -	44611 44661 -	44650 - 2 2 159,5 4гн 44612 44662 -	44651 - 3 3 44613 44663 -	44652 - 4 4 4 4 4 4 4 6 14 4 4 6 6 4 2	446! 44615 44665	53 44654 - 1 5 3 - 1 1 - 1 - 1 - 1 - 1 - 1 - 1	44655 - 4 97,0 БРН 44617 44667 4	44656 1 3 44618 2	44657 2 2 2 44619 2	1 1 44620	



									<b>F</b>				
	H (in cm for standard base) =				84,5 2FH	122,0 з			197,0 5FH	84,5 <sub>2FH</sub>	122,0 зғн	159,5 4FH	197,0 5FH
D=58,0	W= 80 cm Locks				4468	<b>0 446</b>	<b>81 4</b> 4	4 <b>682</b>	<b>44683</b> 5	<b>44685</b>	<b>44686</b> 3	<b>44687</b> 4	<b>44688</b> 5
	Mail slot					-	-	-	с -	2		4	5 5
	H (in cm for standard base) =		84,5 2FH			122,0 зғн			197,0 sfh		1	22,0 зғн	
D=42,5	W= 71 cm	44736	44700		44739	44740		447		740 447	31 4473		
	W= 105,5 cm W= 120 cm		44730			44740			44	748 447	31 4473	44733	
	W= 140 cm			44737	'		44741						44734
	Number of boxes (h 7,5/15)	4/2	6/3	8/4		6/3	8/4				6/- 12		8/-
	Number of compartiments Coat hooks	2	3	4	4 4 - X	6 x	8 x		4 x	6 X	-	4 8	8
				~			~						~
Serie 800	H (in cm for standard base) =		ł					197	0 sFH				
D=42,5												44075	
	W=120 cm			44270	442	271	44272		44273	442			
D=58,0	W= 80 cm W=120 cm			44570	44!	571	44572		44573	445		44375	44576
	Adjustable shelf inserts			4		8	4		8		+2	4	2
	Locks / CP, CPsb			1/-	2	/ CP	1/-		2 / MW	2	1-	I / CPsb	1/-
	H (in cm for standard base) = $W=71,0$ cm				84	5 <sup>2FH</sup> 44630				122,0	<sup>3FH</sup> 159,5 <sup>4F</sup>	" I97	,0 <sup>5FH</sup>
	W=105,5 cm						44631		446	633 446	34 4463	5 44636	44637
	W=120,0 cm	44238	44239	44240	44213								
	W=140,0 cm	44538			44513			4463	52				
	W=120,0 cm Adjustable shelf inserts / Boxes H=7.5/15,0	<b>44538</b> 6 / - / -	6/-/-	6/-/-		-/16/8	-   24   12	-   32	16 - / 24	/ 12 - / 36	18 1/24/	12 2 / 24 / 12	2 1 / 36 / 18
	Adjustable shelf inserts / Wooden boxes $H=14$ ,			12 / 16		,, .	, = , , , , 2	, ~~	- , - ,				
	Locks	-	-	-	1	-	-		-	1	1	1 1	1
Serie 800 D=33,0	H= W= 60 cm W= 80 cm Adjustable shelf inserts Locks									44625 2	75,0 44626 2	Озн 44627 2 1	- 44628 2



n for standard base) = 00 cm 20 cm 60 cm standard base) = 100 cm	84,5 44706 44716	2FH	122,0 <b>44707</b>	D 3FH	100 5					*
20 cm 60 cm stable shelf inserts	44716		44707		159,5 4FH	197,0 5FH	75,0	2FH	112,5	3FH
60 cm stable shelf inserts			44717		44708	44709 44719	44704 44714		44705	
table shelf inserts	1	44726	44717	44727	44718	44719	44714	44724	44715	44725
		<b>44720</b> 2	2	44727	3	4	1	<b>44724</b> 2	2	44725
	1	1 / CPsb	2	1 / CPsb	J 1	1	1	1 / CPsb		1 / CPsb
00 cm		-	11:	2,4 зғн			37,5			ning
	47000						(1/) 47004	(2 <sub>Y</sub> ) <b>47889</b>	40014	48615
00 cm										48616
00 cm	47980				47982		(1x) <b>47984</b>	()	48617	
60 cm		47985	;	47986		47987		(2x) <b>47989</b>		48618
00 cm		47990	)	47991		47992		(2x) <b>47984</b>		48619
ed base cabinet	1	2	2	1 2	1	2				
ioning									1-part	2-part
6 0 6 0	0 cm 0 cm 0 cm d base cabinet	0 cm 47880 0 cm 0 cm 47980 0 cm 47980 0 cm 47980 0 cm 1 0 cm 1	O cm         47885           0 cm         47890           0 cm         47980           0 base cabinet         1	74,9 zrH         11           0 cm         47880         47885           0 cm         47880         47885           0 cm         47980         47981           0 cm         47980         47985           0 cm         47980         47985           0 cm         47980         47985           0 cm         47980         47985           0 cm         1         2         1	0 cm         47880         47881           0 cm         47885         47886           0 cm         47890         47891           0 cm         47980         47981           0 cm         47980         47981           0 cm         47980         47985           0 cm         47985         47986           0 cm         47990         47991           d base cabinet         1         2         1	74,9 2H         112,4 3H         149           0 cm         47880         47881         47882           0 cm         47885         47886         47886           0 cm         47880         47886         47886           0 cm         47980         47981         47982           0 cm         47980         47981         47982           0 cm         47980         47985         47986           0 cm         47985         47986         47982           0 cm         47990         47991         1           0 base cabinet         1         2         1         2         1	74,9 ≥rH         112,4 ≥rH         149,9 ±rH           0 cm         47880         47881         47882           0 cm         47885         47886         47887           0 cm         47890         47886         47887           0 cm         47980         47891         47882           0 cm         47980         47981         47982           0 cm         47980         47981         47982           0 cm         47980         47983         47982           0 cm         47990         47991         47992           0 base cabinet         1         2         1         2         1         2	$74,9$ $_{21}$ $112,4$ $_{31}$ $149,$ $_{14}$ $137,5$ 0 cm     47880     47881     (1) 47882     (1) 47884       0 cm     47     47885     47886     47887       0 cm     47880     47880     47881     (1) 47882       0 cm     47980     47981     47982     (1) 47984       0 cm     47980     47985     47986     (1) 47984       0 cm     47     47985     47986     47987       0 cm     47     47990     47991     47992       0 cm     1     2     1     2     1	$74,9 \ge h$ $112,4 \ge h$ $149,9 \ge h$ $37,5 \ge h$ 0 cm       47880       47881       47882 $(1x) 47884$ $(1x) 47884$ 0 cm       47885       47886       47887 $(2x) 47889$ 0 cm       47880       47890       47891       47892 $(2x) 47884$ 0 cm       47980       47981       47982 $(1x) 47984$ $(2x) 47884$ 0 cm       47980       47981       47982 $(1x) 47984$ $(2x) 47984$ 0 cm       47980       47985       47986       47987 $(2x) 47984$ 0 cm       47980       47985       47986       47987 $(2x) 47984$ 0 cm       47980       47995       47995 $(2x) 47984$ 0 cm       47980       47995 $(2x) 47984$ 0 cm       47990       47991       47992 $(2x) 47984$ 0 cm       47990       47991       47992 $(2x) 47984$ 0 cm       47990       47991 $(2x) 47984$ $(2x) 47984$ 0 cm       47990       47991 $(2x) 47984$ $(2x) 47984$	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $



255





PRODUCT INFORMATION S800-Regal-4-8\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Serie 800 Shelving cabinets, 40 to 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available to choose from: Body and bases made of chipboard: L6.

	H (in cm for standard base) =	84,5 2	ғн 122,0 зғн	159,5 4ғн	197,0 5FH	234,5 бЕН
	W= 40 cm	44030	44031	44032	44033	44034
	W= 50 cm	44130	44131	44132	44133	44134
	W= 60 cm	44230	44231	44232	44233	44234
	W= 80 cm	44035	44036	44037	44038	44039
<b>D=58.0</b>	W= 40 cm	44330	44331	44332	44333	44334
) - ;	W= 50 cm	44430	44431	44432	44433	44434
	W= 60 cm	44530	44531	44532	44533	44534
	W= 80 cm	44335	44336	44337	44338	44339
	Adjustable shelf inserts	1	2	3	4	5





PRODUCT INFORMATION S800-Regal-10-12\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Serie 800 Shelving cabinets, 100 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available to choose from: Body and bases made of chipboard: L6.

				B	B	B										
Serie 800	H (in cm for standard base) =		84,5 2FH			122,0 зғн			159,5 4FH			197,0 5FH			234,5 бЕН	
	W=100 cm	44135	44136	44137	44141	44142	44143	44144	44145	44146	44147	44148	44149	44150	44151	44152
~	W=120 cm	44235	44236	44237	44241	44242	44243	44244	44245	44246	44247	44248	44249	44250	44251	44252
D=58,0	W=100 cm	44435	44436	44437	44441	44442	44443	44444	44445	44446	44447	44448	44449	44450	44451	44452
-	W=120 cm	44535	44536	44537	44541	44542	44543	44544	44545	44546	44547	44548	44549	44550	44551	44552
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	CW, CWsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb	_	CP	CPsb	_	CP	CPsb





#### PRODUCT INFORMATION S800-Schrank-4-6\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Cabinets and wardrobe cabinets with one wing door, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet.

Front consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle. Locking system optionally with cylinder or turnknob locks.

**Interior equipment** consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5 2	гн 122,0 зғн	159,5 4FH	197,0 5FH	234,5 бЕН
D=42.5	W= 40 cm	44000	44001	44002	44003	44005
	W= 50 cm	44100	44101	44102	44103	44105
	W= 60 cm	44200	44201	44202	44203	44205
D=58.0	W= 40 cm	44300	44301	44302	44303	44305
	W= 50 cm	44400	44401	44402	44403	44405
	W= 60 cm	44500	44501	44502	44503	44505
	Adjustable shelf inserts	1	2	3	4	5
	Locks	1	1	1	1	1





#### PRODUCT INFORMATION S800-Schrank-8-12\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Cabinets and wardrobe cabinets with wing doors, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Front consisting of 2 separately closing single-wing doors or one double-wing door with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

					B			B								
Serie 800	H (in cm for standard base) =		84,5 2FH			122,0 зғн			159,5 4FH			197,0 sfh			234,5 бЕН	
	W= 80 cm	44010	44011	44012	44014	44015	44016	44017	44018	44019	44020	44021	44022	44025	44026	44027
	W= 100 cm	44110	44111	44112	44114	44115	44116	44117	44118	44119	44120	44121	44122	44125	44126	44127
	W=120 cm	44210	44211	44212	44214	44215	44216	44217	44218	44219	44220	44221	44222	44225	44226	44227
D=58.0	W= 80 cm	44310	44311	44312	44314	44315	44316	44317	44318	44319	44320	44321	44322	44325	44326	44327
/ _	W= 100 cm	44410	44411	44412	44414	44415	44416	44417	44418	44419	44420	44421	44422	44425	44426	44427
	W=120 cm	44510	44511	44512	44514	44515	44516	44517	44518	44519	44520	44521	44522	44525	44526	44527
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	Locks / CP, CPsb	1	2 / CP	1 / CPsb	1	2 / CW	1 / CPsb	1	2 / CW	1 / CPsb	1	2 / CP	1 / CPsb	1	2 / CP	1 / CPsb

### VS-International | Basic catalogue







PRODUCT INFORMATION S800-KSchrank-4-6\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Combination cabinets and combination shelves, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height units 5 and 6 FH.

Type: Combined shelving and wing-door cabinets, each with a fixed construction base for vertical carcass division.

Front open or consisting of 2 single-wing doors hung on the left or right with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H(in cm for standard base) =	197,0 2+3FH (Shelf)	197,0 2+3FH		234,5 2+4FH	234,5 4+2FH	
	W= 40 cm	44004		44008	44006	44007	
-	W= 50 cm	44104		44108	44106	44107	
	W= 60 cm	44204		44208	44206	44207	
D=58,0	W= 40 cm	44304		44308	44306	44307	
	W= 50 cm	44404		44408	44406	44407	
	W= 60 cm	44504		44508	44506	44507	
	Adjustable shelf inserts	3		4	4	4	
	Locks	1		1	2	2	







### PRODUCT INFORMATION S800-KSchrank-8-12\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Combination cabinets and combination shelves, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 5 and 6 FH.

**Type:** Combined shelving and wing-door cabinets, each with a fixed construction base for vertical carcass division. Some with a centre partition set back (CPsb) in the lower cabinet area for further subdivision.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

										<b>B</b>	
Serie 800	H (in cm for standard base) =	19	97,0 2+3FH (Shelf)	¥ ~	197,0 2+3FH		234,5	2+4FH	V		234,5 4+2FH
	W= 80 cm	44023	-	44024		44009		44028		44029	
,•	W=100 cm		44123		44124		44109		44128		44129
	W=120 cm		44223		44224		44209		44228		44229
D=58.0	W= 80 cm	44323		44324		44309		44328		44329	
	W=100 cm		44423		44424		44409		44428		44429
	W=120 cm		44523		44524		44509		44528		44529
	Adjustable shelf inserts	3	2+2	3	2+2	4	5	4	2+3	4	6+1
	Locks / CP, CPsb	1 / -	1 / CPsb	2 / -	2 / CPsb	1/-	1 / CPsb	2   -	2 / CPsb	2 / -	2 / CPsb

### VS-International | Basic catalogue







### PRODUCT INFORMATION S800-Aufsatz-4-6\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Add-on cabinets and shelves, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height unit 1, 2 and 3 FH.

Type: Shelving or wing-door add-on cabinet. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

	* for ladder rail												
			Ŕ			<b>B</b>	B			B			
Serie 800	H =	атрана 37,5 1FH	* 45,0 1FH	1.1.1 37,5 тғн	* 45,0 1FH	. I. I. I 75,0 2FH	*82,5 2FH	1.1.1 75,0 2FH	*82,5 2FH	1.1.1 112,5 зғн	*120,0 зғн	1 I I 112,5 зғн	*120,0 зғн
D=42,5	W= 40 cm	47800	47820	47801	47821	44080	44090	44081	44091	47840	47860	47841	47861
,	W= 50 cm	47802	47822	47803	47823	44180	44190	44181	44191	47842	47862	47843	47863
	W= 60 cm	47804	47824	47805	47825	44280	44290	44281	44291	47844	47864	47845	47865
D=58,0	W= 40 cm	47900	47920	47901	47921	44380	44390	44381	44391	47940	47960	47941	47961
,	W= 50 cm	47902	47922	47903	47923	44480	44490	44481	44491	47942	47962	47943	47963
	W= 60 cm	47904	47924	47905	47925	44580	44590	44581	44591	47944	47964	47945	47965
	Adjustable shelf inserts	-	-	-	-	1	1	1	1	2	2	2	2
	Locks	1	1	-	-	1	1	-	-	1	1	-	-







#### PRODUCT INFORMATION S800-Aufsatz-8-12-1\_TY\_EN - 04.10.2021 - www.vs-furniture.com

### Serie 800 Add-on cabinets and shelves (1 FH), 80 to 120 cm wide.

Element cabinet (for details, see table) in the height unit 1 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Serie 800	Ha		37,5 1FH			0 1FH for ladder			37,5 тен			0 1FH for ladder	
D=42.5		47806	37,3 im		47826	O TPH for ladder	raii	47807	57,5 IFH		47827	O TPH for ladder	raii
D-42,3	W= 100 cm	47808	47809	47810	47828	47829	47830	47811	47812	47813	47831	47832	47833
	W=120 cm	47814	47815	47816	47834	47835	47836	47817	47818	47819	47837	47838	47839
D=58.0	W= 80 cm	47906			47926			47907			47927		
_ 00,0	W=100 cm	47908	47909	47910	47928	47929	47930	47911	47912	47913	47931	47932	47933
	W=120 cm	47914	47915	47916	47934	47935	47936	47917	47918	47919	47937	47938	47939
	Adjustable shelf inserts	-	-	-	-	-	-	-	-	-	-	-	-
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb







#### PRODUCT INFORMATION S800-Aufsatz-8-12\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Add-on cabinets and shelves (2 FH), 80 to 120 cm wide.

Element cabinet (for details, see table) in the height unit 2 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Serie 800	H =	P	75,0 2ғн		82	5 2FH for ladde			75,0 2ғн	F	82	5 2FH for ladde	
D=42,5		44082	1010 211		44092			44085	7 010 2111		44095		
0-12,0	W=100 cm	44182	44183	44184	44192	44193	44194	44185	44186	44187	44195	44196	44197
	W=120 cm	44282	44283	44284	44292	44293	44294	44285	44286	44287	44295	44296	44297
D=58.0	W= 80 cm	44382			44392			44385			44395		
, _	W=100 cm	44482	44483	44484	44492	44493	44494	44485	44486	44487	44495	44496	44497
	W=120 cm	44582	44583	44584	44592	44593	44594	44585	44586	44587	44595	44596	44597
	Adjustable shelf inserts	1	2	2	1	2	2	1	2	2	1	2	2
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	-   -	- / CP	- / CPsb







#### PRODUCT INFORMATION S800-Aufsatz-8-12-3\_TY\_EN - 06.04.2022 - www.vs-furniture.com

## Serie 800 Add-on cabinets and shelves (3 FH), 80 to 120 cm wide.

Element cabinet (for details, see table) in the height unit 3 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Serie 800	H=	P	112,5 зғн						112,5 зғн		120		
						,0 3FH for ladde	r rail		IIZ,5 3FH			,0 3FH for ladde	rail
D=42,5	W= 80 cm	47846			47866			47847			47867		
	W=100 cm	47848	47849	47850	47868	47869	47870	47851	47852	47853	47871	47872	47873
	W=120 cm	47854	47855	47856	47874	47875	47876	47857	47858	47859	47877	47878	47879
D=58.0	W= 80 cm	47946			47966			47947			47967		
,	W=100 cm	47948	47949	47950	47968	47969	47970	47951	47952	47953	47971	47972	47973
	W=120 cm	47954	47955	47956	47974	47975	47976	47957	47958	47959	47977	47978	47979
	Adjustable shelf inserts	2	4	4	2	4	4	2	4	4	2	4	4
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	-   -	- / CP	- / CPsb	- / -	- / CP	- / CPsb

### VS-International | Basic catalogue







PRODUCT INFORMATION S800-Aufsatz-Schieb\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Serie 800 Add-on cabinets with sliding doors.

Element cabinet (see table for details) in two or three height units.

Type: Cabinet with sliding doors and central partition to subdivide the body.

Front consisting of chipboard sliding doors, each with a metal strip handle or with bow handles, inset handles or lever handles.

Locking system optionally available with cylinder locks.

Internal equipment consisting of shelf inserts.

Serie 800	H =	75,0 гн	112,5 зғн
D=42,5	W= 80 cm	44870	
· · · ·	W=100 cm	44872	44873
\ \ \	W=120 cm	44874	44875
	W=160 cm	44818	44819
	W=180 cm	44823	44824
D=58,0	W= 80 cm	44970	
,	W=100 cm	44972	44973
	W=120 cm	44974	44975
	W=160 cm	44918	44919
	W=180 cm	44923	44924
	Adjustable shelf inserts	2	4
	Locks / CPsb	1 / CPsb	1 / CPsb







PRODUCT INFORMATION S800-Aufsatz-SchOrg\_TY\_EN - 04.10.2021 - www.vs-furniture.com

# Serie 800 Add-on cabinets with sliding doors (organisable).

Element cabinet (see table for details) in two or three height units.

Type: Sliding-door cabinet with double centre partition for carcass division. Prepared for suspension filing cabinets or wide drawers.

Front consisting of chipboard sliding doors, each with a metal strip handle or with bow handles, inset handles or lever handles.

Locking system optionally available with cylinder locks.

Internal equipment consisting of shelf inserts.

Serie 800	Η =	75,0 гн	112,5 зғн
D=42,5	W=160 cm	44828	44829
D=58,0	W= 160 cm	44928	44929
	Adjustable shelf inserts	2	4
	Locks / CPsb	1 / CPsb	1 / CPsb
			1/C





PRODUCT INFORMATION S800-Schub-4-6\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Serie 800 Drawer cabinets, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height unit 2 FH.

Type: Drawer cabinet.

Front consisting of 5 drawers with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of draws with steel sheet side elements.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

.m for standard base) =						
m for standard base) =						
m for standard base) =						
m for standard basel =						
m for standard base) =						
m for standard base) =						
m for standard base) =						
						84,5 2FH
40 cm						4483
50 cm						4484
60 cm						4484
40 cm						4493
50 cm						4494
60 cm						4494
vers						
S						
4 5 4 5 6 7	40 cm 50 cm 51 cm	40 cm 50 cm 50 cm 40 cm 50 cm 50 cm 50 cm	40 cm 50 cm 50 cm 40 cm 50 cm 50 cm 50 cm	40 cm 50 cm 50 cm 40 cm 50 cm 50 cm 50 cm	40 cm 50 cm 50 cm 40 cm 50 cm 50 cm 50 cm	40 cm       50 cm       50 cm       40 cm       50 cm       50 cm       50 cm       50 cm       50 cm





#### PRODUCT INFORMATION S800-Schub-8-12\_TY\_EN - 22.11.2021 - www.vs-furniture.com

# Serie 800 Drawer cabinets and combination cabinets, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2 and 5 FH.

**Type:** Drawer or combination drawer cabinet. For 5 FH with a fixed construction base for vertical carcass division. **Front** consisting of 1 or 2 rows of drawers. Some with additional storage space behind single-wing doors (2 FH) or double-wing doors (5 FH). Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

**Interior equipment** consisting of draws with steel sheet side elements and shelf inserts behind door panels. **Erection:** Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =		84,	5 2FH		197,	O 5FH
D=42,5	W= 80 cm	44831	44832	44833	44835	44834	44836
,	W=100 cm	44841	44842	44843		44844	
	W=120 cm	44846	44847	44848		44849	
D=58,0	W= 80 cm	44931	44932	44933	44935	44934	44936
, _	W=100 cm	44941	44942	44943		44944	
	W=120 cm	44946	44947	44948		44949	
	Adjustable shelf inserts / Drawers	1/5	1/5	- / 10	- / 5	2 / 10	2 / 5
	Locks	2	2	2	1	3	2





### PRODUCT INFORMATION S800-Registratur-8\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Filing cabinets, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 5 and 6 FH.

**Type:** Filing or combination filing cabinet. From 5 FH with a fixed construction base for vertical carcass division. **Front** consisting of a row of drawers. For 5 and 6 FH with additional storage space behind double-wing doors. Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of suspension-file or wide drawers and adjustable shelf inserts behind the door fronts. Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5	2FH	122,	0 зғн	197,0	) 5FH	234,	5 бЕН
D=42,5	W= 80 cm	47600	47601	47602	47603	47604	47605	47606	47607
,	W=100 cm	47610	47611	47612	47613	47614	47615	47616	47617
	W=120 cm	47620	47621	47622	47623	47624	47625	47626	47627
D=58.0	W= 80 cm	47700	47701	47702	47703	47704	47705	47706	47707
) -	W=100 cm	47710	47711	47712	47713	47714	47715	47716	47717
	W=120 cm	47720	47721	47722	47723	47724	47725	47726	47727
	Adjustable shelf inserts /Pull-outs	- / 2	- / 4	- / 3	- / 6	2 / 2	1/3	3 / 2	2/3
	Locks	1	1	1	1	2	2	2	2





#### PRODUCT INFORMATION S800-SchiebeOrg\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Sliding-door cabinets (organisable).

Element cabinet (for details, see table) in the height units 2, 3 and 4 FH.

Type: Sliding-door cabinet with double centre partition for carcass division.

Front consisting of chipboard sliding doors, each with a metal handle strip.

Locking system optionally with cylinder locks.

Interior equipment consisting of adjustable shelf inserts or optionally with suspension filing cabinets or wide drawers. Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).

		TELE			
Serie 800	H (in cm for standard base) =	8	4,5 2FH	122,0 зғн	159,5 4FH
D=42,5	W=160 cm	4	7630	47631	47632
D=58,0	W=160 cm	4	7730	47731	47732
	Adjustable shelf inserts		2	4	6
	Locks		1	1	1







#### PRODUCT INFORMATION S800-Schiebe\_TY\_EN - 18.01.2022 - www.vs-furniture.com

### Serie 800 Sliding-door and glass sliding-door cabinets, 80 to 180 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Sliding-door, glass sliding-door and combination cabinet. For 5 FH with a fixed construction base for vertical carcass division.

Front consisting of chipboard sliding and glass sliding doors and double-wing doors, each with bow-type handles, insettype handles or knob handles. Some with roller shutters and bow-type handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

		æ					
Serie 800	H (in cm for standard base) =	84,5 2FH	122,0 зғн	159,5 4FH		197,0 5FH	
D=42,5	W= 80 cm	44800			44803	44804	44059
· · ·	W=100 cm	44805	44806	44807	44808	44809	44159
	W=120 cm	44810	44811	44812	44813	44814	44259
	W=160 cm	44815	44816	44817			
	W=180 cm	44820	44821	44822			
D=58,0	W= 80 cm	44900			44903	44904	44359
,	W=100 cm	44905	44906	44907	44908	44909	44459
	W=120 cm	44910	44911	44912	44913	44914	44559
	W=160 cm	44915	44916	44917			
	W=180 cm	44920	44921	44922			
	Adjustable shelf inserts	2	4	6	2+2	2+2	2+2
	Locks	1	1	1	1	2	2







#### PRODUCT INFORMATION S800-VertRoll\_TY\_EN - 06.04.2022 - www.vs-furniture.com

### Serie 800 Vertical roller-shutter cabinets, 80 cm wide.

Element cabinet (for details, see table) in the height units 5 FH.

Type: Vertical roller-shutter and combination cabinet. For 5 FH combination cabinet with a fixed construction base for carcass division.

Front consisting of a vertical roller shutter of plastic slats, chipboard sliding doors or double-wing doors, each with bow handles, inset handles or knob handles, vertical roller shutter with handle strip.

Locking system optionally with cylinder or turn-knob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).

The following material groups are available to choose from: Roller cover made of plastic: C(astral silver); Body and bases made of chipboard: L6; Front made of chipboard: L3.

Serie 800	H (in cm for standard base) =		197,0 sfH	
D=42,5	W= 80 cm	44070	44071	44072
D=58,0	W= 80 cm	44370	44371	44372
	Adjustable shelf inserts	2+2	3	4
	Locks	2	2	1





#### PRODUCT INFORMATION S800-PostWert-4\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Mailbox cabinets and locker cabinets, 40 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Small-locker cabinet with a fixed construction base for vertical carcass division into 1 FH and/or 2 FH units. Front consisting of single-wing doors hung on the left or right in 1 FH without handles or in 2 FH with bow-type handles, inset-type handles or knob handles. Some with open horizontal or vertical mailboxes divided into 2 or 4 slots. Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts for large lockers with 2 height units.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

						<del>La</del>					
Serie 800	H (in cm for standard base) =	84,5 2FH	122,0 зғн	159,5 4FH				197,0 5FH			
D=42,5	W= 40 cm	44600	44601	44602	44603	44604	44605	44606	44607	44608	44609
D=58,0	W= 40 cm	44650	44651	44652	44653	44654	44655	44656	44657		
	Adjustable shelf inserts	-	-	-	-	1	-	1	2	1	1
	Locks	2	3	4	5	3	4	3	2	1	1





#### PRODUCT INFORMATION S800-PostWert-8\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Mailbox cabinets and locker cabinets, 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

**Type:** Small-locker cabinet with a fixed construction base for vertical carcass division into 1 FH and/or 2 FH units. 2 FH units with centre partition flush with the carcass or set back (CPsb) in the lower cabinet area for further subdivision. **Front** consisting of single-wing doors hung on the left or right in 1 FH without handles or in 2 FH single- or double-wing

doors with bow-type handles, inset-type handles or knob handles. Some with open horizontal or vertical mailboxes divided into 2 or 4 slots. Magazine cabinets with flaps opening upwards.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts for small lockers with 2 height units.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5 2FH	122,0 зғн	159,5 4FH					197,0 5FH				
D=42,5	W= 80 cm	44610	44611	44612	44613	44614	44615	44616	44617	44618	44619	44620	44621
D=58,0	W= 80 cm	44660	44661	44662	44663	44664	44665	44666	44667				
	Adjustable shelf inserts	-	-	-	-	2	-	2	4	2	2	-	2
	Locks	4	6	8	10	6	8	6	4	1	1	-	1





PRODUCT INFORMATION S800-PostWert-5-10\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Valuables-locker and eddy cabinets, 50 and 100 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Small-locker cabinet with fixed construction bases for vertical carcass divisions into 1 FH units. 58 cm deep models are suitable for storing the eddy toolbag.

Front consisting of single-wing doors in 1 FH without handles hung on the left or right.

Locking system optionally with cylinder or turn-knob locks.

Erection: Models from a height of 197 cm, must be secured to the wall or floor (DGUV Regel 108-007).

Serie 800	H (in cm for standard base) =	84,5	2FH	122,	O 3FH	159,	5 4FH	197,	) 5FH
D=42,5	W= 50 cm	44640		44641		44642		44643	
	W= 100 cm		44645		44646		44647		44648
D=58,0	W= 50 cm	44690		44691		44692		44693	
	W= 100 cm		44695		44696		44697		44698
	Locks	2	4	3	6	4	8	5	10





PRODUCT INFORMATION S800-Eddy\_TY\_EN - 06.04.2022 - www.vs-furniture.com

# Serie 800 eddy cabinet, 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

**Type:** Cabinet with asymmetrically arranged small and eddy lockers. With fixed construction bases for vertical carcass division into 1 FH units. Optimized for storing the eddy toolbag.

Front consisting of double-wing doors in 1 FH without handles hung on the left and right. Optional letter slot.

Locking system optionally with cylinder- or combination lock (with fixed or free code).

Erection: Models from a height of 197 cm, must be secured to the wall or floor (DGUV Regel 108-007).

Serie 800	H (in cm for standard base) =	84,5 2FH	122,0 зғн	159,5 4FH	197,0 sfh	84,5 2FH	122,0 зғн	159,5 4ғн	197,0 sfh
D=58,0	W= 80 cm	44680	44681	44682	44683	44685	44686	44687	44688
	Locks	2	3	4	5	2	3	4	5
	Mail slot	-	-	-	-	2	3	4	5





PRODUCT INFORMATION S800-Ranzen\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Satchel cabinets.

Element cabinet (see table for details) in two height units.

**Type:** Special cabinets for satchels, optionally with rail system for Gratnells plastic trays. Depending on model, with fixed construction shelf for the vertical subdivision of the carcass.

The following material groups are available to choose from: Body and bases made of chipboard: L6; Gratnells plastic box: C3.

Serie 800	H (in cm for standard base) =		84,5 2FH			122,0 зғн		197,0	) 5FH		122,	Озғн	
D=42.5	W= 71 cm	44736			44739			44747					
,_	W= 105,5 cm		44730			44740			44748	44731	44732		
	W= 120 cm											44733	
	W= 140 cm			44737			44741						44734
	Number of boxes (h 7,5/15)	4/2	6/3	8/4	4/2	6/3	8/4	8/4	12/6	6/-	12/6	-/-	8/-
	Number of compartiments	2	3	4	4	6	8	4	6	6	4	8	8
	Coat hooks	-	-	-	х	х	Х	х	х	-	-	-	-







#### PRODUCT INFORMATION S800-Spezial\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Collection and special cabinets, 80 and 120 cm wide.

Element cabinet (for details, see table) in the height unit 5 FH.

**Type:** Collection cabinets with glass-frame doors or special cabinets with installed wardrobe, musical-instrument or kitchenette facilities. With construction base for vertical and with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Front consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	197,0 sfh		<u>.</u>	
D=42.5	W= 80 cm						44075	
	W=120 cm	44270	44271	44272	44273	44274		
D=58.0	W= 80 cm						44375	
, _	W=120 cm	44570	44571	44572	44573	44574		44576
	Adjustable shelf inserts	4	8	4	8	2+2	4	2
	Locks / CP, CPsb	1/-	2 / CP	1/-	2 / MW	2 / -	1 / CPsb	1/-
		i						070





PRODUCT INFORMATION S800-Eigen-42\_TY\_EN - 22.11.2021 - www.vs-furniture.com

## Serie 800 Cabinets and shelves with property trays in special widths.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Special cabinets with wooden or plastic property trays. For 4 and 5 FH with a fixed construction base for vertical carcass division.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles. Locking system optionally with cylinder or turnknob locks.

**Interior equipment** consisting of adjustable shelf inserts or optionally with adjustable shelf inserts and personal property boxes made of wood or with a runner system for Gratnells plastic boxes/tubs.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

					A CONTRACTOR								
Serie 800	H (in cm for standard base) $=$				84	4,5 <sup>2FH</sup>				122,0 <sup>3FH</sup>	159,5 <sup>4FH</sup>	197,	O <sup>SFH</sup>
D=42,5	W= 71,0 cm					44630					2		
· · ·	W=105,5 cm						44631		44633	44634	44635	44636	44637
	W=120,0 cm	44238	44239	44240	44213								
	W=140,0 cm							44632			0		
D=58,0	W=120,0 cm	44538			44513								
-	Adjustable shelf inserts / Boxes <sup>H=7,5/15,0</sup>	6/-/-	6/-/-	6/-/-	6/-/-	-/16/8	- / 24 / 12	-/32/16	- / 24 / 12	-/36/18	1 / 24 / 12	2 / 24 / 12	1 / 36 / 18
	Adjustable shelf inserts / Wooden boxes H=14,0		8 / 12	12 / 16									
	Locks	-	-	-	1	-	-	-	1	1	1	1	1







#### PRODUCT INFORMATION S800-Haenge\_TY\_EN - 22.11.2021 - www.vs-furniture.com

### Serie 800 Wall-mounted cabinets and shelves, 60 and 80 cm wide.

Element cabinet (for details, see table) in the height unit 2 FH.

Type: Shelving or wing-door cabinet for wall mounting.

Front consisting of a single-wing doors hung on the left or right or of double-wing doors, each with bow-type handle, inset-type handle or knob handle.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Serie 800	H=		75,0	) 2FH	
D=33,0	W= 60 cm	44625			-
· · ·	W= 80 cm			44627	44628
	Adjustable shelf inserts	2	2	2	2
	Locks	1	-	1	-
					201





#### PRODUCT INFORMATION S800-Querroll-Aufs\_TY\_EN - 06.04.2022 - www.vs-furniture.com

## Serie 800 Horizontal roller-shutter cabinets, 100 to 160 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Horizontal roller-shutter cabinet (cabinet and add-on cabinet). With removable top shelf for inspection.

Front with plastic horizontal roller shutter and an plastic handle strip.

Locking system optionally with cylinder locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).

The following material groups are available to choose from: Roller cover made of plastic: C(astral silver, white); Body and bases made of chipboard: L6.

		P	E	E	E	E			F		F
Serie 800	H (in cm for standard base) =	84,5	2FH	122,0	) зғн	159,5 4FH	197,0 sfh	75,0	) 2FH	112,	5 зғн
D=42,5	W=100 cm	44706		44707		44708	44709	44704		44705	
,	W=120 cm	44716		44717		44718	44719	44714		44715	
	W=160 cm		44726		44727				44724		44725
	Adjustable shelf inserts	1	2	2	4	3	4	1	2	2	4
	Locks / CPsb	1	1 / CPsb	1	1 / CPsb	1	1	1	1 / CPsb	1	1 / CPsb







#### PRODUCT INFORMATION S800-Nische\_TY\_EN - 23.11.2021 - www.vs-furniture.com

### Serie 800 Niches for installation in cabinet walls

Element cabinet (see table for details) in heights of 2, 3 and 4 FH.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area.

Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 40-mm chipboard and rear wall from 19-mm chipboard.

Element cabinet (see table for details) in height of 1 height unit.

**Type:** Open shelving cabinet as substructure for niches.

Padded mats made from foam with easy-to-clean artificial leather covering, black all-round surrounding strap and non-slip bottom with hidden zip fastener. Can be used as comfortable cover for sitting niches in cabinets.

Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).


The following material groups are available to choose from: Body made of chipboard: L3,6; Fabric cover: S40,64,81.

											, ,
Serie 800				Niche	Niches			Shelved ba	se cabinet	Padded mats	
	H =	74,9 2	FH	112,4	3FH	149,9	4FH	37,5	5 1FH		
D=47,5	W=100 cm	47880		47881		47882		(1x) <b>47884</b>		48614	
,	W=160 cm		47885		47886		47887		(2x) <b>47889</b>		48615
	W=200 cm		47890		47891		47892		(2x) <b>47884</b>		48616
D=63.0	W=100 cm	47980		47981		47982		(1x) <b>47984</b>		48617	
	W=160 cm		47985		47986		47987		(2x) <b>47989</b>		48618
	W=200 cm		47990		47991		47992		(2x) <b>47984</b>		48619
	Shelved base cabinet	1	2	1	2	1	2				
	Cushioning									1-part	2-par

### VS-International | Basic catalogue







#### PRODUCT INFORMATION S800-Nische-hoch\_TY\_EN - 23.11.2021 - www.vs-furniture.com

## Serie 800 High niches for installation in cabinet walls.

Element cabinet (see table for details) in height unit of 5 FH.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area. Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 40-mm chipboard and rear wall from 19-mm chipboard.

Element cabinet (see table for details) in height unit of 1 FH. Type: Open shelving cabinet as substructure for niches. The following material groups are available to choose from: Body made of chipboard: L3,6.

Serie 800	Nich	ies
H =	197,0	
D=58.0 W=100 cm	47983	
W=200 cm		47993



List of materials



Plastic colour: Group C1	Group C2	Group C3	Group C4
		015, 025 anthracite	
		016, 026 translucent	
027 dark red	027 dark red	027 dark red	027 dark red
029 dark blue	029 dark blue	029 dark blue	029 dark blue
030 light blue	030 light blue	030 light blue	030 light blue
031 white	031 white		031 white
032 orange	032 orange		032 orange
033 light green	033 light green	033 light green	033 light green
034 green	034 green		034 green
036 purple	036 purple		036 purple
	037 traffic red	011 red	037 traffic red
073 black grey <sup>(RAL 7021)</sup>	073 black grey <sup>(RAL 7021)</sup>		073 black grey (RAL 7021)
078 dolphin grey			078 dolphin grey



Group C5	Group C6	Gruppe Cx group-independent
E31 dark blue	029 dark blue	017 astral silver
E33 light green	033 light green	
E01 red	037 traffic red	
	073 black grey (RAL 7021)	073 black grey <sup>(RAL 7021)</sup>
E04 grey		078 dolphin grey
		328, 090, 094 white
		800, 089, 093 black



# Wood stain colour (beech/oak): Group H1 Group Hx group-independent Group H2 **Group H3** 010, 900 beech natural 010, 900 beech natural 010, 900 beech natural 010, 900 beech natural 011, 901 beech black 011, 901 beech black 011, 901 beech black 011, 901 beech black 021 beech light green 021 beech light green 022 beech light blue 022 beech light blue 023 beech light grey 023 beech light grey 025 beech orange 025 beech orange 027 beech dark red 027 beech dark red 028 beech dark green 028 beech dark green 029 beech dark blue 029 beech dark blue 037 beech traffic red 051 beech polar white 051 beech polar white 015<sup>010</sup> oak natural 015<sup>011</sup> oak black 015<sup>051</sup> oak polar white



Veneer: Group F1	Group F3	Fx group-independent
010 natural beech	010 natural beech	010 natural beech
011 canadian maple	011 canadian maple	
012 american natural cherry		
013 natural birch		
014 natural ash	014 natural ash	
015 european natural oak		
016 pear natural wood		
018 wenge		
019 american walnut	019 american walnut	



Board surfaces: Group L1 LIGNOdur	Group L2 Chipboard-PUR	Group L3	Group L4
		017 astral silver 018 anthracite 019 plain black	
027 natural beech laminate	027 natural beech laminate	027 natural beech laminate	027 natural beech laminate
028 natural maple laminate	028 natural maple laminate	028 natural maple laminate 029 natural walnut laminate	028 natural maple laminate 029 natural walnut laminate
031 grey white	031 grey white	031 grey white	031 grey white
035 andes grey	035 andes grey	035 andes grey	035 andes grey
		315 orange	
	328 white	328 white	328 white
		340 natural oak laminate	340 natural oak laminate
		412 light blue 413 light green	
290		414 warm white 415 terra grey	415 terra grey



Group L5	Group L6	Group L7	Lx group-independent
017 astral silver 018 anthracite 019 plain black 027 natural beech laminate	017 astral silver 018 anthracite 019 plain black 027 natural beech laminate 028 natural maple laminate		017 astral silver 018 anthracite 019 plain black 027 natural beech laminate
	029 natural walnut laminate		
031 grey white	031 grey white		031 grey white
035 andes grey	035 andes grey	281 aged beech laminate	
328 white	328 white		328 white
	340 natural oak laminate		331 grey white <sup>(flat)</sup>
415 terra grey	415 terra grey	434 crystal white <sup>(U11026 W)</sup> 435 light grey <sup>(U12188 MP)</sup>	



Board surfaces: Group L9	Group L10	Linoleum: Group L8	Glass: Group G1
	017 astral silver	051 red	002 TSG printed with stripes
		054 ivory 057 dark grey	003 TSG printed plain
027 natural beech laminate	027 natural beech laminate	058 black	Group Glass
028 natural maple laminate	028 natural maple laminate		001 TSG satin-frosted
031 grey white	031 grey white		
035 andes grey			Cork: Group K1
			081 sand <sup>(Bulletin Board 2186)</sup>
328 white	328 white		082 grey <sup>(Bulletin Board 2204)</sup>
340 natural oak laminate			Cork: Kx <sup>group-independent</sup>
			039, 043, 085 natural cork







Metal surfaces: Group M1	Group M2	Mx group-independent	Board surfaces: Groupe E1
030 terra grey 031 petrol		000 light grey 008, 018 black 009, 019 brilliant silver	020 white without Lineations
032 light blue			
033 light green			
034 orange			
059, 159 arctic	059, 159 arctic	059, 159 arctic	024 white 4th school year
063 anthracite 065 black 071 sapphire blue <sup>(RAL 5003)</sup>	063 anthracite 065 black	063 anthracite 065, 165, 910 black	025 white squares 5 cm
084 oxblood			
084 0x01000	091 white	091 white	
			027 white music lines
		049, 010, 020, 801 high polished alu 060, 011 chrome-plated	027       white music mess         +
		100 alu anodised	• • • • • • • • • • • • • • • • • • •
		802 alu silver	
294		909 silver	



019 green without Lineations	100 blue without Lineations	120 grey without Lineations	140 black without Lineations
001 green 1st school year	101 blue 1st school year	121 grey 1st school year	141 black 1st school year
002 green 2nd school year	102 blue 2nd school year	122 grey 2nd school year	142 black 2nd school year
003 green 3rd school year	103 blue 3rd school year	123 grey 3rd school year	143 black 3rd school year
004 green 4th school year	104 blue 4th school year 104 blue 4th school year 105 blue squares 5 cm	124 grey 4th school year	144 black 4th school year
006 green squares 10 cm	106 blue squares 10 cm	126 grey squares 10 cm	146 black squares 10 cm
007 green music lines	107 blue music lines	127 grey music lines	147 black music lines
009 green diamond grid 5 cm	109 blue diamond grid 5 cm	129 grey diamond grid 5 cm	149 black diamond grid 5 cm
+ + + + + +	* * * * * *	* * * * * * *	
010 green diamond grid 10 cm	110 blue diamond grid 10 cm	130 grey diamond grid 10 cm	150 black diamond grid 10 cm 295



Fabrics: S40 Stamskin Top by Serge Ferrari	S41 Cordura by Camira	S46 Xtreme by Camira	<b>S51 Blazer</b> by Camira
847 black <sup>(00002)</sup>	962 black <sup>(9691)</sup>	290 black <sup>(YS009)</sup>	266 anthracite <sup>(CUZ67)</sup>
864 dark blue (10295)	963 blue <sup>(5722)</sup>	291 anthracite <sup>(YS046)</sup>	270 grey <sup>(CUZ1E)</sup>
865 turquoise <sup>(20289)</sup>	970 orange <sup>(2891)</sup>	293 light grey <sup>(YS094)</sup>	271 dark blue <sup>(CUZ62)</sup>
866 traffic red <sup>(07478)</sup>	971 green <sup>(6456)</sup>	295 blue <sup>(YS005)</sup>	272 turquoise <sup>(CUZ1R)</sup>
867 orange <sup>(20280)</sup>	972 red <sup>(3768)</sup>	296 dark green <sup>(YS045)</sup>	273 green <sup>(CUZ1K)</sup>
868 yellow <sup>(20299)</sup>	973 bordeaux <sup>(3737)</sup>	299 red <sup>(YS079)</sup>	274 yellow green <sup>(CUZ1F)</sup>
986 dark red <sup>(07479)</sup>	974 sand <sup>(2412)</sup>	315 dark blue <sup>(YS026)</sup>	276 red <sup>(CUZ63)</sup>
987 green <sup>(07485)</sup>	975 grey green <sup>(7448)</sup>	316 light blue <sup>(YS097)</sup>	277 russet <sup>(CUZ90)</sup>
989 grey <sup>(07445)</sup>	977 dark blue <sup>(5729)</sup>	317 turquoise <sup>(YS160)</sup>	320 dark grey (CUZ1J)
Material: Artificial leather, multi- layer composite (PVC), substrate: polyamide jersey Abrasion cycles: ≥ 120.000 Width; Weight: 1400 mm; 1092 g/lm, 780 g/m <sup>2</sup> Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), NFPA 260, CAL 117 Environmental certifications: recyclable * All fire protection certificates documented on this page refer	978 brown grey <sup>(7446)</sup> Material: 100% Polyamid 6.6, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impregnation Abrasion cycles: ≥ 200,000 Width; Weight: 1500 mm; 349 g/lm, 250 g/m <sup>2</sup> Environmental certifications: OEKO-TEX 100 Cleaning: Handwash, lukewarm water; mild detergent; leave to dry thoroughly	318 green <sup>(YS159)</sup> 319 dark red <sup>(YS136)</sup> Material: 100% post-consumer recycled polyester, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impregnation Abrasion cycles; Fastness to rubbing: $\geq$ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 435 g/lm, 310 g/m <sup>2</sup> Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content Cleaning: Handwash, lukewarm	322 grey blue <sup>(CUZ1W)</sup> 323 petrol <sup>(CUZ3B)</sup> Material: 100% New wool Abrasion cycles; Fastness to rubbing: ≥ 50,000; 4 wet, 4 dry Width; Weight: 1400 mm; 644 g/lm, 460 g/m <sup>2</sup> Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, EN 13501-1, Adhered Class D, s1, d0, ÖNORM B 3825 £t A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: no heavy metal content



# S52 Nexus by Camira h 278 anthracite (UN 279 blue (UNY03) 2 281 green 302 red (UNY16) 324 grey 325 dark blue (UNY15) 326 petrol (UNY10) Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width: Weight: 1730 mm; 528 g/lm, 305 g/m<sup>2</sup> EN 1021-2 (P-b, match test), Lightfastness: 5 (1-8) BS 7176 Low/Medium Hazard, Fire resistance certifications\*: BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: EN 13501-1 Adhered Class B, s2, d0, OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no

EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, BS 476 Part 7 Class 1, Un-adh. Class C, s1, d1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

\* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

# S54 Xtreme

by Camira
290 noir <sup>(YS009)</sup>
293 light grey <sup>(YS094)</sup>
295 blue <sup>(YS005)</sup>
299 red <sup>(YS079)</sup>
318 green <sup>(YS159)</sup>
Material: 100% post-consumer
recycled polyester, coated with
two layers of acrylate; water-,
oil- and dirt-repellent fluorocarbon impregnation
Abrasion cycles; Fastness to
rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight:
1400 mm; 435 g/lm, 310 g/m <sup>2</sup>
Lightfastness: 6 (1-8)
Fire resistance certifications*:
EN 1021-1 (P-c, cigarette test),

heavy metal content

dry thoroughly

Cleaning: Handwash, lukewarm

water; mild detergent; leave to

S64 Mover by Alonso Mercader

# 309 black (59) 310 anthracite 311 grey brown (118) 312 blue 313 red (124)

### 314 green

Material: Artificial leather, surface 100% PU-PC, substrate: 100% polyester Abrasion cycles: ≥ 200,000 Width; Weight: 1400 mm; 430 g/lm, 307 g/m<sup>2</sup> Lightfastness: 6-7 (1-8) Fire resistance certification\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, CAL 117

#### S66 Polo by FiDiVi

	··· <b>/</b> · ··· · · ·
	774 blue <sup>(77021)</sup>
	(77000)
	775 noir (77033)
-	
	776 anthracite (77030)
	778 red (77040)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 150,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 350 g/lm, 250 g/m<sup>2</sup> Lightfastness: 6 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test) Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content Cleaning: Do not wash, do not

bleach, iron with medium heat, clean with perchlorethylene

## **Fabrics**: **S69 Evo**

# by VS

773 red (EV-5)

787 black (EV-11)

788 anthracite (EV-1)

# 790 blue (EV-9)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 150,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 300 g/lm, 214 g/m<sup>2</sup> Pilling; Lightfastness: 5 (1-5); 4-5 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test) Cleaning (dry cleaning; mechanical): With tetrachloroethylene and water solution of carbonate fluoride; clean the whole surface with a damp cloth Note: Formaldehyde measurement acc. to PN-EN ISO 14184-1; colour fastness to perspiration acc. to PN-EN ISO 105-E04

\* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.



Material: (S254, S257) 72% Polyester, 18% Polyamide, 10% Viscose Material: (S255, S259, S261, S262) 57% Polyester, 43% Polyamide Width; Weight: 1700 mm; 340 g/lm, 200 g/m $^2$ Lightfastness: 5 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B, s1, d0 Environmental certifications: no heavy metal content

S73 Erika by FiDiVi 327 black (8033 328 dark grey (8003) 329 dark blue (6098) 330 blue (6080) 331 light blue (6026) 332 petrol (6031) 333 turquoise (7026)

334 dark green (7029)

335 green (7011)

336 red (4027)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 70,000; 4 wet, 5 dry Width; Weight: 1400 mm; 310 g/lm, 220 g/m<sup>2</sup> Lightfastness: 6 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Medium Hazard, BS 5852 Crib 5, UNI 9175 class 1 IM Environmental certifications: OEKO-TEX 100 (category 2), recyclable

#### S74 Era by Camira

337 black <sup>(CSE14)</sup>
338 grey <sup>(CSE44)</sup>
339 light grey <sup>(CSE46)</sup>
340 dark blue (CSE40)
341 blue <sup>(CSE12)</sup>
342 light blue <sup>(CSEO8)</sup>
343 petrol <sup>(CSE15)</sup>
344 turquoise <sup>(CSE37)</sup>
345 white green (CSE36)

346 dark green (CSE35)

S72 Sonus by Camira

254 anthracite 255 grey (FHU04) 257 grey blue (FHROG)



347 light green (C 348 grey green (CSE34) 349 dark red (CSE28 350 salmon (CSE26) 351 pink (CSE19) 352 orange (CSEO5) 353 yellow orange (CSE27) 354 yellow (CSE03)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight : 1400 mm; 448 g/lm, 320 g/m<sup>2</sup> Lightfastness: 5 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, EN 13501-1 Adhered Class B, s1, d0, Un-adh. Class C, s1, d0, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

\* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

# S75 Era

by Camira
337 black <sup>(CSE14)</sup>
341 blue <sup>(CSE12)</sup>
355 anthracite (CSE13)
356 red <sup>(CSEO6)</sup>

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight : 1400 mm; 448 g/lm, 320 g/m<sup>2</sup> Lightfastness: 5 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard. EN 13501-1 Adhered Class B, s1, d0, Un-adh. Class C, s1, d0, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

## S76 Mirage E by Pugi

357 anthracite <sup>(6571)</sup>
358 grey (6625)
359 light grey <sup>(6629)</sup>
360 grey blue <sup>(6378)</sup>
361 dark blue <sup>(6333)</sup>
362 blue <sup>(6331)</sup>
363 turquoise (6366)

364 green (6464)

365 dark red (6236)

# 366 red (6231)

367 orange (6133)

368 yellow (6053)

Material: 100% Trevira CS (Polyester) Abrasion cycles: 100,000 Width; Weight: 1400 mm; 460 g/lm, 328 g/m<sup>2</sup> Lightfastness: 6 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 5. EN 13501-1 Adhered Class B, s1, d0, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable

### S77 Mirage E by Pugi

360 grey blue <sup>(6378)</sup>
Soo grey once
363 turquoise (6366)
201
364 green <sup>(6464)</sup>
367 orange (6133)
200 vollow (6053)
368 yellow (6053)
Material: 100% Trevira CS
(Polyester)
Abrasion cycles: 100,000 Width; Weight:
1400 mm; 460 g/lm, 328 g/m <sup>2</sup>
Lightfastness: 6 (1-8)
Fire resistance certifications*:
EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test),
BS 5852 Crib 5,
EN 13501-1 Adhered Class B, s1, d0,
DIN 4102 B1, ÖNORM B 3825 & A
3800-1 B1/Q1, NF D 60-013, CAL 117
Environmental certifications:

OEKO-TEX 100 (category 2), recyclable

# Fabrics: S78 Step



# S79 Trevi D

by Gabriel			by Pugi
			的过去式和过去式和过去分词 医水管 化合金合金合金合金合金合金合金合金合金合金合金合金合金合金合金合金合金合金合金
370 grey (60092)	380 light blue (66018)	390 light green (68162)	398 black <sup>(25651)</sup>
			00-01-0-05
371 Melange grey (60092)	381 Melange light blue (66018)	391 Melange light green (68162)	399 grey (25602)
372 light grey (60004)	382 turquoise (67007)	392 red (64013)	400 blue <sup>(25302)</sup>
372 light grey	382 turquoise	592 TCu ***	
373 Melange light grey (60004)	383 Melange turquoise (67007)	393 Melange red (64013)	401 light blue (25353)
374 grey blue (66148)	384 mint green (68157)	394 traffic red (64179)	402 petrol (25402)
375 Melange grey blue (66148)	385 Melange mint green (68157)	395 Melange traffic red (64179)	403 green (25453)
376 marine (65018)	386 green (68160)	396 orange <sup>(63082)</sup>	404 red (25202)
377 Melange marine (65018)	387 Melange green (68160)	397 Melange orange (63082)	405 orange (25102)
378 blue (66151)	388 olive green (68120)	369 black (60999)	406 yellow (25051)
4 4 10 1			
270 Melange blue (66151)	200 Melange olive green (68120)	Material: 100% Trevira CS	Material: 100% Trevira CS

379 Melange blue (66151)

389 Melange olive green (68120)

Material: 100% Trevira CS (Polyester) Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 470 g/lm, 335 g/m<sup>2</sup> Pilling; Lightfastness: 4-5 (1-5); 5-7 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Medium Hazard, BS 5852 Crib 0,1,5, EN 13501-1 Adhered Class B, s1, d1, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content

Material: 100% Trevira CS (Polyester) Abrasion cycles: 100,000 Width; Weight: 1400 mm; 630 g/lm, 450 g/m<sup>2</sup> Lightfastness: 6 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 5, EN 13501-1 Adhered Class B, s1, d0, DIN 4102 B1, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable

#### \* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

S80 Select
by Gabriel
407 black (60999)
408 grey <sup>(60134)</sup>
409 light grey <sup>(60139)</sup>
410 grey blue <sup>(67097)</sup>
411 dark blue (66071)
412 blue <sup>(66190)</sup>
413 light blue <sup>(66191)</sup>
414 petrol <sup>(66192)</sup>



Material: 85% New Zealand wool, 15% polyamide Abrasion cycles; Fastness to rubbing: 200,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 510 g/lm, 364 g/m<sup>2</sup> Pilling; Lightfastness: 4 (1-5); 5-8 (1-8) Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1,5, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, with no heavy metal content

# S81 Evida Venezia

by Hornschuch
423 black <sup>(62)</sup>
424 grey <sup>(67)</sup>
425 blue (68)
426 green <sup>(59)</sup>

427 red (57)

Material: Artificial leather, approx. 50% renewable raw materials, approx. 30% natural raw materials, approx. 20% mineral oil-based raw materials (Vinyl = PVC) Abrasion cycles: ≥ 50,000 Width; Weight: 1370 mm; 1050 g/lm, 750 g/m<sup>2</sup> Fire resistance certifications\*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), with no heavy metal content

\* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

VS-International | Basic catalogue





Alle

# www.vs-moebel.de | www.vs-furniture.com

VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG 97941 Tauberbischofsheim, Germany | Hochhäuser Straße 8 Tel: 09341-880 | Fax: 09341-88107 | vs@vs-moebel.de Export: Phone: +49-9341-88888 | Fax: +49-9341-88830 | vsexport@vs-furniture.com

-



ОРГАНИЗАЦИЯ РАБОЧЕГО ПРОСТРАНСТВА ОСНАЩЕНИЕ ОБЩЕСТВЕННЫХ ЗДАНИЙ